

KENYA MEDICAL TRAINING COLLEGE P.O. BOX 30195 – 00100 NAIROBI

KMTC IS AN ISO 9001:2015 Certified Intuition Certification Body: Kenya Bureau of Standards (KEBS)

TENDER DOCUMENT

PROPOSED CONSTRUCTION OF TUITION BLOCK AT KENYA MEDICAL TRAINING COLLEGE SAMBURU CAMPUS SAMBURU COUNTY

TENDER NO. KMTC/20/2023-2024

CLOSING DATE 13TH MARCH 2024



TENDER NO: KMTC/20/2023 - 2024

TENDER DOCUMENTS

PROJECT MANAGER

Director
Public Works
Departmentof Roads
and Transport
P.O. BOX 3-20600,
MARALAL

ARCHITECT
County Architect,

Public Works, Department of Roadsand Transport P.O. BOX 3-20600,

MARALAL

ELECTRICAL ENGINEER

County Engineer (Electrical)

Public Works, Department of Roadsand Transport

P.O. BOX 3-20600,

MARALAL

STRUCTURAL ENGINEER

County Engineer (Structural)
Public Works, Department
ofRoads and Transport
P.O. BOX 3-20600,
MARALAL

QUANTITY SURVEYOR

County Quantity Surveyor,

Public Works, Department of Roads and Transport

P.O. BOX 3-20600,

MARALAL

MECHANICAL ENGINEER

County Engineer (Mechanical-BS)

Public Works, Department of Roads and Transport

P.O. BOX 3-20600,

MARALAL

TABLE OF CONTENTS

PREF	FACE	iv
APPE	ENDIX TOTHE PREFACE	V
GUID	DELINES FOR PREPARATION OF TENDER DOCUMENTS	V
2. PA	ART 1 - TENDERING PROCEDURES	V
	ART 2 - PROCUREMENT ENTITY'S REQUIREMENTS	
4 P	ART 3 - CONDITIONS OF CONTRACT ANDCONTRACTFORMS	vi
	TATION TOTENDER	
PART	T 1: TENDERING PROCEDURES	1
SECT	TION I - INSTRUCTIONS TO TENDERERS	1
A. G	ENERALPROVISIONS	1
1.0	Scope of tender	
2.0	Fraud and corruption	
3.0	Eligible tenderers	
4.0	Eligible goods, equipment, and services	
5.0	Tenderer's responsibilities	3
В. С	CONTENTS OFTENDER DOCUMENTS	4
6.0	Sections of Tender Document	4
7.0	Clarification of Tender Document, Site Visit, Pre-tender Meeting	4
8.0	Amendment of Tender Documents	5
10.0	Language of Tender	5
11.0	Documents Comprising the Tender	5
12.0	Form of Tender and Schedules	6
13.0	Alternative Tenders	6
14.0	Tender Prices and Discounts	
15.0	Currencies of Tender and Payment	
16.0	Documents Comprising the Technical Proposal	
17.0	Documents Establishing the Eligibility and Qualifications of The Tenderer	
18.0	Period of Validity of Tenders	8
19.0	Tender Security	8
20.0	Format and Signing of Tender	9
D. SU	UBMISSION AND OPENINGOFTENDERS	11
21.0	Sealing and Marking of Tenders	11
22.0	Deadline for Submission of Tenders	
23.0	Late Tenders	
24.0	Withdrawal, Substitution, and Modification of Tenders	11
25.0	Tender Opening	
E. E	VALUATION AND COMPARISONOFTENDERS	12
26.0	Confidentiality	12
27.0	Clarification of Tenders	
29.0	Determination of Responsiveness.	
30.0	Non-material Non-conformities	
31.0	Arithmetical Errors	
33.0	Margin of Preference and Reservations	
34.0	Nominated Subcontractors	

35.0	Evaluation of Tenders	15
36.0	Comparison of tenders	15
37.0	Abnormally low tenders and abnormally high tenders	
Abnor	mally Low Tenders	15
Abnor	mally high tenders	15
38.0	Unbalanced and/or front-loaded tenders	
39.0	Qualifications of the tenderer	16
40.0	Lowest evaluated tender	16
41.0	Procuring entity's right to accept any tender, and to reject any orall tenders	16
F. AV	VARD OF CONTRACT	17
42.0	Award criteria	17
43.0	Notice of intention to enter into a contract	
44.0	Standstill Period	17
44.0	Standstill Period	17
45.0	Debriefing By The Procuring Entity	
46.0	Letter of Award	
47.0	Signing of Contract	
48.0	Performance Security	
49.0	Publication of Procurement Contract	
50.0	Procurement related Complaint and Administrative Review	18
SECT	TON II - TENDER DATASHEET(TDS)	18
SECT	TON III - EVALUATION AND QUALIFICATION CRITERIA	22
1.	General Provisions	
2.	Preliminary examination for Determination of Responsiveness	22
3.	Tender Evaluation	
4.	Multiple Contracts	
5.	Alternative Tenders	
6.	Margin of Preference	
7.	Post qualification and Contract ward	
8.	QUALIFICATION FORM	
SECT	TON IV -TENDERINGFORMS	28
1.	FOREIGN TENDERERS40% RULE	
2.	Form EQU: EQUIPMENT	
3.	FORM PER - 1:	
4.	FORM PER - 2:	
5.	TENDERERS QUALIFICATIONWITHOUTPRE-QUALIFICATION	
ОТНІ	ER FORMS	43
		40
1.	FORM OF TENDER	
	a) TENDERER'S ELIGIBILITY- CONFIDENTIALBUSINESS QUESTIONNAIRE	
	b) CERTIFICATE OF INDEPENDENTTENDERDETERMINATION	
	c) SELF-DECLARATION FORM - SELF DECLARATION OFTHETENDERER	
	d) APPENDIX 1 - FRAUD AND CORRUPTION	54
2.	FORM OF TENDER SECURITY – DEMAND BANKGUARANTEE	56
3.	FORM OF TENDER SECURITY (INSURANCE GUARANTEE)	57
4.	FORM OF TENDER-SECURING DECLARATION	
5.	APPENDIX TO TENDER	59

SECTION V – BILLS OF QUANTITIES	60
1. PREAMBLES	63
2. Bill No. 1 – Preliminary Items	
3. Bill No. 2: Work Items	
4. Bill No. 3: Schedule of Day work Rates - Labour	
5. Bill No. 3: Schedule of Day work Rates - Materials	
6. Bill No. 3: Schedule of Day work Rates - Contractor's Equipment	
7. Bill No. 3: Day work Summary	
8. Bill No. 4: Provisional Sums	
9. GRAND SUMMARY	72
SECTION VI - SPECIFICATIONS	
SECTION VII - DRAWINGS	73
SECTION VIII - GENERAL CONDITIONS OF CONTRACT (GCC)	74
1. General Provisions.	74
2. The Procuring Entity	80
3. The Engineer	
4. The Contractor	
5. Nominated Subcontractors	
6. Staff and Labor	
7. Plant, Materials and Workmanship	
8. Commencement, Delays and Suspension	
9. Tests on Completion	
10. Procuring Entity's Taking Over	
11. Defects Liability	
12. Measurement and Evaluation	
13. Variations and Adjustments	
14. Contract Price and Payment	
15. Termination by Procuring Entity	
16. Suspension and Termination by Contractor	
17. Risk and Responsibility	
18. Insurance	
19. Force Majeure	
20. Settlement of Claims and Disputes	126
Section IX - Special Conditions of Contract	130
SECTION X – CONTRACT FORMS	
FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD	
FORM No. 2 – REQUEST FOR REVIEW	
FORM No. 3 – LETTER OF AWARD	
FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]	
FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee] FORM No. 6 - PERFORMANCE SECURITY [Option 2 – Performance Bond]	
FORM No. 7 – ADVANCE PAYMENT SECURITY	
FORM No. 8 – RETENTION MONEY SECURITY	
FORM No. 9 – BENEFICIAL OWNERSHIP DISCLOSURE FORM	

INVITATION DATE 28th FEBRUARY, 2024

PROCURING ENTITY: KENYA MEDICAL TRAINING COLLEGE.

CONTRACT NAME AND DESCRIPTION: PROPOSED CONSTRUCTION OF TUITION BLOCK

AT KENYA MEDICAL TRAINING COLLEGE SAMBURU CAMPUS, SAMBURU COUNTY

- I. The KENYA MEDICAL TRAINING COLLEGE invites sealed tenders for the construction of PPROPOSED CONSTRUCTION OF TUITION BLOCK AT KENYA MEDICAL TRAINING COLLEGE SAMBURU CAMPUS SAMBURU COUNTY
- 2 Tendering will be conducted under open competitive method **Open National** using a standardized tender document. Tendering is open to all qualified and interested Tenderers.
- 3. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours **0800 to 1700 hours** at the address given below.
- 4. Tender documents with full specifications can be obtained from the KMTC Headquarters, 1st Floor Procurement office, upon payment of non-refundable fee of **Ksh. 1,000** (*One Thousand Shillings*) in bankers cheque for this Tender. Cash strictly not acceptable.
- Tender documents may be viewed and downloaded for free from the website https//tenders.go.ke or www.kmtc.ac.ke
 Tenderers who download the tender document must forward their particulars immediately to procurement@kmtc.ac.ke
 P.O. Box 30195 00100 NAIROBI to facilitate any further clarification or addendum.
- 7. Tenders shall be quoted be in Kenya Shillings and shall include all taxes. Tenders shall remain valid for <u>180</u> <u>days</u> from the date of opening of tenders.
- 8. All Tenders must be accompanied by a <u>Tender Security</u> of **Ksh. 950,000** (*Kenya Shillings Nine Hundred an* Thousand.)
- 9. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 10. Completed tenders must be delivered to the address below on or before 13TH MARCH, 2024 AT 10:00AM

Electronic Tenders WILL NOT be permitted.

- II. Tenders will be opened immediately after the deadline date and time specified above or any dead line date and times specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
- 1. Late tenders will be **REJECTED**.
- 12. The addresses referred to above are:
- A. Address for obtaining further information and for purchasing tender documents
 KENYA MEDICAL TRAINING COLLEGE

P.O. Box 30195-00100 NAIROBI

NGONG ROAD, OLD MBAGATHI ROAD, OPPOSIT	ΓΕ KENYATTA NATIONAL HOSPITAI
Name of officer to be contacted:	_
Phone Number:	
Email: procurement@kmtc ac ke	

B. Address for Submission of Tenders.

KENYA MEDICAL TRAINING COLLEGE CAMPUS.

HEADQUARTERS ADMINISTRATION BLOCK ALONG NGONG ROAD, OLD MBAGATHI ROAD.

P.O. Box 30195 – 00100 NAIROBI.

Email: procurement@kmtc.ac.ke

C. Address for Opening of Tenders.

KENYA MEDICAL TRAINING COLLEGE.

HEADQUARTERS ADMINISTRATION BLOCK LOCATED ALONG NGONG ROAD, OLD MBAGATHI ROAD.

P.O. Box 30195 – 00100 NAIROBI.

Email: procurement@kmtc.ac.ke



SECTION I - INSTRUCTIONS TO TENDERERS

A GENERAL PROVISIONS

1.0 Scope of tender

1.1 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are specified in the TDS.

12 Throughout this tendering document:

- a) The term "in writing" means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the TDS, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
- b) if the context so requires, "singular" means "plural" and vice versa;
- c) "Day" means calendar day, unless otherwise specified as "Business Day". A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

20 Fraud and corruption

- 21 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 23 Tenderers shall permit and shall cause their agents (whether declared or not), subcontractors, sub-consultants, service providers, suppliers, and their personnel, to permit the Procuring Entity to inspect all accounts, records and other documents relating to any initial selection process, pre-qualification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Procuring Entity.
- 24 Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all in formation that would in that respect give such firm any unfair competitive advantage over competing firms.

3.0 Eligible tenderers

- A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.8, or an individual or any combination of such entities in the form of a joint venture (JV) under an existing agree mentor with the intent to enter in to such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the **TDS**.
- 32 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:

- a) Directly or indirectly controls, is controlled by or is under common control with another tenderer;
- b) Receives or has received any director indirect subsidy from another tenderer;
- c) Has the same legal representative as another tenderer;
- d) Has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process;
- e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods or works that are the subject of the tender;
- f) Any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as a consultant for Contract implementation;
- g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document;
- h) Has a close business or personal relationship with senior management or professional staff of the Procuring Entity who has the ability to influence the bidding process and:
 - i) Are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
 - ii) May be involved in the implementation or supervision of such Contract unless the conflicts temming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 34 A tenderer shall not be involved in corrupt, coercive, obstructive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified
- A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. Members of a jointventure may not also make an individual tender, be a sub-contractor in a separate tender or be part of another joint venture for the purposes of the same Tender. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender.
- A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-contractors or sub-consultants for any part of the Contract including related Services.
- 3.7 A Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.
- A Tenderer that is a state-owned enterprise or a public institution in Kenya may be eligible to tender and be awarded Contract(s) only if it is determined by the Procuring Entity to meet the following conditions, i.e. if it is:
 - i) A legal public entity of Government and/or public administration,
 - ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and;
 - (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprisetoenableitcompetewithfirmsintheprivatesectoronanequalbasis.
- 39 Firms and individuals shall be ineligible if their countries of origin are:
 - (a) As a matter of law or official regulations, Kenya prohibits commercial relations with that country;
 - (b) By an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country.

A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

- 3.10 Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, local sub-contracts and labor) from citizen suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided for this purpose in "SECTIONI II EVALUATION AND QUALIFICATION CRITERIA, Item 9".
- 3.11 Pursuant to the eligibility requirements of ITT 3.10, a tender is considered a foreign tenderer, If it is registered in Kenya and has less than 51 percent ownership by nationals of Kenya and if it does not subcontract to foreign firms or individuals more than 10 percent of the contract price, excluding provisional sums. JVs are considered as foreign tenderers if the individual member firms registered in Kenya have less 51 percent ownership by nationals of Kenya. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.
- 3.12 The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website www.nca.go.ke
- 3.13 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke
- 4.14 A Kenyan tenderer shall be eligible to tender if it provides evidence of having fulfilled his/her tax obligations by producing valid tax compliance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

40 Eligible goods, equipment, and services

- Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not ineligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.
- 42 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

5.0 Tenderer's responsibilities

- 5.1 The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Works and its surroundings and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall beat the tenderer's own expense.
- The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity again stall liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the examination and inspection.

54 The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

B. <u>CONTENTS OF TENDER DOCUMENTS</u>

60 Sections of Tender Document

The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 10.

PART 1: Tendering Procedures

Section I – Instructions to Tenderers Section II – Tender Data Sheet (TDS) Section III- Evaluation and Qualification Criteria Section IV – Tendering Forms

PART 2: Works' Requirements

Section V - Bills of Quantities Section VI - Specifications Section VII - Drawings

PART 3: Conditions of Contract and Contract Forms

Section VIII - General Conditions (GCC)

Section IX - Special Conditions of Contract

Section X- Contract Forms

- The Invitation to Tender Notice issued by the Procuring Entity is not part of the Contract documents. Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of a pre-arranged site visit and those of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 10. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.
- The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

7.0 Clarification of Tender Document, Site Visit, Pre-tender Meeting

- A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 7.2. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 7.4, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 8 and ITT 22.2.
- The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the site(s) of the required contracts and obtain all information that may be necessary for preparing a tender. The costs of visiting the Site shall be at the Tenderer's own expense. The Procuring Entity shall specify in the **TDS** if a pre-arranged Site visit and or a pre-tender meeting will be held, when and where. The Tenderer's designated representative is invited to attend a pre-arranged site visit and a pre-tender meeting, as the case may be. The purpose of the site visit and the pre-tender meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 73 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- Minutes of a pre-arranged site visit and those of the pre-tender meeting, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting,

will be transmitted promptly to all Tenderers who have acquired the Tender Documents. Minutes shall not identify the source of the questions asked.

The Procuring Entity shall al so promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-tender meeting at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

80 Amendment of Tender Documents

- At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tender Documents by issuing addenda.
- Any addendum issued shall be part of the Tender Documents and shall be communicated in writing to all who have obtained the Tender Documents from the Procuring Entity. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's website in accordance with ITT 7.5.
- To give Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity should extend the dead line for the submission of Tenders, pursuant to ITT 22.2.

C. PREPARATION OF TENDERS

9. Cost of Tendering

The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

10.0 Language of Tender

The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

11.0 Documents Comprising the Tender

- **11.1** The Tender shall comprise the following:
 - a) Form of Tender prepared in accordance with ITT 12;
 - b) Schedules including priced Bill of Quantities, completed in accordance with ITT 12 and ITT 14;
 - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 19.1;
 - d) Alternative Tender, if permissible, in accordance with ITT 13;
 - e) *Authorization*: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordancewithITT20.3;
 - f) *Qualifications:* documentary evidence in accordance with ITT 17 establishing the Tenderer's qualifications to perform the Contract if its Tender is accepted;
 - g) Conformity: a technical proposal in accordance with ITT 16;
 - **h)** Any other document required in the **TDS**.
- In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed JV Agreement. Change of membership and conditions of the JV prior to contract signature will render the tender liable for disqualification.

12.0 Form of Tender and Schedules

- **12.1** The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- **12.2** The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

13. Alternative Tenders

- 13.1 Unless otherwise specified in the TDS, alternative Tenders shall not be considered.
- When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.
- 133 Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.
- When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

140 Tender Prices and Discounts

- The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Bill of Quantities shall conform to the requirements specified below.
- The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- The price to be quoted in the Form of Tender, in accordance with ITT 12.1, shall be the total price of the Tender, including any discounts offered.
- The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 12.1.
- It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except in cases where the contract is subject to fluctuations and adjustments, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- Where tenders are being invited for individual lots (contracts) or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 14.4, provided the Tenders for all lots (contracts) are opened at the sometime.

All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

150 Currencies of Tender and Payment

- 15.1 The currency(ies) of the Tender and the currency(ies) of payments shall be the same.
- Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings.
 - a) A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya (referred to as "the foreign currency requirements") shall (if so allowed in the TDS) indicate in the Appendix to Tender the percentage(s) of the Tender Price (excluding Provisional Sums), needed by the Tenderer for the payment of such foreign currency requirements, limited to no more than two foreign currencies.
 - b) The rates of exchange to be used by the Tenderer in arriving at the local currency equivalent and the percentage(s) mentioned in (a) above shall be specified by the Tenderer in the Appendix to Tender and shall be based on the exchange rate provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening. Such exchange rate shall apply for all foreign payments under the Contract.
- Tenderers may be required by the Procuring Entity to justify, to the Procuring Entity's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the unit rates and prices and shown in the Schedule of Adjustment Data in the Appendix to Tender are reasonable, in which case a detailed breakdown of the foreign currency requirements shall be provided by Tenderers.

16.0 Documents Comprising the Technical Proposal

The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, insufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

17.0 Documents Establishing the Eligibility and Qualifications of the Tenderer

- 17.1 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- If a margin of preference applies as specified in accordance with ITT 33.1, nation al tenderers, individually or in joint ventures, applying for eligibility for national preference shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.
- 17.4 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- The purpose of the information described **in ITT 17.4** above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.
- The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to owner ship and control which in formation on any changes to the information which was provided by the tenderer under ITT 6.4. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 17.7 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate

as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.

- 178 If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 179 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
 - i) If the procurement process is still ongoing, the tenderer will bed is qualified from the procurement process,
 - ii) if the contract has been awarded to that tenderer, the contract award will be set as depending the outcome of (iii),
 - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other person shave committed any criminal offence.
- 17.10 If a tenderer submits information pursuant to these requirements that is in complete, in accurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 17.8 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tender.

18.0 Period of Validity of Tenders

- 18.1. Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 22). At ender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- 18.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may requestTendererstoextendtheperiodofvalidityoftheirTenders. Therequestandtheresponsesshallbemadein writing. If a Tender Security is requested in accordance with ITT 19, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tendersecurity. A Tenderer granting the requests hall not be required or permitted to modify its Tender.

19.0 Tender Security

- 19.1 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency **specified** in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 192 If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
 - I) cash;
 - ii) a bank guarantee;
 - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority;
 - (iv) a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya, from a reputable source, and an eligible country.
- If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 18.2.
- 194 If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- If a Tender Security is specified pursuant to ITT 19.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the TDS. The Procuring Entity shall also promptly

- return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.
- The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the TDS.
- 197 The Tender Security may be forfeited or the Tender-Securing Declaration executed:
 - a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension there to provided by the Tenderer; or
 - b) if the successful Tenderer fails to:
 - i) sign the Contract in accordance with ITT47; or
 - ii) furnish a Performance Security and if required in the TDS, and any other documents required in the TDS.
- 198 Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA to debars the Tenderer from participating in public procurement as provided in the law.
- The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- **19.10** A tenderer shall not issue a tender security to guarantee itself.

200 Format and Signing of Tender

- The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 13, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the origin a land the copies, the original shall prevail.
- Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- Incase the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 205 Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

D. SUBMISSION AND OPENING OF TENDERS

21.0 Sealing and Marking of Tenders

- 21.1 The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
 - a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
 - b) in an envelope or package or container marked "COPIES", all required copies of the Tender; and
 - c) if alternative Tenders are permitted in accordance with ITT 13, and if relevant:

- i) in an envelope or package or container marked "ORIGINAL -ALTERNATIVE TENDER", the alternative Tender; and
- ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity,
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.
- If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

220 Deadline for Submission of Tenders

- Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and time also specified in the **TDS**. When so specified in the **TDS**, tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tender Documents in accordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

23.0 Late Tenders

The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 22. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

240 Withdrawal, Substitution, and Modification of Tenders

- A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 20.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
 - a) prepared and submitted in accordance with ITT 20 and ITT 21 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
 - b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.
- Tenders requested to be withdrawn in accordance with ITT 24.1 shall be returned unopened to the Tenderers.
- No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

25. Tender Opening

- Except in the cases specified in ITT 23 and ITT 24.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified **in the TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 22.1, shall be as specified in the **TDS**.
- First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelopes with the corresponding Tender shall not be opened but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the

Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.

- Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorizationtorequest the modification and is readout at Tenderopening.
- Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bill of Quantities (to be decided on by the tender opening committee) are to be initialed by the members of the tender opening committee attending the opening.
- 25.7 At the Tender Opening, the Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 23.1).
- 258 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum:
 - a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
 - b) the Tender Price, per lot (contract) if applicable, including any discounts;
 - c) any alternative Tenders;
 - d) the presence or absence of a Tender Security, if new as required;
 - e) number of pages of each tender document submitted.
- The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers.

E. EVALUATION AND COMPARISON OF TENDERS

26. Confidentiality

- Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderers or any other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 43.
- Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- Notwithstanding ITT 26.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any matter related to the tendering process, it shall do so in writing.

27.0 Clarification of Tenders

- To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for a response. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 31.
- If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

28.0 Deviations, Reservations, and Omissions

- 28.1 During the evaluation of tenders, the following definitions apply:
 - a) "Deviation" is a departure from the requirements specified in the tender document;
 - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the

- requirements specified in the tender document; and
- c) "Omission" is the failure to submit part or all of the information or documentation required in the Tender document.

29.0 Determination of Responsiveness

- 29.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 11.
- A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
 - a) Affect in any substantial way the scope, quality, or performance of the Works specified in the Contract;
 - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract;
 - c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.
- 293 The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 16, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 29.4 If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

300 Non-material non-conformities

- *30.1* Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 30.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify non-material non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- 303 Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable non-material non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the TDS.

31.0 Arithmetical Errors

- 31.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- 31.2 Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis: -
- a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
- Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
- c) if there is a discrepancy between words and figures, the amount in words shall prevail
 - 313 Tenderers shall be notified of any error detected in their bid during the notification of award.

32.0 Conversion to Single Currency

For evaluation and comparison purposes, the currency(ies) of the Tender shall be converted in to a single currency as specified in the **TDS**.

33.0 Margin of Preference and Reservations

- A margin of preference may be allowed only when the contract is open to international competitive tendering where foreign contractors are expected to participate in the tendering process and where the contract exceeds the value/threshold specified in the Regulations.
- 332 A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 333 Contracts procured on basis of international competitive tendering shall not be subject to reservations exclusive to specific groups as provided in ITT 33.4.
- Where it is intended to reserve a contract to a specific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender. No tender shall be reserved to more than one group. If not so stated in the Invitation to Tender and in the Tender documents, the invitation to tender will be open to all interested tenderers.

34.0 Nominated Subcontractors

- 341 Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected/nominated by the Procuring Entity. Incase the Procuring Entity nominates a subcontractor, the subcontract agreement shall be signed by the Subcontractor and the Procuring Entity. The main contract shall specify the working arrangements between the main contractor and the nominated subcontractor.
- Tenderers may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 343 Domestic subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated so by the Procuring Entity in the **TDS** a scan be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractors proposed by the Tenderer may be added to the qualifications of the Tenderer.

35. Evaluation of Tenders

- 35.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Lowest Evaluated Tender in accordance with ITT 40.
- 352 To evaluate a Tender, the Procuring Entity shall consider the following:
- a) price adjustment in accordance with ITT 31.1 (iii); excluding provisional sums and contingencies, if any, but including Day work items, where priced competitively;
- b) price adjustment due to discounts offered in accordance with ITT 14.4;
- c) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 32:
- d) price adjustment due to quantifiable non material non-conformities in accordance with ITT 30.3; and
- e) any additional evaluation factors specified in the **TDS** and Section III, Evaluation and Qualification Criteria.
 - 353 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
 - Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 35.2. The methodology to determine the lowest evaluated tenderer or tenderers base done lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.

36.0 Comparison of tenders

The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 35.2 to determine the Tender that has the lowest evaluated cost.

37.0 Abnormally low tenders and abnormally high tenders

Abnormally Low Tenders

- An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.
- 37.2 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 373 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

Abnormally high tenders

- 37.4 An abnormally high tender price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- Incase of a nab normally high price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
 - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
 - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 37.6 If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

380 Unbalanced and/or front-loaded tenders

- 381 If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or frontloaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 382 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
 - a) accept the Tender;
 - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price;
 - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works;
 - d) reject the Tender,

39.0 Qualifications of the tenderer

- 39.1 The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 392 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 17. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Sub-contractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.
- 39.3 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.

40.0 Lowest evaluated tender

Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:

- a) Most responsive to the Tender document; and
- b) the lowest evaluated price.

41.0 Procuring entity's right to accept any tender, and to reject any or all tenders.

The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without there by incurring any liability to Tenderers. Incase of annulment, all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

F. AWARD OF CONTRACT

42.0 Award criteria

The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

430 Notice of Intention to Enter into a Contract/Notification of Award

Up on award of the contract and prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract/Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instruction son how to request a debriefing and/ or submit a complaint during the stand still period;

44.0 Stand still Period

- **44.1** The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract with the successful Tenderer.

45.0 Debriefing by The Procuring Entity

- 45.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 43, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

46.0 Letter of Award

Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed with in the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

47.0 Signing of Contract

- 47.1 Upon the expiry of the fourteen days of the Notification of Intention to enter in to contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- 47.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

48.0 Performance Security

- Within twenty-one (21) days of the receipt of the Letter of Award from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 38.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.
- **482** Failure of the successful Tenderer to submit the above-mentioned Performance Security and other documents required in the **TDS** or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- Performance security shall not be required for contracts estimated to cost less than the amount specified in the Regulations.

49.0 Publication of Procurement Contract

Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:

- a) name and address of the Procuring Entity;
- b) name and reference number of the contract being awarded, a summary of its scope and the selection method used:
- c) the name of the successful Tenderer, the final total contract price, the contract duration;
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as readout at Tender opening.

50.0 Procurement related Complaints and Administrative Review

- **50.1** The procedures for making Procurement-related Complaints are as specified in the **TDS**.
- **50.2** A request for administrative review shall be made in the form provided under contract forms.

Section II - Tender Data Sheet (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

Reference to	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS				
ITC Clause A. General					
ITT 1.1 The name of the contract is PROPOSED CONSTRUCTION OF TUITION BLOCK					
1111.1	AT KENYA MEDICAL TRAINING COLLEGE SAMBURU CAMPUS SAMBURU				
	COUNTY				
	Tender No. KMTC/20/2023 - 2024				
ITT 2.4	The Information made available on competing firms is as follows: NONE				
ITT 2.4	The firms that provided consulting services for the contract being tendered for are:				
	N/A				
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: THREE				
B. Contents of	Tender Document				
ITT 7.1	(i) The Tenderer will submit any request for clarifications in writing at the Address				
	procurement@kmtc.ac.ke				
	to reach the Procuring Entity not later than 3 days before the date of submission of the tenders				
	(ii) The Procuring Entity shall publish its response at the website www.tenders.go.ke				
	(n) The Frocuring Entity shall publish its response at the website www.tenders.go.ke				
ITT 7.2	(A) A pre-arranged pretender site visit SHALL take place at the following date, time and place:				
1117,2	Date:				
	Time:				
	Place:				
	(B) Pre-Tender meeting SHALL NOT take place				
ITT 7.3	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later than not				
	later than 3 days before the deadline for submission of bids				
ITT 7.5	The Procuring Entity's website where Minutes of the pre-Tender meeting and the pre-arranged				
	pretender will be published is N/A				
ITT 9.1	For Clarification of Tender purposes, for obtaining further information and for purchasing tender				
	documents, the Procuring Entity's address is:				
	WENNYA MEDICAL EDADUNG COLLECT				
	KENYA MEDICAL TRAINING COLLEGE HEADOLLA DIEBE A DMINISTRA TION BLOCK				
	HEADQUARTERS ADMINISTRATION BLOCK P.O. Box 30195 - 00100,				
	NAIROBI				
	procurement@kmtc.ac.ke				
	F				
C. Preparation	C. Preparation of Tenders				
ITT 11.1 (h)	The Tenderer shall submit the following additional documents in its Tender: AS PER EVALUATION CRITERIA				
ITT 13.1	Alternative Tenders SHALL NOT be considered.				
ITT 13.1	Alternative Tenders SHALL NOT be considered. Alternative times for completion SHALL NOT be permitted.				
ITT 13.4	Alternative times for completion SHALL NOT be permitted. Alternative technical solutions shall be permitted for the following parts of the Works: N/A				
ITT 14.5	The prices quoted by the Tenderer shall be: FIXED				
ITT 15.2 (a)	Foreign currency requirements not allowed.				
ITT 18.1	The Tender validity period shall be 120 DAYS				

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS	
ITT 18.3	(a) The Number of days beyond the expiry of the initial tender validity period will be NONE .	
	(b) The Tender price shall be adjusted by the following percentages of the tender price: (i) By 0% of the local currency portion of the Contract price adjusted to reflect local inflation during the period of extension, and	
	(ii) By 0% the foreign currency portion of the Contract price adjusted to reflect the international inflation during the period of extension.	
ITT 19.1	Tenderer shall provide a Tender Security The type of Tender security shall be in the amount of Ksh. 950,000 (Nine Hundred and fifty Thousand)	
ITT 20.1	In addition to the original of the Tender, the number of copies is: ONE copy	
ITT 20.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: SWORN AFFIDAVIT BY COMMISSION OF OATHS ON THE OFFICER TO BE SIGNING DOCUMENTS ON BEHALF OF THE BIDDER.	
D. Submission	n and Opening of Tenders	
ITT 22.1	(A) For <u>Tender submission purposes</u> only, the Procuring Entity's address is:	
KENYA MEDICAL TRAINING COLLEGE HEADQUARTERS ADMINISTRATION BLOCK P.O. Box 30195 - 00100, NAIROBI, KENYA.		
	procurement@kmtc.ac.ke	
	(4) Date and time for submission of Tenders 13TH MARCH, 2024 AT 10:00AM	
	(5) Tenders shall shall not submit tenders electronically.	
ITT 25.1	The Tender opening shall take place at the time and the address for Opening of Tenders provided below:	
	KENYA MEDICAL TRAINING COLLEGE HEADQUARTERS ADMINISTRATION BLOCK P.O. Box 30195 - 00100, NAIROBI procurement@kmtc.ac.ke	
E. Evaluation	, and Comparison of Tenders	
ITT 30.3	The adjustment shall be based on the AVERAGE price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its best estimate.	

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
TT 32.1	The currency that shall be used for Tender evaluation and comparison purposes only to convert at the selling exchange rate all Tender prices expressed in various currencies into a single currency is: KENYA SHILLINGS
	The source of exchange rate shall be: The Central bank of Kenya (mean rate)
	The date for the exchange rate shall be: the deadline date for Submission of the Tenders.
	For comparison of Tenders, the Tender Price, corrected pursuant to ITT 31, shall first be broken down into the respective amounts payable in various currencies by using the selling exchange rates specified by the Tenderer in accordance with ITT 15.1.
	In the second step, the Procuring Entity will convert the amounts in various currencies in which the Tender Price is payable (excluding Provisional Sums but including Day work where priced competitively) to the single currency identified above at the selling rates established for similar transactions by the authority specified and, on the date, stipulated above.
ITT 33.2	A margin of preference SHALL NOT apply.
ITT 33.4	The invitation to tender is extended to the following group that qualify for Reservations N/A N/A
ITT 34.1	At this time, the Procuring Entity DOES NOT INTEND to execute certain specific parts of the Works by subcontractors selected in advance.
ITT 34.2	Contractor's may propose subcontracting: Maximum percentage of subcontracting permitted is:
ITT 34.3	The parts of the Works for which the Procuring Entity permits Tenderers to propose Specialized Subcontractors are designated as follows: 1. Electrical Works 2. Mechanical Works For the above-designated parts of the Works that may require Specialized Subcontractors, the relevant qualifications of the proposed Specialized Subcontractors will be added to the qualifications of the Tenderer for the purpose of evaluation.
ITT 35.2 (e)	Additional requirements apply. These are detailed in the evaluation criteria in Section III, Evaluation and Qualification Criteria.
ITT 48.1	Other documents required in addition to the Performance Security are INSURANCE CERTIFICATES
ITT 50.1	The procedures for making a Procurement-related Complaint are detailed in the "Notice of Intention to Award the Contract" herein and are also available from the PPRA Website www.ppra.go.ke or email complaints@ppra.go.ke .
	If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means available, that is either by hand delivery or email to:
	Title/position: SUPPLY CHAIN MANANGER.
	Procuring Entity: KENYA MEDICAL TRAINING COLLEGE.
	Email address: procurement@kmtc.ac.ke
	In summary, a Procurement-related Complaint may challenge any of the following (among others):

Reference to ITC Clause PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS	
	(i) the terms of the Tender Documents; and
(ii) the Procuring Entity's decision to award the contract.	

SECTION III - EVALUATION AND OUALIFICATION CRITERIA

1.0 GENERAL PROVISIONS

- 1.1 This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity shall use the Standard Tender Evaluation Document for Goods and Works for evaluating Tenders.
- **1.2** Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
 - a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
 - b) Value of single contract Exchange rate prevailing on the date of the contract signature.
 - (c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

1.3 EVALUATION AND CONTRACT AWARD CRITERIA

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that(i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

2.0 PRELIMINARY EXAMINATION FOR DETERMINATION OF

RESPONSIVENESS Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other mandatory requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements provided for in the preliminary evaluation criteria outlined below. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that **do not pass** the Preliminary Examination will be considered **non- responsive** and **will not be considered further**.

STAGE 1: PRELIMINARY EVALUATION CRITERIA - MANDATORY REQUIREMENTS.

S/No.					
1	Bid bond of Ksh. 950,000.00 from a bank or an approved financial institution.				
2	Dully filled, signed and stamped Form of Tender (submitted in bidders company letter head).				
3	Dully filled, signed and stamped Confidential Business Questionnaire.				
4	Certified Copy of Certificate of Incorporation/ Registration.				
5	Certified and valid Tax Compliance Certificate and Must Attach TCC Checker				
6	Certified and valid CR12/CR13 form issued within the last 6 months accompanied with copies of				
	directors' ID.				
7	Certified and valid copy of Trading/Business Permit.				
8	Provide certified proof of registration with the National Construction Authority (NCA) Category 6				
	and above under Building Works category with valid annual contractors practicing license.				
9	For Electrical Works, the tenderer (Main Contractor) MUST Submit a certified copy of:				
	I. Registration Certificate for NCA with a valid annual practicing license NCA 8 and above.				
	II. Registration Certificate for Energy and Petroleum Regulatory Authority (EPRA) for				
	electrical works where the main contractor in Not intending to sub - contractor the electrical				
	works.				
	In case of Sub – Contracting the electrical works, the domestic electrical sub-contractors MUST				
	I. Submit a certified copy of registration certificate with National Construction Authority				
	NCA 8 and above.				
	II. Submit a certified copy of a valid EPRA registration certificate.				
	III. Submit a certified copy of a valid practicing licenses in electrical works.				
	IV. Sign and stamp the bid document.				
	V. Submit a signed commitment letter to the main contractor indicating that they shall				
	effectively undertake the electrical works thereof.				
	effectively undertake the electrical works thereof.				
10	For Mechanical works, the tenderer (main Contractor) MUST submit a certified copy of:				
	a. Registration Certificate for NCA with a valid annual practicing license NCA 8 and above.				
	b. A registration certificate in mechanical works where the main contractor is NOT intending to				
	sub-contract the mechanical works				
	In case of sub-contracting the mechanical works, the domestic mechanical sub-contractor MUST				
	a. Submit a certified copy of registration certificate with National Construction Authority in				
	mechanical works NCA 8 and above				
	b. Submit a certified copy of a valid practicing license				
	c. Sign and stamp the bid document.				
	d. Submit a signed commitment letter to the main contractor indicating that they shall				
	effectively undertake the mechanical works thereof.				
11	Must fill and submit the Certificate of Independent Tender Determination in the format provided.				
12	Must fill and submit the Self-declaration form that the person/tenderer is not debarred in the matter of				
	the Public Procurement and Asset Disposal Act 2015 in the format provided - Form SD1.				
13	Must fill and submit the Self-declaration form that the person/tenderer will not engage in any				
	corrupt or fraudulent practice in the format provided - Form SD2				
14	Must fill and submit Declaration and Commitment to The Code of Ethics in the format provided				
15	Properly bound (perfect cover, hard cover or case bound), paginated, serialized tender document (each				
	page of the tender submission must have a number and the numbers must be in chronological order), i.e.,				
	1,2,3,4,5,6,7,8,9,10n (n being the last numerical page of the tender document)				
16	Original and copy of the Tender document.				
ı	1				

STAGE 2: TECHNICAL EVALUATION

/No	Requirement		Max.	Score
	Similar works	Provide contract & practical completion certificate for similar	score 20	Awarded
•		works done.	20	
	completed	(Maximum projects to be considered is 5No for each category below)		
		a) Works of a similar nature and magnitude/size above the project value		
		4mks		
		b) Works of a similar nature and magnitude3mks		
		c) Works of a similar nature and but of lower magnitude/size2mks		
1	Key personnel	Provide employment/appointment letters, contracts of the key	15	
	personner	personnel including length of service/termination date. CVS,	10	
		academic and professional certificates.		
		a) key personnel of the company with:		
		- Degree in Building related course 6mks		
		- Diploma in Building related course 4mks		
		- Certificate in Building related course 2mks		
		b) Site agent/manager with:		
		- Degree in Building related course 4mks		
		- Diploma in Building related course 2mks		
		- Certificate in Building related course 1mks		
		c) Other technical staff/foreman with		
		- Certificate in Building related course and an experience of 10 or		
		More years – 2.5marks (maximum 2 staff)		
		- Certificate in Building related course and an experience of less		
		than 10 years – 1mark (maximum 5 staff)		
	Proof of	Evidence of Financial Resources (cash in hand, lines of credit, over		
	financial	draft facility).	15	
	resources	a) Has financial resources above the cost of the project	13	
	resources	b) Has financial resources equal to the cost of the project		
		c) Has financial resources below the cost of the project		
		d) Line of Credit from a reputable bank		
		e) Has not indicated sources of financial resources		
	Adequacy of	Audited financial report last three (3) years issued by a Certified by		
	working	Public Accountant.	15	
	capital	a) Annual turnover greater or equal to 4 times the cost of the project15	13	
	Capital	b) Annual turnover greater or equal to 2 times the cost of the project12		
		c) Annual turnover equal to the cost of the project9		
		d) Turnover below the cost of the project		
	Adequate	Give a list and type of relevant equipment owned by firm	10	
	Equipment	(provide evidence of ownership/Lease).	10	
	-	a) Motorized equipment (1mk each)5mks		
		b) Non-motorized equipment -manually operated tools (1mk each) 5mks		
	Litigation	a) Has no construction-related litigation or arbitration case in the last five	10	
	History	years (minimum)		
		b) Has not more than 3 construction- related litigation or arbitration cases		
		in the last five years5mks		
		(Attach a sworn affidavit)		
	Work program	a) Attach work program	10	
	and methodology	b) Attached work methodology 5mks		
	Sanctity of the	a) Content of tender document not altered and attached as originally	5	
	•	provided by procuring entity		
		b) Tender document well organized i.elabeling of all required documents		
		in systematic order, table of contents showing documents attached & their		
		respective pages		
		1 1 0		

NB. Cut off points for the technical evaluation shall be 70 marks and bidders who shall not have attained this score shall not proceed to the next stage of the evaluation process

STAGE 3. FINANCIAL EVALUATION.

Upon completion of the technical evaluation a detailed financial evaluation shall follow. The financial evaluation shall proceed in the manner described in the Public Procurement and Asset Disposal Act (2015).

STAGE 4. RECOMMENDATION FOR AWARD

Award Criteria:

The firm achieving the lowest evaluated price will be awarded the contract in line with Section 86 of the Public Procurement and Disposal Act,2015

QUALIFICATION FORM*

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
1	Nationality	Nationality in accordance with ITT 3.6	Forms ELI – 1.1 and 1.2, with attachments	
2	Tax Obligations for Kenyan Tenderers	Has produced a current tax clearance certificate or tax exemption certificate issued by Kenya Revenue Authority in accordance with ITT 3.14.	Attachment	
3	Conflict of Interest	No conflicts of interest in accordance with ITT 3.3	Form of Tender	
4	PPRA Eligibility	Not having been declared ineligible by the PPRA as described in ITT 3.7	Form of Tender	
5	State- owned Enterprise	Meets conditions of ITT 3.8	Forms ELI – 1.1 and 1.2, with attachments	
6	Goods, equipment and services to be supplied under the contract	To have their origin in any country that is not determined ineligible under ITT 4.1	Forms ELI – 1.1 and 1.2, with attachments	
7	History of Non- Performing Contracts	Non-performance of a contract did not occur as a result of contractor default since 1 st January [].	Form CON-2	
8	Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity	Not under suspension based on-execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9	Form of Tender	
9	Pending Litigation	Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	Form CON – 2	
10	Litigation History	No consistent history of court/arbitral award decisions against the Tenderer since 1 st January [insert year].	Form CON – 2	
11	Financial Capabilities	(i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings [insert amount] equivalent for the subject	Form FIN – 3.1, with attachments	

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
		contract(s) net of the Tenderer's other commitments.		
		(ii) The Tenderers shall also demonstrate, to the satisfaction of the Procuring Entity, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.		
		(iii) The audited balance sheets or, if not required by the laws of the Tenderer's country, other financial statements acceptable to the Procuring Entity, for the last [insert number of years] years shall be submitted and must demonstrate the current soundness of the Tenderer's financial position and indicate its prospective long-term profitability.		
12	Average Annual Construction Turnover	Minimum average annual construction turnover of Kenya Shillings [insert amount], equivalent calculated as total certified payments received for contracts in progress and/or completed within the last [insert of year] years, divided by [insert number of years] years	Form FIN – 3.2	
13	General Construction Experience	Experience under construction contracts in the role of prime contractor, JV member, sub-contractor, or management contractor for at least the last [insert number of years] years, starting 1 st January [insert year].	4. Form EXP – 4.1 Experience	
14	Specific Construction & Contract Management Experience	A minimum number of [state the number] similar contracts specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor between 1st January [insert year] and tender submission deadline i.e (number) contracts, each of minimum value Kenya shillings equivalent. [In case the Works are to be tender as individual contracts under multiple contract procedure, the minimum number of contracts required for purposes of evaluating qualification shall be selected from the options mentioned in ITT 35.4]	Form EXP 4.2(a)	
		The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of Works, specify		

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
		the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by specialized subcontractors, if permitted in accordance with ITT 34.3]		

SECTION IV - TENDERING FORMS

QUALIFICATION FORMS

1. FOREIGN TENDERERS 40%RULE

Pursuant to ITT 3.9, a foreign tenderer must complete this form to demonstrate that the tender fulfils this condition.

ITEM	Description of Work Item	Describe location of Source	COST in K. shillings	Comments, if any			
A	Local Labor						
1							
2							
3							
4							
5							
В	Sub contracts from Local sources						
1							
2							
3							
4							
5							
С	Local materials						
1							
2							
3							
4							
5							
D	Use of Local Plant and Equipment						
1	* *						
2							
3							
4							
5							
Е	Add any other items						
1	•						
2							
3							
4							
5							
6							
	TOTAL COST LOCAL CONTENT XXXXX						
	PERCENTAGE OF CONTRACT PRICE						

2. FORMEOU: EOUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or fo alternative equipment proposed by the Tenderer.

Item of equipme	ent				
Equipment information	Name of manufacturer	Model and power rating			
	Capacity	Year of manufacture			
Current status	Current location				
	Details of current commitments				
Source	Indicate source of the equipment ☐ Owned ☐ Rented ☐ Leased ☐ Specially manufactured				
	į information for equipment owned by the Te	nderer.			
Owner	Name of owner				
Address of owner					
	Telephone	Contact name and title			
	Fax	Telex			
Agreements	Details of rental / lease / manufacture agre-	ements specific to the project			

3. <u>FORM PER -1</u>

Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Re presentative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

Contractor' Representative and Key Personnel

1.	Title of position: Contractor's Representative			
	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level		
	for this position:	Gantt chart]		
2.	Title of position: [
	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level		
	for this position:	Gantt chart]		
3.	Title of position: [J		
	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level		
	for this position:	Gantt chart]		
4.	Title of position: [I		
	Name of candidate:			
	Duration of [insert the whole period (start and end dates) for which this position will be			
	appointment: engaged]			
	Time commitment: for [insert the number of days/week/months/ that has been scheduled for this			
	this position: position]			
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level		
_	for this position:	Gantt chart]		
5.	Title of position: [insert title]			
	Name of candidate			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level		
	for this position:	Gantt chart]		

4. **FORM PER - 2:**

Resume and Declaration - Contractor's Representative and Key Personnel.

Name of Tenderer	

Position [#1]: [1	title of position from Form PER-1]					
Personnel information	Name:	Date of birth:				
	Address:	E-mail:				
	Professional qualifications:					
	Academic qualifications:					
	Language proficiency: [language and levels of speaking, reading and writing skills]					
Details						
	Address of Procuring Entity:					
	Telephone: Contact (manager / personnel officer):					
	Fax:					
	Job title:	Years with present Procuring Entity:				

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvemen t	Relevant experience
[main project details]	[role and responsibilitieson the project]	[time in role]	[describe the experience relevant to this position]

Declaration

I, the undersigned [insert either "Contractor's Representative" or "Key Personnel" as applicable], certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details
Commitment to duration of contract:	[insert period (start and end dates) for which this Contractor's
	Representative or Key Personnel is available to work on this contract]
Time commitment: [insert period (start and end dates) for which this Contractor	
	Representative or Key Personnel is available to work on this contract]

I understand that any misrepresentation or omission in this Form may:

- (a) be taken into consideration during Tender evaluation;
- (b) result in my disqualification from participating in the Tender;
- (c) result in my dismissal from the contract.

Name of Contractor's Representative or Key Personnel: [insert name]
Signature:
Date: (day month year):
Countersignature of authorized representative of the Tenderer:
Signature:
Date: (day month year):

5. TENDERERS QUALIFICATION WITHOUT PREQUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

51 FORM ELI -1.1

Tenderer Information
Form
Date:
ITT No. and title:
Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration:
[indicate country of Constitution]
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information
Name:
Address:
Telephone/Fax numbers:
E-mail address:
1. Attached are copies of original documents of
Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of
registration of the legal entity named above, in accordance with ITT 3.6
In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5
□ In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing:
Legal and financial autonomy
Operation under commercial law
1. Establishing that the Tenderer is not under the supervision of the Procuring Entity
2. Included are the organizational chart and a list of Board of Directors

52 FORM ELI -1.2

Tenderer's JV Information Form (to be completed for each member of Tenderer's JV) ITT No. and title: Tenderer's JV name: JV member's name: JV member's country of registration: JV member's year of constitution: JV member's legal address in country of constitution: JV member's authorized representative information Name: Address: Telephone/Fax numbers: E-mail address: 1. Attached are copies of original documents of ☐ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6. ☐ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.5. 2. Included are the organizational chart and a list of Board of Directors.

53 <u>FORM CON -2</u>

Tenderer's Name:

Historical Contract Non-Performance, Pending Litigation and Litigation History

Date:					
JV Memb	er's Name	e			
	_				
				th Section III, Evaluation and Qualification Coccur since 1st January [insert year] specified in	
		eria, Sub-F		secur since 1 January [uisert year] specified in	rsection in, Evaluation and
☐ (Criteria,			rmed since 1st	January [insert year] specified in Section III,	Evaluation and Qualification
☐ (Criteria,			rn since 1st Jan	uary [insert year] specified in Section III, Eva	lluation and Qualification
Year			Contract Ide	entification	Total Contract Amount
	portion				(current value, currency,
	contra	ct			exchange rate and Kenya Shilling equivalent)
[insert	[insert c	amount	Contract Iden	tification: [indicate complete contract name/	[insert amount]
year]	and per	centage]	number, and a	nny other identification]	
			Name of Proc	curing Entity: [insert full name]	
				cocuring Entity: [insert street/city/country]	
				nonperformance: [indicate main reason(s)]	
	No pending Pending lit	g litigation	in accordanc	on III, Evaluation and Qualification Criteria e with Section III, Evaluation and Qualification th Section III, Evaluation and Qualification Cri-	
Year o		Amount (currenc	in dispute y)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
				Contract Identification:	
				Name of Procuring Entity:	
				Address of Procuring Entity:	
				Matter in dispute:	
				Party who initiated the dispute: Status of dispute:	
				Contract Identification:	
				Name of Procuring Entity:	
				Address of Procuring Entity:	
				Matter in dispute:	
				Party who initiated the dispute:	
		<u> </u>		Status of dispute:	
		•		ection III, Evaluation and Qualification Crite	
	No Litig	gation Hist	ory in accord	ance with Section III, Evaluation and Qualific	cation Criteria, Sub-Factor
2.4.	T	***		11.0 d WF 1 d 10 10 10	
			ın accordance	e with Section III, Evaluation and Qualification	n Criteria, Sub-Factor 2.4 as
ındıcat	ted below	•			

Year of	Amount in dispute	Contract Identification	Total Contract Amount
dispute	(currency)		(currency), Kenya Shilling Equivalent (exchange rate)
[insert	[insert percentage]	Contract Identification: [indicate complete	[insert amount]
year]		contract name, number, and any other	
		identification]	
		Name of Procuring Entity: [insert full name]	
		Address of Procuring Entity: [insert	
		street/city/country]	
		Matter in dispute: [indicate main issues in	
		dispute]	
		Party who initiated the dispute: [indicate	
		"Procuring Entity" or "Contractor"]	
		Reason(s) for Litigation and award decision	
		[indicate main reason(s)]	

Include details relating to potential bid-rigging practices such as previous occasions where tenders were withdrawn, joint bids with competitors, subcontracting work to unsuccessful tenderers, etc.

54 **FORM FIN – 3.1:**

Financial Situation and Performance

Tenderer's Name: _______
Date: ______

Current Assets (CA)

Current Liabilities (CL)

Working Capital (WC)

Total Revenue (TR)

Profits Before Taxes (PBT)

Cash Flow Information

Information from Income Statement

Type of Financial information n	Historic inform	nation for previ	ousye	ears,		
currency)	(amount in currency, currency, exchange rate*, USD equivalent)					
	Year 1	Year 2	Year 3	Year 4	Year 5	
statement of Financial Position (In	nformation from Ba	lance Sheet)				
Total Assets (TA)						

Cash Flow from Operating Activities

^{*}Refer to ITT 15 for the exchange rate

5.4.2 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

_	4		•		•	•			
5.	4	-4	Hin	anci	al	de	cum	ıαnı	tc
J.	-	•	1,111	ancı	aı	u	,cuii		Lo

The Tenderer and its parties shall provide copies of financial statements for	_years pursuant Section III, Evaluation
and Qualifications Criteria, Sub-factor 3.1. The financial statements shall:	

- (a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

55 **FORM FIN – 3.2:**

Average Annual Construction Turnover

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

	Annual turnover d	ata (construction only)	
Year	Amount Currency	Exchange rate	Kenya Shilling equivalent
[indicate year]	[insert amount and indicate currency]		
Average Annual			
Construction Turnover *			

^{*} See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

56 FORM FIN -3.3:

Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

Financial Resources				
No.	Source of financing	Amount (Kenya Shilling equivalent)		
1				
2				
3				

5.7 FORM FIN - 3.4:

Current Contract Commitments / Works in Progress

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

Current C	ontract Commitments				
No.	Name of Contract	Procuring Entity's Contact Address, Tel,	Value of Outstanding Work [Current Kenya Shilling /month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)]
1					
2					
3					
4					
5					

FORM EXP - 4.1

General Construction Experience

Tenderer's Name:			
Date:		<u>_</u>	
JV Member's Name_			
ITT No. and title:			
Page	of	pages	

Starting	Ending Year	Contract Identification	Role of Tenderer
Year			
		Contract name:	
		Name of Procuring Entity:Address:	
		Contract name: Brief Description of the Works performed by the Tenderer: Amount of contract: Name of Procuring Entity: Address:	

FORM EXP - 4.2(a)

Specific Construction and Contract Management Experience

Tenderer's Name:				
Date:				
JV Member's Name				
ITT No. and title:				
Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub-contractor □
Total Contract Amount			Kenya Shilling	
If member in a JV or sub-contractor, specify participation in total Contract amount Procuring Entity's Name:				
Address: Telephone/fax number E-mail:				
Tenderer's Name:				
JV Member's Name				
ITT No. and title:				
Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub-contractor □
Total Contract Amount		1	Kenya Shilling	l
If member in a JV or sub-contractor, specify participation in total Contract amount				
Procuring Entity's Name:		1		
Address: Telephone/fax number E-mail:				

5.9 **FORM EXP - 4.2** (a) (cont.)

Specific Construction and Contract Management Experience (cont.)

Similar	Contract No.	Information
Description of the similarity in accordance		
with Su	b-Factor 4.2(a) of Section III:	
1.	Amount	
2.	Physical size of required works	
items	-	
3.	Complexity	
4.	Methods/Technology	
5.	Construction rate for key activities	
6.	Other Characteristics	

5.10 **FORM EXP - 4.2(b)**

Construction Experience in Key Activities

Tenderer's Name:							
Date:							
Tenderer's JV Member Name:							
Sub-contractor's Name ² (as per ITT 34): TT No. and title:							
I. Key Activity No One: _							
	Information						
Contract Identification							
Award date							
Completion date							
Role in Contract	Prime Contractor	Member in JV	Management Contractor	Sub-contractor			
Total Contract Amount			Kenya Shilling	g			
Quantity (Volume, number or rate of	Total quantity	in Percenta	ge	Actual Quantity			
production, as applicable) performed under				Performed			
the contract per year or part of the year	(i)	(ii)		(i) x (ii)			
Year 1							
Year 2							
Year 3							
Year 4							
Procuring Entity's Name:		1		,			
Address:							
Telephone/fax number							
E-mail:							
	•						

² If applicable

Information				

2. Activity No. Two

OTHER FORMS

6. FORM OF TENDER

(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

INSTRUCTIONS TO TENDERERS

and 4;

Country in accordance with ITT 19.8;

iii)

- i) All italicized text is to help the Tenderer in preparing this form.
- ii) The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.
- iii) Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (xxii) below.

Date	of thi	is Tender submission:	[insert date (as day, 1	nonth and year) of T	Tender submission] Tender
		Nameand	Identification:	[insert	identification] Alternativ
No.:		[ins	ert identification No if thi	s is a Tender for an	alternative]
То		[Insert co	mplete name of Procuring I	Entity]	
for	Tend		nsert date (as day, month an on! Name and description [Fender for an alternative]		
To:	: [inse	rt complete name of Proci	uring Entity]		
Dea	ar Sirs	,			
1.	of th	ne above named Works, we cts therein for the sum ³ of	e, the undersigned offer to c	onstruct and complete in figures]	lls of Quantities for the execution the Works and remedy any Kenya Shillings
			reign currency ⁴ amount (s)		
2.	rece	eipt of the Architect notice	accepted, to commence the to commence, and to comp in the Special Conditions of	lete the whole of the W	
3.	We us a	agree to adhere by this ten and may be accepted at any	der until / time before that date.	[Insert date], and	d it shall remain binding upon
4.	We	understand that you are no	ot bound to accept the lowes	t or any tender you ma	y receive.
5.	We,	, the under signed, further	declare that:		
	i)	No reservations: We have issued in accordance with		servations to the tende	er document, including Addenda
	ii)	Eligibility: We meet the	eligibility requirements and	d have no conflict of in	nterest in accordance with ITT 3

Tender - Securing Declaration: We have not been suspended nor declared ineligible by the Procuring Entity

based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's

- iv) Conformity: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: [insert a brief description of the Works];
- v) <u>Tender Price:</u> The total price of our Tender, excluding any discounts offered in item 1 above is: [Insert one of the options below as appropriate]
- vi Option 1, incase of one lot: Total price is: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]; or

Option2, in case of multiple lots:

- (a) <u>Total price of each lot</u> [insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]; and
- (b) <u>Total price of all lots</u> (sum of all lots) [insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies];
- vii) Discounts: The discounts offered and the methodology for their application are:
- viii) The discounts offered are: [Specify in detail each discount offered.]
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];
- x) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) <u>Performance Security:</u> If our Tender is accepted, we commit to obtain Performance Security in accordance with the Tendering document;
- xii) One Tender Per Tender: We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a sub-contractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution]/[We are a state-owned enterprise or institution but meet the requirements of ITT3.8];
- xv) Commissions, gratuities, fees: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

xvi) <u>Binding Contract:</u> We understand that this Tender, together with your written acceptance there of included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;

- xvii) Not Bound to Accept: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xviii) <u>Fraud and Corruption:</u> We here by certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption; and
- xix) <u>Collusive practices:</u> We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- we undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from ______(specify website) during the procurement process and the execution of any resulting contract.
- xxi) **Beneficial Ownership Information:** We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- xxii) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
 - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are no tin any conflict to interest.
 - (b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
 - (a) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
 - (d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1 - Fraud and Corruption" attached to the Form of Tender.

Name of the Tenderer: *[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: **[insert complete name of person duly authorized to sign the Tender]

Title of the person signing the Tender: [insert complete title of the person signing the Tender]

Signature of the person named above: [insert signature of person whose name and capacity are shown above]

Date signed	don of	
Date signed	day of	_

Notes

^{*} In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer.

**Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

(a) TENDERER'S ELIGIBILITY-CONFIDENTIAL BUSINESS QUESTIONNAIRE

Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

(a) Tenderer's details

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	 Country City Location Building Floor Postal Address Name and email of contact person.
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address (postal and physical addresses, email, and telephone number) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address (postal and physical addresses, email, and telephone number) of state which stock exchange	

General and Specific Details

(b)	Sole Proprietor,	provide the	following	details
(D)	Sole I Lonlietor.	DIOVIGE HIE	10HOWHI2	uctans.

Name in full	Age
Nationality	Country of Origin_
Citizenship	• • •

(c) **Partnership,** provide the following details.

No.	Names of Partners	Nationality	Citizenship	% Shares owned
1				
2				
3				

(d) **Registered Company,** provide the following details.

I) Private or public Company

	State the nomination	1 1' 1	1 '4 1 C41		
11	State the noming	al and icclied	1 canital of the	Lomnany	
	State the nonline	ai anu issucu	i camiai oi inc	COHIDAIIV	

iii) Give details of Directors as follows.

No.	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

(e) DISCLOSURE OF INTEREST - Interest of the Firm in the Procuring Entity.

i)	Are there any person/persons	in	. (Name of Procuring	Entity) who	has/have an
	interest or relationship in this	firm? Yes/No			

If yes, provide details as follows.

No.	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

(i) Conflict of interest disclosure

No.	Type of Conflict	Disclosure	If YES provide details of the relationship with
		YES OR NO	Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through		

No.	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
	common third parties, that puts it in a		
	position to influence the tender of		
	another tenderer, or influence the		
	decisions of the Procuring Entity		
	regarding this tendering process.		
5	Any of the Tenderer's affiliates		
	participated as a consultant in the		
	preparation of the design or technical		
	specifications of the works that are		
	the subject of the tender.		
6	Tenderer would be providing goods,		
	works, non-consulting services or		
	consulting services during		
	implementation of the contract		
	specified in this Tender Document.		
7	Tenderer has a close business or		
	family relationship with a		
	professional staff of the Procuring		
	Entity who are directly or indirectly		
	involved in the preparation of the		
	Tender document or specifications		
	of the Contract, and/or the Tender		
	evaluation process of such contract.		
8	Tenderer has a close business or		
	family relationship with a		
	professional staff of the Procuring		
	Entity who would be involved in		
	the implementation or supervision		
	of the such Contract.		
9	Has the conflict stemming from		
	such relationship stated in item 7		
	and 8 above been resolved in a		
	manner acceptable to the Procuring		
	Entity throughout the tendering		
	process and execution of the		
	Contract.		

Certification

On behalf of the Tenderer, I certify that the information given above submission.	is complete, current and accurate as at the date of
Full Name	
Title or Designation	
(Signature)	(Date)

b) <u>CERTIFICATE OF INDEPENDENT TENDER DETERMINATION</u>

I, t	he un	undersigned, in submitting the accompanying Letter of Tender to the	
			[Name of Procuring Entity] for: _[Name and number of tender] in
res	pons	nse to the request for tenders made by:	<i>[Name of Tenderer]</i> do hereby
ma	ke th	the following statements that I certify to be true and complete in every re	spect:
I c	ertify	fy, on behalf of	[Name of Tenderer]that:
1.	I ha	have read and I understand the contents of this Certificate;	
2.		understand that the Tender will be disqualified if this Certificate is found espect;	not to be true and complete in every
3.		am the authorized representative of the Tenderer with authority to sign the Tender on behalf of the Tenderer;	is Certificate, and to submit the
4.		for the purposes of this Certificate and the Tender, I understand that the wondividual or organization, other than the Tenderer, whether or not affiliate	
	a) b)	 Has been requested to submit a Tender in response to this request for t could potentially submit a tender in response to this request for tender abilities or experience; 	
5.	The	The Tenderer discloses that [check one of the following, as applicable]:	
	a)	The Tenderer has arrived at the Tender independently from, and without agreement or arrangement with, any competitor;	out consultation, communication,
	b)	The Tenderer has entered into consultations, communications, agreemed competitors regarding this request for tenders, and the Tenderer discomplete details thereof, including the names of the competitors and consultations, communications, agreements or arrangements;	scloses, in the attached document(s),
6.		n particular, without limiting the generality of paragraphs (5)(a) or(5)(b) a onsultation, communication, agreement or arrangement with any compet	
	a)b)c)d)	the intention r decision to submit, or not to submit, a tender; or	he request for Tenders; except as
7.	reg for	n addition, there has been no consultation, communication, agreement egarding the quality, quantity, specifications or delivery particulars of the vor tenders relates, except as specifically authorized by the procuring a ursuant to paragraph(5)(b) above;	works or services to which this request
8.	The terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly of indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, which ever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.		der opening, or of the awarding of the
Na	me		
Tit	.le		
Da	ιιe		
ડો ફ	gnatu	ture	

[Name, title and signature of authorized agent of Tenderer and Date]

(c) <u>SELF- DECLARATION FORMS</u>

FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

I.	, of Post Office Box being a residen
	f
	ollows: -
1.	THAT I am the Company Secretary/ Chief Executive/Managing Director/Principal Officer/Director of
2.	THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
3.	THAT what is deponed to here in above is true to the best of my knowledge, information and belief.
	(Title) (Signature) (Date)
	Bidder Official Stamp

FORM SD2

SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

1.	THAT I am the Chief Executive/Managing Director/Principal Officer/Director of
2.	THAT the aforesaid Bidder, its servants and/or agents/subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (insert name of the Procuring entity) which is the procuring entity.
3.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of(name of the procuring entity).
4.	THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
5.	THAT what is deponed to here in above is true to the best of my knowledge information and belief.
	(Title) (Signature) (Date)
	Bidder's Official Stamp

DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I
Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in Public Procurement and Asset Disposal and my responsibilities under the Code.
I do here by commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement and Asset Disposal.
Name of Authorized signatory
Sign Position
Office address
E-mail
Name of the Firm/Company
Date
(Company Seal/ Rubber Stamp where applicable)
Witness
Name
Sign
Date

(d) APPENDIX 1 - FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

1. Purpose

1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (no. 33 of 2015) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

2. Requirements

- The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.
- 22 Kenya's public procurement and asset disposal act (no. 33 of 2015) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:
 - 1) A person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or as set disposal proceeding;
 - 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence:
 - 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
 - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
 - b) if a contract has already been entered into with the person, the contract shall be voidable;
 - 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
 - 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement:
 - a) Shall not take part in the procurement proceedings;
 - b) shall not, after a procurement contract has been entered in to, take part in any decision relating to the procurement or contract; and
 - c) shall not be a subcontract or for the tender to whom was awarded contract, or a member of the group of tenderers to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
 - 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
 - 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.
- 3. In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
 - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii) "fraudulent practice" is any act or omission, including is representation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
 - iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party; "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - iv) "obstructive practice" is:
 - Deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
 - "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal processor the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
- c) Rejects a proposal for award of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may recommend to appropriate authority(ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring(i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect² all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

For the avoidance of doubt, a party's in eligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interestin a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

² Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies there of as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

FORM OF TENDER SECURITY- [Option 1-Demand Bank Guarantee]

Be	eneficiary:
	equest for Tenders No:
Da	ite:
TE	ENDER GUARANTEE No.:
Gu	uarantor:
1.	We have been informed that(here in after called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here in after called" the Tender") for the execution ofunder Request for Tenders No("the ITT").
2.	Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
3.	At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of() upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
(a)	has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
b)	having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
4.	This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
5.	Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.
	[signature(s)]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]

TEN	DER GUARANTEE No.:	-
1.		tenderer] (hereinafter called "the tenderer") has submitted its tender dated nder] for the
2.	having our registered office at . [Name of Procuring Entity] (here (Currency and guarantee amount	resents that WE
	Sealed with the Common Seal of	the said Guarantor thisday of20
3.	NOW, THEREFORE, THE CON	DITION OF THIS OBLIGATION is such that if the Applicant:
		during the period of Tender validity set forth in the CEO's Letter of Tender("the or any extension thereto provided by CEO; or
	Period or any extension th (ii) has failed to furnish	acceptance of its Tender by the Procuring Entity during the Tender Validity ereto provided by the CEO; (i) failed to execute the Contract agreement; or he Performance Security, in accordance with the Instructions to tenderers Entity's Tendering document.
	the Procuring Entity's first writte	mmediately pay to the Procuring Entity up to the above amount upon receiptor demand, without the Procuring Entity having to substantiate its demand rocuring Entity shall state that the demand arises from the occurrence of any other event(s) has occurred.
4.	agreement signed by the Applic successful Tenderer, upon the ea	the Applicant is the successful Tenderer, upon our receipt of copies of the contract and the Performance Security and, or (b) if the Applicant is not the rlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant occess; or (ii)twenty-eight days after the end of the Tender Validity Period.
5.	Consequently, any demand for pa on or before that date.	syment under this guarantee must be received by us at the office indicated above
	[Date]	[Signature of the Guarantor]
	[Witness]	[Seal]

FORM OF TENDER - SECURING DECLARATION

[T]	Bidder shall complete this Form in accordance with the instructions indicated]	
Da	[insert date (as day, month and year) of Tender Submission]	
Те	der No[insert number of tendering process]	
То	[insert complete name of Purchaser] I/We, the undersigned, declare that:	
1.	I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.	
2.	I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in bread of our obligation(s) under the bid conditions, because we—(a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of or Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.	ch of ur
3.	I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upor the earlier of: a) Our receipt of a copy of your notification of the name of the successful Tenderer; or b) thirty days after the expiration of our Tender.	1
4.	I/We understand that if I am/we are/ in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.	
Sig	ed:	
sol	proprietor, etc.)	
Na	ne	
bid	For and on behalf of: [insert complete name of Tenderer]	
Da	ed onday of	

Appendix to Tender

Schedule of Currency requirements

Summary of currencies of the Tender for		[insert name of Section of the Works]
Name of currency	Amounts payable	

Name of currency	Amounts payable
Local currency:	
Foreign currency #1:	
Foreign currency #2:	
Foreign currency #3:	
Provisional sums expressed in local currency	[To be entered by the Procuring Entity]



SECTION V - BILLS OF QUANTITIES

A. Notes and Sample Items for Preparing a Bill of Quantities

- 1. These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Tender Documents. Priced Bills of Quantities shall be part and parcel of the Contract Documents.
- The objectives and purpose of the Bills of Quantities are to provide sufficient information on the specifications, descriptions and quantities of Works to be performed to enable tenders to be prepared efficiently and accurately and when a contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed. In order to attain these objectives, Works should be itemized in the Bill of Quantities insufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and clear as possible.
- 3. The Bills of Quantities should be divided generally into the following sections:
 - a) Preambles
 - b) Preliminary items
 - c) Work Items
 - c) Day work Schedule; and
 - d) Provisional items
 - e) Summary.

4. NOTES TO PREPARING PREAMBLES

- 4.1 The Preambles should include only those items that constitute the cost of the works but would not be priced separately as they are expected to be included in the unit prices. Care should be taken to ensure that these items are not are petition of the conditions of contract. The Preambles should indicate the inclusiveness of the unit prices and should state the methods of measurement that have been adopted in the preparation of the Bill of Quantities, that are to be used for the measurement of any part of the Works. The units of measurement and abbreviations should be defined and any mandatory national units defined and described. The methods of and procedure for re- measurement should be described in the Preambles.
- 42 Units of Measurement The following units of measurement and abbreviations shall be used, unless other national units are mandatory in Kenya.

Unit	Abbreviation	Unit	Abbreviation
cubic meter	m ³ or cu m	millimeter	mm
hectare	ha	month	mon
hour	h	number	no
kilogram	kg	square meter	m ² or sq m
lump sum	ls	square millimeter	mm ² or sq mm
meter	m	week	wk
metric ton	t		

- The Bills of Quantities shall be read in conjunction with the Instructions to Tenders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 44. The quantities given in the Bills of Quantities are estimated and partly provisional and are given to provide a common basis for tendering. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Architect and valued at the rates and prices tender in the priced

Bills of Quantities, where applicable, and otherwise at such rates and prices as the Architect may fix within the terms of the Contract.

- 45. The rates and prices tender in the priced Bills of Quantities shall, except in so far as it is otherwise provided under the Contract, include all Constructional Plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
- A rate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of Items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 47. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bills of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
- 48 General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bills of Quantities. References to the relevant sections of the Contract documents shall be made before entering prices against teach item in the priced Bills of Quantities.
- 49 Provisional Sums and contingency sums included and so designated in the Bills of Quantities shall be expended in whole or in part at the direction and discretion of the Architect in accordance with Sub-Clause 13.5 and Clause 13.6 of the General Conditions of contract.
- In preparing the Bills of Quantities, notes should be removed as they are intended to guide the person preparing the Tender Documents. The Contractor must allow in his rates for any costs associated with and complying with the requirements in the Preambles.
- Should a tenderer/contractor not price any item in any section of the Bills of Quantities including Preliminary items, it will be assumed that he/she has spread its cost in other areas that he/she will have priced. Therefore, the item or items will be executed without any additional costs or without being treated like variations.

5. NOTES ON PREPARING BILLS OF OUANTITIES

- 5.1 The <u>Preliminary Items</u> should be limited to tangible items that should be priced by the tenderer, are identifiable and can be priced separately and included in the interim valuations precisely. Such items may include such items as site office, notice boards, and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.
- The work items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. Such groups could be ground excavations, structures, external works, services, etc. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.
- Quantities should be computed net from the Drawings, unless directed otherwise in the Contract, and no allowance should be made for bulking, shrinkage or waste. Quantities should be rounded up where appropriate.
- Where the measured items a redeemed not to be exact because of the likelihood that the scope can change during the execution of the works, such items could be subject to re-measurement, the word "provisional" should be used to identify such cases. Where whole sections of the work items fall in this class, for example foundations, they should be labelled "Provisional Quantities" or "Provisional Items" so that the Tenderer/Contractor is advised up front that such items are subject to re-measurement to done before such work is cover-up.
- All items that have not been measured and therefore not subject tot enders pricing should be listed in the Bills of Quantities as **Provisional Sums** for particular item or class of Work, which may be subject to a nominated subcontract or separate measurements at a later date during the execution of the works. For example, if it is deemed not possible to measure electrical works before going to tender because detail designs are not ready, a provisional sum can be allowed in the Bills of Quantities for "Installation of Electrical Works" to be executed later when actual design details are completed. To the extent not covered above, there should be in the Bills of Quantities a general provision for physical and financial contingencies made as a "Provisional Sum for

Contingencies" and "Provisional Sum for Fluctuations". The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises.

- Provisional sums to cover specialized works normally carried out by Nominated Sub Contractors should be avoided and instead Bills of Quantities of the specialized Works should be included as a section of the main Bills of Quantities to be priced by the Main Contractor. The Main Contractor should be required to indicate the name(s) of the specialized firms he proposes to engage to carry out the specialized Works as his approved domestic sub-contractors. Only provisional sums to cover specialized Works by statutory authorities should be included in the Bills of Quantities.
- 5.7 A Day work Schedule should be included if the probability of unforeseen work, outside the items included in the Bill of Quantities, is relatively high. To facilitate checking by the Procuring Entity of the realism of rates quoted by the tenderers, the Day work Schedule should normally comprise:
 - i) A list of the various classes of labor, and materials for which basic.
 - ii) Day work rates and prices for various categories of labor are to be inserted by the tenderer, together with a statement of the conditions under which the Contractor will be paid for Work executed on a Daywork basis.
 - iii) A percent a get to be entered by the tenderer against teach basic Day work item.
 - iv) Subtotal amount for labor, materials and plant representing the Contractor's profit, overheads, supervision and other charges.
- The Summary should contain a tabulation of the separate parts of the Bills of Quantities carried forward, with provisional sums for Day work, Provisional sums and Contingencies, and provision for Total Costing. The last line should allow for tenderer to indicate any discounts before arriving at a total cost carried forward to the Form of Tender.

BILLS OF QUANTITIES

(a) Preambles

- 1. The method of measurement of completed work for payment shall be in accordance with [insert the name of a standard reference guide, or full details of the methods to be used].
- 2. The Site is situated in (provide full description where the site is situated, coordinates from the nearest known landmark like a town and its size) ______ It is approximately _____ Kilometers from Nairobi. Access to the site shall be through ______,

Which is an existing public road. Any damage caused to the surfaces of this road shall be made good at the Contractor's expense. The Contractor shall visit the site and acquaint itself with its nature and position, the nature of the ground, substrata and other local conditions, positions of existing power, water and other services, access roads or any other limitations that might affect his cost or progress. No claim for extras shall be considered on account of lack of knowledge in this respect.

- 3. The Contractor shall obtain the Architect's approval on the siting of all temporary buildings, spoil heaps, temporary access path, and storage of materials. The Contractor shall also obtain the Architect approval and direction regarding the use of any materials found on the Site.
- 4. The drawings used in the preparation of these Bills of Quantities can be inspected at the offices of the Procuring Entity or Procuring Entity's Representative during normal working hours. Two sets of the Working Drawings shall be provided to the contractor but additional copies shall be provided at a cost to be determined by the Engineer.
- 5. The Contractor shall allow for the payment of all bank charges in connection with the procurement of Bank Guarantees and stamp charges in connection with this contract Agreement.
- 6. The Contractor shall carry out the various sections of the Works in such an order as the Architect May direct. The Procuring Entity reserves the right to occupy the Works by sections on completion provided that such occupation is considered to be both practical and reasonable and will not interfere with the Works. The Contractor shall allow any costs associated with such occupation.
- 7. The main Contractor will be fully responsible for paying his Sub-Contractor but the Procuring Entity reserves the right in very exceptional circumstances to make such payments direct in the interests of the project where the completion thereof might be jeopardized by any dispute or vicariousness between the Contractor and the Sub-Contractor involve.
- 8. The Contractor shall complete and deliver the Works in the period inserted in the Form of Tender as his time for completion of the Works from the date for Possession, to be agreed with the Engineer. The Contract Period is presumed to have been calculated making due allowance for seasonal inclement weather conditions. No claim for extension of time due to the normal in clement weather for this area shall be entertained.
- 9. The Contractor shall, upon receiving instructions to proceed with the Works, draw up a Programmed and Progress Chart setting out the order in which the Works are to be carried out, with the appropriate dates thereof. This Chart shall be agreed with the Architect and no deviation from the order set out in it will be permitted without the written consent of the Engineer. The Contractor will be responsible for arranging the above programmed with all his sub-Contractors and Specialties. The Contractor shall allow in his rates for carrying out this exercise, and for updating it as required.
- 10. The Contractor shall submit to the Architect on the first day of each week or such longer period as the Architect from time to time direct, a Progress Report and any information for the proceeding period, showing the progress during the period and the up-to-date cumulative progression all important items of each section or portion of the Works.
- 11. The Contractor shall arrange for photographs of the Site to be taken by a professional photographer approved by the Engineer. The Photographs shall provide a record of the Site and adjacent are as prior to the commencement of the Works and shall cover such portion of the works in progress and completion as the Architect shall direct. All prints shall be full plate size, unmounted, and marked on the reverse side with the date of exposure, identification reference and brief description. The copyright of all photographs shall be vested in the Procuring Entity. The negatives and four prints from each negative shall be delivered to the Architect withintwo weeks of exposure.

- 12. Figured dimensions are to be followed in preference to dimensions scaled from the Drawings, but whenever possible dimensions are to be taken on the Site or from the buildings. Before any work is commenced by Sub-Contractors or Specialist Firms, dimensions must be checked on the site comparable dimensions shown on the drawings. The Contractor shall be responsible for the accuracy of such dimensions.
- 13. Prior to commencement of any work the Contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, water pipes or other services in the are a and he shall make whatever provisions may be required by the Authorities concerned for the support and protection of such services. Any damage or disturbance caused to any services shall be reported immediately to the Architect and the relevant Authority and shall be made good to their satisfaction at the Contractor's expense. Where appropriate the Contractor shall open up the ground in advance of the main work by hand digging, if necessary,to locate precisely the position and details of the services which are likely to affect his operations.
- 14. The Contractor shall include in his prices for the transport of materials, workmen, etc./, to and from the site of the proposed works, at such hours and by such route as are permitted by the Authorities.
- 15. The Contractor will be required to make good, at his own expense and damage he may cause to the present road surface and pavements within or beyond the boundary of the Site, during the period of the works. All existing paths, storm water channels, etc., that may be destroyed or damaged during the progress of the Works shall be reinstated by the Contractor to the satisfaction of the Engineer.
- 16. The Contractor is to allow for complying with all instructions and regulations of the Police Authorities.
- 17. All water shall be fresh, clean and pure, free from earthly, vegetable or organic matter, acid or alkaline substance in solution. The Contractor shall provide at his own risk and cost all water for use in connection with the Works, (including works of sub–contractors). If need be, he shall make arrangements with the Local Water Authority for the installation of a separate meter for all water used by him throughout the Contract and pay all cost and fees in connection therewith. He shall also provide temporary storage tanks and tubing, etc., as may be necessary, and clear away at completion.
- 18. The Contractor shall provide all artificial lighting and power for his own use on the Works, (including Sub Contractor's) including all temporary connections, wiring, fittings, etc., and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection there with.
- 19. The Contractor shall constantly keep on the Works a Literate English-speaking Agent or Representative, competent and experienced in the kind of work involved, who shall give his whole time to the superintendence of the works. (Including works of sub contractors). Such Agent or Representative shall receive on behalf of the Contractor directions and instruction from the Engineer, and such directions and instructions shall be deemed to be given to the contractor in accordance with the Conditions of Contract. The Agent shall not be replaced without the specific approval of the Engineer.
- 20. The Contractor shall ensure that the safety of his work people and all authorized visitors to the site are protected at all times. In particular, there shall be the proper provision of guard—rails to scaffolding, protection against falling materials, tools on site, dust, nail and other sharp objects. The site shall be kept tidy and clear of dangerous rubbish. The Architect shall be empowered to suspend work on site should it be considered this condition is not being observed and no claim arising from such suspension will be allowed.
- 21. The are as available to the Contractor for work yards, offices and other facilities shall be directed by the Architect and any existing features to remain shall be protected from damage throughout the Contract Period and handed back in good condition when they are vacated at the end of the Contract. If additional areas are required, the contractor shall source the now cast.
- 22. The Contractor shall give the Architect reasonable notice of the intention to set out or take levels for any part of the Works so that arrangements may be made for checking the work. The accuracy of setting out and leveling shall be within the tolerances specified in the Specifications or on the Drawings. The checking of setting out or leveling by the Architect shall not relieve the Contractor of his duties or responsibilities under the Contract.
- 23. The Contractor must take steps necessary to safe guard and shall beheld fully responsible for any damage caused to existing and adjacent property, including buildings that are not a subject of demolition. He shall make good at his own cost damage to persons and property caused there on, and he shall indemnify the Procuring Entity against any loss or claim that may arise.

- 24. The Contractor shall take such steps and exercise such care and diligence as to minimize nuisance arising from dust, noise or any other cause to the occupiers of the existing and adjacent property. He must provide such temporary and special screens and tarpaulins or gummy bags, hoarding, barriers, warning signs etc. as he considers necessary and sufficient for the protection of the existing and adjacent property and or prevention of nuisance etc. as directed by Engineer.
- 25. The Contractors attention is drawn to the standards levy order which was amended on 15thOctober 1998.Legal notice No.154 of 1998. The Contractor is required to pay a monthly level of 0.2% of his factory price of construction works with effect from January 1999. Tenderer shall allow for this in the build-up of his rates.
- 26. The Contractor shall provide temporary sheds, offices mushrooms, sanitary, accommodation and other temporary buildings for the use of the contractor and sub-contractors, including lighting furniture equipment and attendance.
- 27. Contractor shall provide/build labor camp sat areas to be agreed with the Engineer. Labor camps shall be complete with sanitary accommodation and fencing gates.
- 28. The Contractor must provide the necessary toilet facilities to the requirement and satisfaction of the Health Authorities and maintain the same in a thoroughly clean and sanitary condition and pay all conservancy fees during the period of the Works and remove when no longer required.
- 29. The Contractor shall provide at his own risk and cost all watching and lighting as necessary to safeguard the Works, Plant and materials against damage and theft.
- 30. The Contractor shall provide all necessary hoists, tackle, plant, equipment, vehicles, tools and appliances of every description for the due and satisfactory completion of the Works and shall remove the same on completion. All such plant, tools and equipment shall comply with all regulations in force throughout the period of the Contract and shall be altered or adopted during the Contract period as may be necessary to comply with any amendments in or additions to such regulations.
- 31. Provide, erect and maintain all necessary scaffolding, sufficiently strong and efficient for the due performance of the works, including Sub-Contract Works, provide special scaffolding as required by Sub-Contractors, alter and adopt all scaffolding as and when required during the Works, and remove on completion. No scaffolding is measured here in after and the Contractor must allow in his rates for this.
- 32. The Contractor shall take all necessary precautions such as temporary fencing, hoarding fans, planked footways, guard–rails gantries screen, etc., for the safe custody of the Works, materials and public protection and adjacent properties.
- 33. Cover up all and protect from damage, including damage from in clement weather, all finished work and unfixed materials, including that of Sub-Contractors, etc., to the satisfaction of the Architect until the completion of the Contract.
- 34. The Contractor shall, after completion of the works, at his own expense, remove and clear away all surplus excavated demolition materials, plant, rubbish and unused materials and shall leave the whole of the Site and Works in a clean and tidy state to the satisfaction of the Engineer, sheds, camps, etc. Particular care shall be taken to leave clean all floors and windows and tore move all paint and cement all rubbish hand dirt as it accumulates. The Contractor is to find his own dump and shall pay all charges in connection there with.
- 35. Concrete test cubes shall be prepared in a set of three, as described including testing fees, labor and materials, making molds, transport, handling, etc. Allow in your rates for making at least four cubes on each occasion, from different batches; the concrete being taken from the point of deposit.
- 36. The Contractors hall furnish at the earliest possible opportunity before work commences, and at his own cost, any samples of materials and workmanship that may be called for by the Architect for the approval or rejection, and any further samples in the case of rejection, until such samples are approved by the Engineer. Such samples, when approved, shall be the minimum standard for the work to which they apply. The procedure or submitting samples of materials for testing or approval and the method of marking for identification shall be as laid down by the Engineer. The Contractor shall allow in his Tender for such samples and tests, including those in connection with his Sub-Contractors work.
- 37. The Contractors attention is drawn to the Finance Bill of the year 2000/2001 on withholding tax on contractual payment section 35(7)(i)(ii) which became effective on 1st July 2000. A 3% withholding tax will be applicable

PC Page

to all interim payments exceeding Kshsfor work done in respect of building or civil works. The contractor shall allow for any costs arising resulting there from in the build-up of rates.

- 38. Blasting will only be allowed with the express permission of the Architect in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost, in accordance with any Government regulations in force for the time being, and any special regulations laid down by the Architect governing the use and storage of explosives.
- 39. The National Construction Authority is a state corporation established under the national construction authority Act No.14 of 2011. The broad Mandate of the Authority is to oversee the construction industry and coordinate its development. The National Construction Authority Regulations 2014 with an effective date of 6thJune 2014, regulation 25, Allow 0.5% of the tender sum/contract sum for construction levy.
- 40. The Contractor attention is drawn to Finance Bill of 1993 where VAT was introduced in all contracts for construction services. The tenderer is also drawn to VAT Act Cap 476 clause 19(9). The tenderer must allow for VAT 1.19 as instructed elsewhere.
- 41. The contractor shall allow and pay for all insurance to cover risks and indemnities required Items 17 and 18 of the Conditions of contract and also specified in the Special Conditions of Contract.

PC

Page

Item	Description	Amount KSh
	PARTICULAR PRELIMINARIES	
	EMPLOYER	
А	The Employer is the KENYA MEDICAL TRAINING COLLEGE P.O. BOX 30195 - 00100 NAIROBI. The term "Employer" and "Government" wherever used in the contract document shall be synonymous.	
В	PROJECT MANAGER The term "PM" wherever used in these Bills of Quantities shall be deemed to imply the project Manager as defined in General Conditions of Contract or such person or persons as may be duly authorized to represent him on behalf of the Government.	
С	ARCHITECT The term "Architect" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is SAMBURU COUNTY GOVERNMENT DEPARTMENT OF ROADS, TRANSPORT & PUBLIC WORKS, P.O Box P.O Box 3 -	
D	QUANTITY SURVEYOR The term "Quantity Surveyor" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is SAMBURU COUNTY GOVERNMENT DEPARTMENT OF ROADS, TRANSPORT & PUBLIC WORKS, P.O Box 3 - 20600, Maralal.	
E	ELECTRICAL ENGINEER The term "Electrical Engineer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is SAMBURU COUNTY GOVERNMENT DEPARTMENT OF ROADS, TRANSPORT & PUBLIC WORKS, P.O Box 3 - 20600, Maralal.	
F	MECHANICAL ENGINEER	
	The term "Mechanical Engineer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is SAMBURU COUNTY GOVERNMENT DEPARTMENT OF ROADS, TRANSPORT & PUBLIC WORKS, P.O Box 3 - 20600, Maralal	
G	STRUCTURAL ENGINEER The term "Structural Engineer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is SAMBURU COUNTY GOVERNMENT DEPARTMENT OF ROADS, TRANSPORT & PUBLIC WORKS, P.O Box 3 - 20600, Maralal.	
Н	CHIEF DESIGNER The term "Chief Designer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is SAMBURU COUNTY GOVERNMENT DEPARTMENT OF ROADS, TRANSPORT & PUBLIC WORKS, P.O Box 3 - 20600, Maralal.	
	Carried to collection	

Item	Description	Amount KSh
А	PRICING ITEMS OF PRELIMINARIES Prices SHALL BE INSERTED against items of "preliminaries" in the tenderers priced Bills of Quantities. The contractor is advised to read and understand all preliminary items.	
В	SCOPE OF CONTRACT The works to be carried out comprises of a KMTC Samburu Campus Building and associated Civil works, Electrical and Mechanical Installations works at Maralal	
	DESCRIPTION OF THE WORKS	
С	The Works consist of: Erection and completion of a Two (2No.) storey building or reinforced concrete foundations. The superstructure will be consisting or concrete works and natural stone walling. The roof slab consisting of IT5 GCI roof covering on timber trusses. The external wall finish will consist of render and weather guard paint to external areas. The internal wall finish will include plaster and paint & tiles to all wet areas. Floors to be finished in tiles. Ceiling finishes are in plaster and paint, and gypsum ceiling on timber brandering Doors are in Mild Steel Externally and solid core timber flush doors Internally. Windows are in aluminium casement. Electrical works include electrical wiring & fittings	
	Mechanical works including associated piping and fittings	
D	MEASUREMENTS In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with Clause 13 of the General Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with Clause 13 of the said Conditions.	
	Carried to collection	

FLOOR AREAS TUITION BLOCK Ground Floor = 700 SM First Floor = 700 SM Total floor area = 1,400M Storey height = 2.85 Meters LOCATION OF SITE The site of the proposed works is at Maralal Town. The Contractor is advised to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. Demonstractor is the structure and finishes and for making good to all finishes on completion whether or not specifically described. Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a	Item	Description		Amount KSh
Ground Floor = 700 SM First Floor = 700 SM Total floor area = 1,400M Storey height = 2.85 Meters LOCATION OF SITE The site of the proposed works is at Maralal Town. The Contractor is advised to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. Described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a	Α	FLOOR AREAS		
Total floor area = 1,400M Storey height = 2.85 Meters LOCATION OF SITE The site of the proposed works is at Maralal Town. The Contractor is advised to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. DUnless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a			= 700 SM	
LOCATION OF SITE The site of the proposed works is at Maralal Town. The Contractor is advised to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. D Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a		First Floor	= 700 SM	
LOCATION OF SITE The site of the proposed works is at Maralal Town. The Contractor is advised to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. D Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a		Total floor area	= 1,400M	
The site of the proposed works is at Maralal Town. The Contractor is advised to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, CO workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. D Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a		Storey height	= 2.85 Meters	
to visit the site to familiarize with the nature and position of the site. No claims ath rising from the Contractor's failure to do so will be entertained. **SIGNING OF THE TENDER DOCUMENTS** The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. **DEMOLITIONS AND ALTERATIONS** The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. DURIESS described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a		LOCATION OF SITE		
SIGNING OF THE TENDER DOCUMENTS The bidder shall append his / her signature and / or company "s rubberstamp on each and every page of tender document. DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. D Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a		to visit the site to familiarize w claims ath rising	ith the nature and position of the site. No	
The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. D Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a	В	The bidder shall append his / l rubberstamp on	ner signature and / or company "s	
works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, C workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager. The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. D Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a		DEMOLITIONS AND ALTERATION	S	
alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a	С	works including ordinary and s warning signs, etc as directed the adequate propping and proworkmen employed on the site damage or loss incurred due to made good by the Contractor completion of the works and a	pecial dust screens, hoardings, barriers, by the Project Manager and as necessary for otection of existing property, finishes, employer's agents and the public. Any the insufficiency of such protection must be All protective devices are to be removed on any necessary making good consequent upon	
shall be carefully removed from building and cleared away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a	D	alteration or demolition work cleaning and preparatory work	commences. Prices shall include for all to structure and finishes and for making	
which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a			•	
result of the condition of the item concerned.		which may occur to materials r it is certified by the Project Manager that s	equired for re-use during their removal unless uch damage or breakage was inevitable as a	
Carried to collection		Carried to collection		

Item	Description	Amount KSh
	CLEARING AWAY	
	The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager.	
	The whole of the works shall be delivered up clean, complete and in perfect	
Α	condition in every respect to the satisfaction of the Project Manager.	
	CLAIMS It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period.	
	No claim shall be entertained upon the expiry of the said contract period.	
	PAYMENTS The tenderer's attention is drawn to the fact that the Payments will be paid for work done and materials delivered to sit: all in accordance with Clause 14.3 of the General Conditions of Contract Agreement. In order to facilitate this, a list of the general component elements for the works is given at the summary page of these specifications and the tenderer is requested to break down his tender sum commensurate to the said elements. Advance Payment to be in Accordance with Clause 14.2 and the Information provided in the Tender Data Sheet. PREVENTION OF ACCIDENT, DAMAGE OR LOSS	
В	The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is thus instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of activities being carried out by the Client. The Contractor shall allow in his rates any expense he deemed necessary by taking such care within the site.	
С	WORKING CONDITIONS	
D	The Contractor shall allow in his rates for any interference that he may encounter in the course of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the facility will be operating as usual during the course of the contract. SIGNBOARD Allow for providing, erecting, maintaining throughout the course of the	
	Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager. LABOUR CAMPS	
Е	The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract. Carried to collection	
	Carried to conection	

Item	Description	Amount KSh
A B	MATERIALS FROM DEMOLITIONS Any materials arising from demolitions and not re-used shall become the property of the client. The Contractor shall allow in his rates the cost of disposing the demolished materials as directed. PRICING RATES The tenderer shall include for all costs in executing the whole of the works including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.	
С	SECURITY The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.	
D	URGENCY OF THE WORKS The Contractor is notified that these "works are urgent" and should be completed within the period stated in these Particular Preliminaries. The Contractor shall allow in his rates for any costs he/ she deems that he/she may incur by having to complete these works within the stipulated	
E	contract period. PAYMENT FOR MATERIALS ON SITE All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers. EXISTING SERVICES	
F	Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services.	
G	CONTRACT COMPLETION PERIOD	
	The contract completion period in accordance with the Conditions of contract must be adhered to. The "PROJECT MANAGER" shall strictly monitor the Contractors progress in relation to the progress chart and should it be found necessary the "PROJECT MANAGER" shall inform the Contractor in writing that his actual performance on site is not satisfactory. In all such cases the Contractor shall accelerate his rate of performance production and progress by all means such as additional labour, plant, etc and working overtime all at his cost.	
	Carried to collection	

Thoma	Description	Amount I/Ch
Item	Description	Amount KSh
	PERFORMANCE BOND	
Α	A bond of 5% of the contract sum will be required in accordance with Instruction to Tenderers (ITT) 48.1 and clause 4.2.1 of the General Conditions of Contract on award of contract of the Instructions to Tenderer's. No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed and stamped from an approved Bank.	
	TENDER DOCUMENTS	
В	Tender documents are as listed in Clause 6.1 of the Instructions to Tenderers (ITT) DELIVERY OF TENDER	
С	Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents or as indicated in the advertisement. Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened. D VALUE ADDED TAX	
	The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1st September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices for prices for VAT and any other Government taxes currently in force.	
	The tenderer is advised that in accordance with Government public notice No. 35 & 36 Dated 11th September 2003 operational from 1st October 2003, VAT will be deducted against the contract sum at the prevailing rate by the Employer and remitted directly to the Commissioner of VAT through all interim certificates. It should however be noted that this is not additional tax but a new mode of payment for VAT, any excess payment will be refundable once the Contractor has submitted monthly returns to the Commissioner of VAT who will do the refunds when satisfied that the VAT regulations have been complied with.	
	NB: The Contractor should therefore include the VAT tax within the rates. E EXISTING BUILDING MATERIALS NOTE: Any materials found usable for the works shall be given to the contractor on credit with the approval of the client	
	Carried to collection	

Item	Description	Amount KSh
А	PROJECT MANAGEMENT Allow a provisional sum of Kenya Shillings One Million, Five Hundred Thousand Only (Kshs. 1,500,000.00) for Project Management Team Allow for Contractor's profit and overheads (%)	1,500,000.00
	Carried to collection	

PP / 7

Item	Description		Amount KSh
	PARTICULARS OF INSERTIONS TO AGREEMENT	BE MADE IN APPENDIX TO CONTRACT	
	The following are the insertio Contract Agreement: -	ns to be made in the appendix to the	
	Period of Final Measurement	3 Months from Practical Completion	
	Defects Liability Period	6 Months from Practical Completion	
	Date for Possession	to be agreed with the Project Manager	
	Date for Completion	as stated in the Conditions of Contract	
	Liquidated and Ascertained Da Contract	mages As stated in the Conditions of	
	Prime cost sums for which desires to tender	The Contractor	
	Period of Interim Certificates	Monthly	
	Period of Honoring Certificates	60 days	
	Percentage of Certified Value Ro	etained 10%	
	Limit of Retention Fund	5%	
	Carried to collection		

Item	Description	Amount KSh
	COLLECTION	
	Brought forward from page PP/1	
	Brought forward from page PP/2	
	Brought forward from page PP/3	
	Brought forward from page PP/4	
	Brought forward from page PP/5	
	Brought forward from page PP/6	
	Brought forward from page PP/7	
	Brought forward from page PP/8	
	TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO GRAND SUMMARY	

PP / 10

PROPOSED SAMBURU KMTC MARALAL CAMPUS, SAMBURU COUNTY

Item	Description		Amount KSh
	GENERAL PRELIMIN	IARIES	
Α.	PRICING OF ITEMS	OF PRELIMINARIES AND PREAMBLES	
	Datas will be been		
	Quantities and Sp	rted against items of Preliminaries in the Contractor's priced	
	Quantities and 3p	ecification.	
	The Contractor sh	all be deemed to have included in his prices or rates for the	
	various items in th	e Bills of Quantities or Specification for all costs involved in	
	complying with all	I the requirements for the proper execution of the whole of	
В.	ABBREVIATIONS		
	Throughout these	Bills, units of measurement and terms are abbreviated and	
	shall be interprete	d as follows:-	
	С.М.	Shall mean cubic meter	
	С.М.	Shall mean cubic meter	
	S.M.	Shall mean square meter	
	L.M.	Shall mean linear meter	
	мм	Shall mean Millimeter	
	Kg.Shall mean KilogramNo.Shall mean Number		
	Prs.	Shall mean Pairs	
	B.S.	Shall mean the British Standard specification Published	
	by the		
	British Standards Institution, 2 Park Street, London W.I., England.		
	Ditto	Shall mean the whole of the preceding description except	
	as qualified in the description in which it occurs.		
	m.s.	Shall mean measured separately.	
	a.b.d	Shall mean as before described.	
	Carried to collect	ion	-

Item	Description	Amount KSh
	EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT	
	Attendance; Clause B19(a) of the Standard Method of Measurement is	
	deleted and the following clause is substituted:-Attendance on nominated	
	Sub-Contractors shall be given as an item in each case shall be deemed to	
	include: allowing use of standing scaffolding, mess rooms, sanitary	
	accommodation and welfare facilities; provision of special scaffolding where	
	necessary; providing space for office accommodation and for storage of	
A.	plant and materials; providing light and water for their work: clearing away	
	rubbish; unloading checking and hoisting: providing electric power and	
	removing and replacing duct covers, pipe casings and the like necessary for	
	the execution and testing of Sub- Contractors' work and being responsible for	
	the accuracy of the same.	
	Eix Onlin-	
	Fix Only:- "Fix Only" shall mean take delivery at nearest railway station (Unless otherwise	
	stated), pay all demurrage charges, load and transport to site where	
	necessary, unload, store, unpack, assemble as necessary, distribute to position,	
	hoist and fix only.	
	FORM OF CONTRACT	
	The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works (2021 Edition) included	
В	herein: The Conditions of Contract are also included herein	
	The conditions of contract are also included herein	
	Conditions of Contract	
	These are numbered from 1 to 20 as set out in the standard tender document	
	Particulars of insertions to be made in the Appendix to the PLANT, TOOLS AND VEHICLES	
	Allow for providing all scaffolding, plant, tools and vehicles required for the	
	works except in so far as may be stated otherwise herein and except for such	
	items specifically and only required for the use of nominated Sub-Contractors	
	as described herein. No timber used for scaffolding, formwork or temporary	
	works of any kind shall be used afterwards in the permanent work. The	
	Contractor shall provide all necessary hoists, tackle, plant, vehicles, tools and	
	appliances of every description for the due and satisfactory completion of the	
	Works and shall remove same on completion. All materials and workmanship	
	used in the execution of the works shall be of the best quality and description for the due and satisfactory completion of the works and shall remove the same	
	on completion. The Contractor shall provide, erect and maintain all	
	temporary scaffolding, sufficiently strong and efficient for the due	
	performance of the Works, including Sub-contract Works, provide special	
С	scaffolding as and when required during the Works including all sub-	
	contracted works and remove on completion and make good. Such	
	scaffolding shall be constructed of tubular steel or timber of sufficient	
	scantlings and be provided with planked footways and guard-rails to	
	approvalNo timber used for scaffolding, formwork or similar temporary works	
	shall be used afterwards in the permanent work. All such plant, tools and	
	scaffolding shall comply with all regulations whether general or local, in force throughoutthe period of the Contract and shall be altered or adapted during	
	the Contractas may be necessary to comply with any amendments in or	
	additions to suchregulations. Scaffolding is not measured hereinafter, and the	
	Contractor must allow here or in his rates for the above.	
	Carried to collection	-
	carried to conection	

GP / 2

Item	Description	Amount KSh
	TRANSPORT.	
	Allow for transport of workmen, materials, etc., to and from the site at such	
	hours and by such routes as may be permitted by the competent authorities.	
	MATERIALS AND WORKMANSHIP.	
	All materials and workmanship used in the execution of the work shall be of the	
	best quality and description unless otherwise stated. The Contractor shall order	
	all materials to be obtained from overseas immediately after the Contract is	
Α	signed and shall also order materials to be obtained from local sources as	
	early as necessary to ensure that they are onsite when required for use in the	
	works. The Bills of Quantities shall not be used for the purpose of ordering	
	materials	
	SIGN FOR MATERIALS SUPPLIED. The Contractor will be required to sign a receipt for all articles and materials	
	supplied by the PROJECT MANAGER at the time of taking deliver thereof, as	
	having received them in good order and condition, and will thereafter be	
	responsible for any loss or damage and for replacements of any such loss or	
В	damage with articles and/or materials which will be supplied by the PROJECT	
D	MANAGER at the current market prices including Customs Duty and V.A.T., all	
	at the Contractor's own cost and expense, to the satisfaction of the PROJECT	
	MANAGER.	
	STORAGE OF MATERIALS	
	The Contractor shall provide at his own risk and cost where directed on the site	
	weather proof lock-up sheds and make good damaged or disturbed surfaces	
	upon completion to proof lock-up sheds and make good damaged or	
С	disturbed surfaces upon completion to the satisfaction of the PROJECT	
	MANAGER Nominated Sub-Contractors are to be made liable for the cost of	
	any storage accommodation provided especially for their use.	
	SAMPLES	
	The Contractor shall furnish at his own cost any samples of materials or	
	workmanship including concrete test cubes required for the works that may be	
	called for by the PROJECT MANAGER for his approval until such samples are	
	approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject	
	any materials or workmanship not in his opinion to be up to approved	
	samples. The PROJECT MANAGER shall arrange for the testing of such materials	
	as he may at his discretion deem desirable, but the testing shall be made at	
	the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the	
D	current scale of testing charges laid down by the Ministry of Public Works. The	
	procedure for submitting samples of materials for testing and the method of	
	marking for identification shall be as laid down by the PROJECT MANAGER The	
	Contractor shall allow in his tender for such samples and tests except those in	
	connection with nominated sub-contractors' work. No alternate rate shall be	
	offered on account that the employer has chosen a superior finish unless the	
	bidder had attached the sample he priced.	
	Carried to collection	
GP / 3		-

Item	Description	Amount KSh
	GOVERNMENT ACTS REGARDING WORK, PEOPLE ETC.	
	Allow for complying with all Government Acts, Orders and Regulations in	
	connection with the employment of Labour and other matters related to the	
	execution of the works. In particular, the Contractor's attention is drawn to the	
	provisions of the Factory Act 1950 and his tender must include for all costs	
	arising or resulting from compliance with any Act, Order or Regulation relating	
	to Insurances, pensions and holidays for workpeople or so the safety, health	
	and welfare of the work people. The Contractor must make himself fully	
	acquainted with current Acts and Regulations, including Police Regulations	
Α	regarding the movement, housing, security and control of labour, labour	
	camps, passes for transport, etc. It is most important that the Contractor, before	
	tendering, shall obtain from the relevant Authority the fullest information	
	regarding all such regulations and/or restrictions which may affect the	
	organization of the works, supply and control of labour, etc., and allow	
	accordingly in his tender. No claim in respect of want of knowledge in this	
	connection will be entertained.	
	SECURITY OF WORKS ETC.	
	The Contractor shall be entirely responsible for the security of all the works	
	stores, materials, plant, personnel, etc., both his own and sub-contractors' and	
В	must provide all necessary watching, lighting and other precautions as	
	necessary to ensure security against theft, loss or damage and the	
	protection of the public.	
	PUBLIC AND PRIVATE ROADS.	
	Maintain as required throughout the execution of the works and make good	
С	any damage to public or private roads arising from or consequent upon the	
	execution of the works to the satisfaction of the local and other competent	
	authority and the PROJECT MANAGER. EXISTING AND ADJACENT PROPERTY	
	The Contractor shall take every precaution to avoid damage to all existing	
	property including roads, cables, drains and other services and he will be held	
	responsible for and shall make good all such damage arising from the	
	execution of this contract at his own expense to the satisfaction of the	
	PROJECT MANAGER The Contractor will be held fully responsible for the safety	
_	of the existing and adjacent buildings and for any damage caused in	
D	consequence of these Works. They must reinstate all damages at his own	
	expense and indemnify the Employer against any loss. There are existing	
	paving blocks that may be damaged in course of the works and as such the	
	contractor is advised to include in their rates the cost of making good such	
	The Contractor must take such steps and exercise such care and diligence as	
	to minimize nuisance from dust, noise or any other cause to the occupiers of	
	VISIT SITE AND EXAMINE DRAWINGS.	
	The Contractor is recommended to examine the drawings and visit the site the	
	location of which is described in the Particular Preliminaries hereof. He shall be	
_	deemed to have acquainted himself therewith as to its nature, position, means	
E	of access or any other matter which, may affect his tender. No claim arising	
	from his failure to comply with this recommendation will be considered.	
	Carried to collection	-

Thomas	Description	Amount I/Ch
Item	Description ACCESS TO SITE AND TEMPORARY ROADS.	Amount KSh
А	Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads (approximately 70 meters long) for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER.	
В	AREA TO BE OCCUPIED BY THE CONTRACTOR The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER OFFICE ETC. FOR THE PROJECT MANAGER The Contractor shall provide, erect and maintain where directed on site a properly ventilated lockable office for the consultants, having a minimum floor area of 40 Square Meters complete with adequate furniture (Tables, chairs etc.). Provision shall be made for artificial lighting and cleaning facilities for the duration of the works. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the	
	drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 meter metallic or linen tape.	
	In particular, the Contractor is to note that the neighborhood will continue with operations during the period of the works and the contractor shall ensure that construction activities do not interfere with such operations by way of noise, obstruction, dust, vibrations or trespass. The site office is to be fully supplied with power, with notice boards, and drawers for storage. The contractor to allow for provision of snacks and soft drinks to participants during site inspections and meetings The entire site is a non-smoking area. All such temporary works shall be dismantled and cleared away on completion of the construction.	
D	COMPUTER AND INTERNET CONNECTION The Contractor shall provide and maintain the Project Manager's office with, A3 printer, a high performance desk top computer and a laptop connected with unlimited high speed Wi-Fi internet connection. The Contractor is to pay all connection charges and shall allow for any other fees that may become payable during the contract period. The computer specifications shall meet the Project Manager's requirement and shall be for sole use of the Project Manager or his representative. SANITATION OF THE WORKS	
Е	The Sanitation of the works shall be arranged and maintained by the Contractorto the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER.	
	Carried to collection	-

Item	Description	Amount KSh
	WATER AND ELECTRICITY SUPPLY FOR THE WORKS	
	The Contractor shall provide at his own risk and cost all necessary water,	
	electric light and power required for use in the works. The Contractor must	
	make his own arrangements for connection to the nearest suitable water main	
	and for metering the water used. He must also provide temporary tanks and	
	meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT	
Α	MANAGER. The Contractor shall pay all charges in connection herewith. No	
A	quarantee is given or implied that sufficient water will be available from mains	
	and the Contractor must make his own arrangements for augmenting this	
	supply at his own cost. Nominated Subcontractors are to be made liable for	
	the cost of any water or electric current used and for any installation provided	
	especially for their own use.	
	SUPERVISION AND WORKING HOURS	
	The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal	
	working hours have access to the works and to the yards and workshops of the	
	Contractor and subcontractors or other places where work is being prepared	
	for the contract.	
	PROVISIONAL SUMS.	
	The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (i) of the Standard Method of	
В	Measurement. Such sums are net and no addition shall be made to them for	
	profit.	
	PRIME COST (OR P.C.) SUMS.	
	The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of	
	Quantities shall have the meaning stated in Section A item A7 (ii) of the	
	Standard Method of Measurement. Persons or firms nominated by the PROJECT	
	MANAGER to execute work or to provide and fix materials or goods as stated in the Conditions of Contract are described herein as Nominated Sub-	
	Contractors. Persons or firms so nominated to supply goods or materials are	
	described herein as Nominated Suppliers	
	PROGRESS CHART.	
	The Contractor shall provide within two weeks of Possession of Site and in	
	agreement with the PROJECT MANAGER a Progress Chart for the whole of the	
С	works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site.	
	Progress to be recorded and chart to be amended as necessary as the work	
	proceeds.	
	ADJUSTMENT OF P.C. SUMS.	
	In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them	
	added to the Contract sum. The Contractor shall produce to the PROJECT	
	MANAGER such quotations, invoices or bills, properly receipted, as may be	
	necessary to show the actual details of the sums paid by the Contractor. Items	
	of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the	
	amount paid. Items of "attendance" (as previously described) following P.C.	
D	Sums shall be adjusted pro-rata to the physical extent of the work executed	
-	(not pro-rata to the amount paid) and this shall apply even though the	
	Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be	
	accepted of any work for which a P.C. Sum is included in these Bill of	
	Quantities profit and attendance will be allowed at the same rate as it would	
	be if the work were executed by a Nominated Subcontractor.	
	Carried to collection	
		-

Item	Description	Amount KSh
А	NOMINATED SUB-CONTRACTORS When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Subcontractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-Contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance"	
В	DIRECT CONTRACTS Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.	
С	ATTENDANCE UPON OTHER TRADESMEN, ETC. The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills	
D	REMOVAL OF RUBBISH Removal of rubbish and debris from the Building and the site as it accumulates and at he completion of the works and removal all plant, scaffolding and unused materials at completion.	
E	INSURANCE The Contractor shall insure as required in the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	
F	PROVISIONAL WORK All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.	
	Carried to collection	-

Item	Description	Amount KSh
А	ALTERATIONS TO BILLS, PRICING, ETC. Any unauthorized alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted	
В	BLASTING OPERATIONS Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
С	MATERIALS ARISING FROM EXCAVATIONS Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.	
D	PROTECTION OF THE WORKS. Provide protection of the whole of the works contained in the Bills of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.	
E	WORKS TO BE DELIVERED UP CLEAN Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER.	
F	GENERAL SPECIFICATION. For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities. Carried to collection	

Item	Description	Amount KSh
Α	NEMA REQUIREMENT The Contractor shall be responsible for complying with NEMA requirements and shall allow for all costs arising or resulting therefrom. No claim of extension of time shall be allowed as a result of complains to NEMA requirements.	
В	TRAINING LEVY The Contractor's attention is drawn to the legal notice which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sumon all contracts of more than Kshs. 1,000,000.00 in value.	
С	OTHER STATUTORY OBLIGATIONS, NOTICES, FEES AND CHARGES Notwithstanding any other statutory obligations, notices, fees and charges not listed above, the contractor shall allow in his tender for all such costs incurred in complying with all statutory requirements and payment of all leviers currently in force and affecting the construction industry.	
D E	MATERIALS ON SITE All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
F	HOARDING The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centers with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site. The length of the Hoarding is Approximately 300 Meters CONTRACTOR'S SUPERINTENDENCE/SITE AGENT The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract SHOP DRAWINGS The contractor shall prepare for scrutiny and issue to the architect, copies of detailed shop drawings of all specialists works. The contractor shall immediately	100,000.00
	amend after the architect has checked the drawings and when approved shall issue to the architect four copies for general use. The scrutiny of these drawing shall be for general conformity including conformity with the works of others and to co-ordinate the contract work in pace. Such approvals shall not imply any further indication or correctness.	
Н	PROTECTIVE CLOTHING The Contractor shall provide all protective or any other special clothing or equipment for their employees that may be necessary. These shall include, inter-alia, safety helmets, gloves, goggles, earmuffs, gumboots, steel toed boots, overalls, etc. according to the type of work. The Contractor shall ensure that all safety and protective gear are worn by all staff on site at all times	
Carried	to collection	100,000.00

PROPOSED SAMBURU KMTC MARALAL CAMPUS, SAMBURU COUNTY

Item	Description	Amount KSh
	COLLECTION	
	Brought Forward From Page GP/1	-
	Brought Forward From Page GP/2	-
	Brought Forward From Page GP/3	-
	Brought Forward From Page GP/4	
	Brought Forward From Page GP/5	
	Brought Forward From Page GP/6	-
	Brought Forward From Page GP/7	-
	Brought Forward From Page GP/8	
	Brought Forward From Page GP/9	100,000.00
	TOTAL FOR GENERAL PRELIMINARIES CARRIED TO GRAND SUMMARY	100,000.00

GP / 10

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .1 GROUND FLOOR ELEMENT NO. 1 - SUBSTRUCTURES (ALL PROVISIONAL)				
	Notes.				
	Tenderer to allow for working space in his rates. Reinforcement to BS 4449 / 4461:1997, Grade 460B high strength type 2 ribbed bars with proof stress of 460 N/mm2 Excavations including trimming sidesand bottoms of excavations; spoil heaping on site; double handling of excavated materials; maintaining and supporting sides; and keeping free from water, mud and fallen material; with and including destruction of termites nests within site of works, take out and destroy queens, impregnate holes and tunnels with insecticide and fill voids with approved material All excavations shall be				
	measured net and no allowance shall be made for working space as per SMM D5(g)				
	Excavations				
А	Excavate to reduce level not exceeding 1.50 meters deep	СМ	900		
В	Ditto exceeding 1.50 but not exceeding 3.0 meters deep	CM	900		
С	Excavate for strip footing not exceeding 1.50 meters deep from reduced level	СМ	362		
D	Excavate for column bases not exceeding 1.50 meters deep from reduced level	СМ	870		
	Extra over excavations for excavating in soft rock				
Е	[With a Soil Bearing Pressure of 200 - 300 Kilo Newton's / M2]	СМ	100		
	Extra over excavations for excavating in hard rock				
F	[With a Soil Bearing Pressure of above 300 Kilo Newton's / M2] <i>Disposal</i>	СМ	10		
G	Load, wheel and deposit surplus excavated material away from site to an approved county government	СМ	545		
Н	dumping site Return, fill and ram selected excavated material around foundations. (Including stock piling and double handling where necessary)	СМ	1,220		
	Hardcore or other approved filling, as described				
I	300mm thick hardcore bed: hand packed: compacted in layers not exceeding 150mm thick: to the satisfaction of the Structural Engineer:	SM	700		
J	<u>Blinding</u> 50mm Thick (Average) quarry dust or "equal and approved" blinding to surfaces of hardcore	SM	700		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>Filling - To Make up Levels</u>				
А	Providing & laying Approved Fill Material (Natural Gravel), compacted in uniform layers of 150mm thick with motor grader on a prepared subgrade, compacting with vibratory rollers till 95% of the maximum dry density. Including tests on completion of each GSB layer. The strength of each GSB layer shall be evaluated by conducting CBR load test for obtaining a CBR value greater than 5 as per AASHTO T99	СМ	250		
	<u>Thickening</u>				
В	Extra over to existing hardcore bed for thickening 600 mm wide (average) x 300 mm deep (average) including handpicking hardcore to a slope both sides to receive staircases.	LM	15		
C	Anti - termite to treatment Chemical anti-termite treatment, as "BASF Termidor" or other equal and approved anti-termite insecticide; applied strictly in accordance with manufacturer's printed instructions and INCLUDING providing a TEN year guarantee period, to surfaces of hardcore and vertical sides of excavated surfaces Damp-proof membrane 1,000-gauge polythene or other equal and approved damp-proof membrane, laid over blinded hardcore (measured separately) with 300mm side and end laps (measured nett-allow for laps)	SM	700 700		
	Mass concrete class 15 (1.3.6) in: -				
Е	50mm thick blinding- Strip footing	SM	200		
F	50mm thick blinding - Column bases	SM	505		
	Vibrated reinforced concrete class 25, mix (1:1.5:3) with minimum cube strength of 17N/mm2 at 7days and 25N/mm2 at 28days				
G	with <u>20mm maximum aggregate size; -</u> Strip foundation	СМ	40		
Н	Column Bases	CM CM	189		
I	Stub Columns	CM	35		
j	Ground Beam	CM	30		
N	Entrance Steps	СМ	3		
Р	150mm thick surface bed	SM	700		
_	150mm thick sloping ramp complete with treating				
R	surface of unset concrete; to produce ribbed, herring bone pattern grooves diagonal	SM	29		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Reinforcement, as described: -[PROVISIONAL] Reinforcement to BS 4449:1997, Grade 460B high strength type 2 Ribbed bars with proof stress of 460 N/mm2; Including all necessary cutting, bending, fixing, wastage, overlaps and provision of spacer blocksand stools to S. E's detail				
A B C D E	20 mm Diameter bars 16 mm Diameter bars 12 mm Diameter bars 10mm Diameter bars 8mm Diameter bars	KG KG KG KG	3,082 4,982 9,493 300 2,057		
	Steel mesh fabric reinforcement to BS 4483: including setting in concrete with 300mm laps (measured nett: no allowance for laps) Mesh reference A142 weighing 2.22 kilograms per				
F G H	square meter in floor beds Sawn formwork as described to: - Vertical sides of column base Vertical sides of strip footing	SM SM SM	700 319 198		
I J	Ditto to stub columns Ditto to ground beam	SM SM	386 298		
K L	Edge of slab, not exceeding 150mm girth Step stringers over 225mm but not exceeding 300mm wide	LM LM	170 56.4		
М	Step risers 150mm high	LM	63		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Natural hard approved quarry stone walling with a crushing strength of 7 N/mm²; walling bedded and jointed in cement and sand (1:4) mortar, reinforcement with and including 25mm wide x 20-gauge hoop iron at every alternate course as described in:				
А	200 mm Thick wall, medium chisel dressed on both sides.	SM	530		
	Expansion joint				
В	25 mm "Flex cell" or other equal and approved joint filler with 10 years guarantee: set vertically between masonry	SM	12		
		LM			
С	Mastic sealant or other equal and approved filler		8		
	Hessian based bituminous felt damp proof course laid on cement and sand (1:4) mortar under: -				
D	200mm wide	LM	350		
F	Splash Apron 600 x 600 x 50 mm Thick precast concrete paving slabs square pattern bedded on and including cement/ sand (1:4) mortar on 50 mm murram bed on 150 mm thick hardcore bed including all necessary ground preparations.	SM	102		
G	Plinth 15mm Thick cement/sand (1:4) render to plinths, wood float finish.	SM	51		
Н	Prepare surface and apply three coats of black bituminous paint or other approved paint to rendered plinth.	SM	51		
	Carried to Collection				
	COLLECTION				
	From Page GF/1				
	From Page GF/2				
	From Page GF/3				
	From Above				
	ELEMENT NO. 1 Carried to the SUBSTRUCTURES Main summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR		,		
	ELEMENT NO 2- REINFORCED CONCRETE FRAME				
	Reinforcement to BS 4449 / 4461:1997, Grade 460B				
	high strength type 2 ribbed bars with proof stress of				
	460 N/mm2 Vibrated reinforced concrete class 25, mix (1:1.5:3)				
	with minimum				
	cube strength of 17N/mm2 at 7days and				
	25N/mm2 at 28days				
	with 20mm maximum aggregate size; -				
Α	Columns	CM	11		
В	Beams	CM	63		
С	150mm thick suspended slab	SM	700		
	130mm trick suspended slab	314	700		
	Reinforcement, as described: -[PROVISIONAL]				
	Reinforcement to BS 4449:1997, Grade 460B high				
	strength type 2				
	Ribbed bars with proof stress of 460 N/mm2;				
	Including all necessary				
	cutting, bending, fixing, wastage, overlaps and				
	provision of spacer				
	blocks and stools to S. E's detail				
F	25 mm Diameter bars	KG	3,470		
G	20 mm Diameter bars	KG	862		
l	16 mm Diameter have	V.C	2 020		
Н	16 mm Diameter bars	KG	2,830		
j	12 mm Diameter bars	KG	280		
	12 mm blameter barb	i.o	200		
K	10mm Diameter bars	KG	5,120		
L		KG	4,570		
	8mm Diameter bars				
	Total Carried to Collection				
GE / 5					

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Fair face formwork as described to: -				
Α	Sides of columns	SM	441		
В	Sides and soffits of beams	SM	470		
С	Soffits of suspended slabs	SM	820		
D	Edges of slab not exceeding 150mm girth	LM	170		
	Carried to Collection				
	COLLECTION				
	From Page GF/5				
	From Above				
	ELEMENT NO. 2	Carried t	to		
	REINFORCED CONCRETE FRAME Main Su	mmary			
CE / 6					

GF / 6

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR				
	ELEMENT NO. 3 STAIRCASE & CONSTRUCTION & FINISHES				
	INISHES				
	Vibrated reinforced concrete class 25, mix (1:1.5:3) with minimum cube strength of 17N/mm2 at 7days and 25N/mm2 at 28days				
	with 20mm maximum aggregate size; -				
Α	Base	СМ	4.5		
В	Staircase & Ramp	СМ	6.9		
С	175mm thick staircase landing	SM	13		
	Reinforcement, as described: -[PROVISIONAL] Reinforcement to BS 4449:1997, Grade 460B high strength type 2 Ribbed bars with proof stress of 460 N/mm2; Including all necessary cutting, bending, fixing, wastage, overlaps and provision of spacer blocks and stools to S. E's detail				
D	12 mm Diameter bars	KG	293		
E	10mm Diameter bars	KG	732		
F	8mm Diameter bars	KG	440		
	Fair face formwork as described to:-				
G	Vertical Sides of bases	SM	2		
Н	Soffits of staircase landing	SM	13		
J	Sloping soffits of staircase & Ramp	SM	35		
К	Edges of staircase landing 150 - 225mm girth	LM	64		
L M	Staircase stringers over 225mm but not exceeding 300mm wide Staircase risers 150mm high	LM LM	27 64		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>FINISHES</u>				
	12mm thick (minimum) two coat cement, sand and lime plaster (1:1:6) with PVC edge and corner strip as described to: -				
А	Soffits of staircase landings	SM	21		
В	Sloping soffits of staircase & Ramp	SM	45		
С	Cement and sand (1:3) screeds, backings, beds etc. 30mm thick screed including red oxide surface floor finish to Landing (m.s)	SM	45		
	Painting and decorating Skim, Prepare and apply three coats first quality silk vinyl emulsion paint on: -	CM	26		
L	Plastered soffits of landings and staircase/ramp	SM	36		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Balustrading and Railing - (Provisional) Staircase				
	<u>railing; In Mild Stee</u> l				
	1200mm Mild steel balustrade comprising 50mm				
	diameter x				
	3mm handrail: 5No 20mm diameter x 3mm				
	horizontal rails:				
	800mm long x 50 x 10mm plate balusters at 1500mm				
	center one end fish tailed built into concrete work:				
	To Architect detail & Approval				
Α		LM	54		
	60mm diameter Mild Steel handrail fixed to				
	masonry wall solid balustrade using 200mm long				
	38mm diameter stainless steel brackets at 600mm				
	<u>centers.</u>				
	Handrail fixed to the wall				
В	Handrail fixed to the wall	LM	64		
	Total Carried to Collection				
	COLLECTION				
	Carried from page GF/8				
	Carried from Above				
	FI FMENT NO. 2. Comical to the CTATROACE				
	ELEMENT NO. 3 Carried to the STAIRCASE CONSTRUCTION & FINISHES Main summary				
	CONSTRUCTION & LINISHES Figure Summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR				
	ELEMENT NO. 4 - WALLING Internal & External walling Natural hard machine cut stone from an approved quarry with a crushing strength of 7.0 N/mm²; walling bedded and jointed in cement and sand (1:3) mortar, with and including				
	reinforcement with and including 25mm wide x 20-gauge hoop iron at every alternate course as described in;				
А	200mm thick walling	SM	850		
С	Extra Over for key pointing - horizontal	SM	53		
		ried to th in summ			

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	SECTION NO .2 GROUND FLOOR ELEMENT NO. 5 - EXTERNAL FINISHES External Floor finishes Cement and sand (1:3) screeds, backings, beds etc. 30mm thick screed including red oxide surface floor finish (m.s)	SM	73		
	External wall finishes 15mm (minimum) two coat lime render including skimming; Plaster; 9mm thick first coat of cement and sand (1:6); 3mm second coat of cement and lime putty (1:10); steel troweled smooth; complete with wire gauze anti-crack mechanism at the intersection of masonry walling and concrete beams as described to: -				
В	Concrete/masonry surfaces to receive paint (m.s)	SM	970		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
Α	In Mild Steel; one coat red oxide primer; three coats enamel gloss paintwork to metal surfaces 1100mm high balustrading comprising 50mm diameter mild steel handrail welded onto and including 40mm diameter mild steel vertical balusters: 1100mm high balusters at 900mm centers: 2No. 30 x 3mm mild steel flat intermediate rails infilled with and including 25mm diameter 2tier mild steel intermediate balusters at 900mm centers (Refer to architect's details)	LM	85		
С	Ceiling finishes 12mm Thick (minimum) two coat lime plaster as described to: - Concrete soffits	SM	700		
	Painting and decorating Skim, Prepare and apply three coats exterior quality silicon based external antifungal paint (including skimming): colour to approval by application strictly in accordance with suppliers printed instructions Plastered soffits Skim, Prepare and apply three coats exterior quality silicon based external antifungal paint (including skimming) as "Ruff n Tuff" or equal and				
E	approved: colour to approval by application strictly in accordance with suppliers printed instructions Plastered vertical wall/concrete surfaces Plastered vertical wall/concrete surfaces	SM	990		
	Total Carried to Collection COLLECTION				
	Carried from page GF/11				
	Carried from Above				
	ELEMENT NO. 5 Carried to the				
GE / 12	EXTERNAL FINISHES Main summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	SECTION NO .2 GROUND FLOOR ELEMENT NO. 6 - INTERNAL FINISHES Floor finishes Cement and sand (1:3) screeds, backings, beds etc. 30mm thick screed including red oxide surface floor finish as approved by the project engineer (m.s)	SM	700		
	Total Carried to Collection				

		UNIT	7	RATE	AMOUNT
	Internal Wall finishes				
	Internal Wan Innisites				
	12mm (minimum) two coat lime plaster including				
	<u>skimming;</u> Plaster; 9mm thick first coat of cement and sand				
	(1:6); 3mm				
	second coat of cement and lime putty (1:10); steel				
	<u>troweled</u>				
	<u>smooth; complete with wire gauze anti-crack</u> mechanism at the				
	intersection of masonry walling and concrete				
	beams as described				
	<u>to: -</u>				
Α	Concrete/masonry surfaces internally generally	SM	1,870		
	Cement and sand (1:4) backings etc.				
В	15mm backing finished to receive Ceramic wall tiles	SM	80		
	(m.s)				
	Supply & Fix Approved tiles to Architect's selection				
	<u>& approval to</u>				
	floor on prepared backing (m.s) in approved				
	<u>patterns as directed</u> <u>by the Architect; with proprietary adhesive; jointed</u>				
	and pointed in				
	matching coloured proprietary anti - fungal				
	waterproof grouting:				
	<u>aluminum threshold & corner strips, including pvc</u> spacers and				
	expansion joint as necessary: all to Architect's				
	approval.				
	300 x 300 x 10mm thick Non-Slip Ceramic Tiles (Budget Supply Rate of Kshs. 1,500 per SM per the				
Е	Client's Selection) - Contractor to factor this cost	SM	220		
	plus the fixing rate				
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	Ceiling finishes 12mm Thick (minimum) two coat lime plaster as described to: - Concrete soffits	SM	720		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Painting and decorating				
	Skim, Prepare and apply three coats first quality silk vinyl emulsion paint on: -				
А	Plastered vertical wall/concrete surfaces	SM	1,900		
В	Plastered soffits	SM	720		
	Total Carried to Collection				

COLLECTION Carried from page GF/13			
Carried from page GF/14			
Carnea from page Gr/14			
Carried from page GF/15			
Carried from Above			
ELEMENT NO. 6	Carried to the	 	
INTERNAL FINISHES	Main summary		

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR				
	ELEMENT NO. 7 - WINDOWS [REFER TO WINDOW				
	SCHEDULES] General Notes:				
1	All Mild Steel sections to be standard booth				
	manufacturing sections only				
2	Colour to be decided later All accessories to be powdered to match frame				
3	and samples of				
	all to be approved in the first instance.				
	All flush bolts to be minimum 200mm long, chrome				
	plated of				
4	Approved quality.				
5	All corner glazing to be butt jointed with silicon				
	sealant				
	All bathroom windows to be glazed in opaque				
	laminated glass. Where possible, the BQ has shown				
6	these as washroom windows; but it will be the tenderer's responsibility to crosscheck with the				
	Architect's drawings as to the accuracy of this.				
	<u>Mild Steel Casement windows [Refer to</u> theArchitect's drawing & detail]				
	Supply, assemble and fix the following approved				
	powder coated 50mm (minimum 2mm thick),				
	including 6mm thick clear laminated glazing				
	secured on framing				
	with approved with glazing strips and glazing				
	<u>beading including</u>				
	waterproofing all joints using silicon sealing				
	<u>compounds and</u> approved brackets; fixing with screws; building in				
	lugs				
	to jambs, plugging and screwing head and cill				
	; sealing with mastic, adjusting on completion				
	and all necessary ironmongery				
	such as fasters, stays, hinges and sliding rails to				
А	<u>Architects details and approval</u> Window Overall size 2,500 x 2,000mm high	NO	50		
В	Window Overall size 600 x 900mm high	NO	7		
C	Window Overall size 1,200 x 1200mm high	NO	1		
	<u>Window cill</u>				
	Precast concrete class 20 (12mm,				
	aggregate), including formwork,				
	finishing fair face on all exposed surfaces, hoisting and placing in				
	position, bedding and jointing in cement and sand				
	(1:3) mortar				
	275 x 75mm thick window cill once rebated; 20 x				
G	20mm splaged drip and jointing in cement and	LM	150		
-	sand 1:3 mortar				
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	Finishing to reveals 15 mm cement and sand (1:3) render, finished with wood float to:- Concrete or masonry surfaces externally 12mm (minimum) two coat lime plaster as described to	SM	42		
В	Concrete or masonry surfaces internally	SM	42		
FG	Painting & decoration Prepare and apply one undercoat and two <u>finishing coats first</u> quality weather guard emulsion paint on: -				
	Concrete or masonry surfaces externally	SM	42		
Н	Skim, Prepare and apply three coats first quality silk vinyl emulsion paint on: -				
	Plastered walls internally	SM	42		
	Total Carried to Collection				
	COLLECTION				
	Carried from page GF/17				
	Carried from Above				
	ELEMENT NO. 7				
	Carried to the WINDOWS				
	Main summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR				
	ELEMENT NO. 8 - DOORS [REFER ALL TO ARCHITECT'S SCHEDULES]				
	Supply and fix hardwood Frames with and including				
	supply of low expansion polyurethane foam; in Wrot mahogany or				
A	equivalent hardwood and approved (stained to match the colour of veneer): Ex 50 x 200mm Frame with one labour and 10mm groove to detail;	LM	5.7		
В	plugged Ditto Tran some	LM	2.4		
С	Ex 75 x 25mm Architrave with 10mm groove to	LM	5.7		
D	detail; plugged Ex 25 x 25mm quadrant	LM	5.7		
	Solid timber doors 50mm thick solid core Mahogany paneled doors to B.S 459: part 2 faced both sides with 6mm mahogany plywood and lipped on all edges in hardwood; including grooves per detail				
N	Single Leaf Door Overall size 900 x 2,400mm high (see Architect's details)	NO	1		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RAT E	AMOUNT
А В	45mm thick semi solid core flush door to B.S 459: part 2 faced both sides faced both sides with 3mm veneer and lipped on all edges in hardwood, all as per Architects details Single Leaf Door size 1,000mm x 2,400mm high Single Leaf Door size 900mm x 2,400mm high	NO NO	1 8		
	Fanlight glazing				
С	4mm thick clear glass fixed with timber beads (m.s)	SM	1		
D	Ditto but obscured to washroom doors	SM	5		
	Steel Doors Supply, assemble and fix the following purpose made heavy duty steel door complete with fixing hugs on, pin type hinges including all necessary cutting and all ironmongery as Kasmetal or equal and approved including all welding and priming with red oxide before fixing (Refer to attached door schedules)				
E	Door overall size $1000 \times 2,400$ mm high complete with $100 \times 25 \times 3$ mm RHS framing all round; $100 \times 25 \times 3$ mm RHS middle rails; infilled with 3mm thick metal	NO	8		
F G H	Prepare and apply approved stain, sanding sealer and three coats of 'Crown Paints Solo' or other equal and approved varnish to: General timber surfaces Frames; over 100mm but not exceeding 200mm girth Surfaces over 300mm girth	SM LM SM	165 52 57		
I	Prepare and apply one coat etching primer two undercoats and one coat oil paint full gloss furnish to: - General surfaces of metal doors	SM	5		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>Ironmongery</u>				
	Supply and fix the following ironmongery as				
	<u>approved with</u> matching screws: -				
	NOTE; Tenderer to refer to the drawing & schedule				
	for iron				
	mongery - All iron mongery to be per Architect's				
	<u>Approva</u> l				
	[Tenderer to Provide a Sample board]				
	To softwood, hardwood or the like fixing with screw:				
Α	Brass hinges; 100 mm	PRS.	19		
	Thus a layer was which to do not provide the suith forms it was	NO	21		
В	Three lever mortice lock complete with furniture	NO	21		
	To concrete or blockwork; fixing with bolts;				
	plugging				
С	Rubber door stop	NO	21		
	Total Carried to Collection				
	COLLECTION				
	Carried from page GF/19				
	Carried from page GF/20				
	Carried from Above				
		ied to th			
	DOORS Ma	ain sumn	nary		

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR				
	ELEMENT NO. 9- JOINERY & FITTINGS				
	Supply and fixed approved 4800 X 2400mm high white board	NO	8		
	Supply and fixed approved 2400 \times 1200mm high cellotex pin-up board	NO	8		
	ELEMENT NO. 9 Carried to the				
CE / 22	JOINERY FITTINGS Main	Main summary			

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR ELEMENT NO. 10- BUILDER'S WORK IN CONNECTION WITH SPECIALIST SERVICES				
А	Inspect all architectural, mechanical, electrical and structural drawings as provided; allow for all builders' work associated with all the specialist works Cut away fittings and pipework; form all holes, chases, etc and make good after the plumber, electrician and all other specialist works	ITEM			
	ELEMENT NO. 10 Carr BUILDER'S WORK IN CONNECTION Main su	ried to th ımmary	e		

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 GROUND FLOOR MAIN SUMMARY				
1	SUBSTRUCTURES		GF/4		
2	REINFORCED CONCRETE FRAME		GF/6		
3	STAIRCASE CONSTRUCTION & FINISHES		GF/9		
4	WALLING		GF/10		
6	EXTERNAL FINISHES		GF/12		
7	INTERNAL FINISHES		GF/16		
8	WINDOWS		GF/18		
9	DOORS		GF/21		
10	JOINERY FITTINGS		GF/22		
11	BUILDER'S WORK IN CONNECTION		GF/23		
GF / 24	SECTION NO. 2 - GROUND FLOOR CARRIED TO TOTAL AMOUNT GRAND SUMMARY	KSHS			

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .3 FIRST FLOOR ELEMENT NO 1- REINFORCED CONCRETE FRAME Reinforcement to BS 4449 / 4461:1997, Grade 460B high strength type 2 ribbed bars with proof stress of 460 N/mm2 All cement to be 32.5, or equal and approved to SE approval Vibrated reinforced concrete class 25, mix (1:1.5:3) with minimum cube strength of 17N/mm2 at 7days and 25N/mm2 at 28days				
Α	with <u>20mm maximum aggregate size; -</u> Columns	СМ	33		
В	Beams	СМ	42		
С	Suspended Tank Slab	СМ	1.4		
	Reinforcement, as described: -[PROVISIONAL] Reinforcement to BS 4449:1997, Grade 460B high strength type 2 Ribbed bars with proof stress of 460 N/mm2; Including all necessary cutting, bending, fixing, wastage, overlaps and provision of spacer blocks and stools to S. E's detail				
D	20 mm Diameter bars	KG	4,081		
Е	16 mm Diameter bars	KG	2,633		
F	8mm Diameter bars	KG	2,917		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Fairface formwork as described to:-				
Α	Sides of columns	SM	441		
Α	Sides and soffits of beams Carried to Collection	SM	800		
	COLLECTION				
	From Page FF/1				
	From Above				
	ELEMENT NO. 1 Car REINFORCED CONCRETE FRAME Main Summ	ried to ary			

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .3 FIRST FLOOR Internal & External walling Natural hard machine cut stone from an approved quarry with a crushing strength of 7.0 N/mm²; walling bedded and jointed in cement and sand (1:3) mortar, with and including reinforcement with and including 25mm wide x 20-gauge hoop iron at every alternate course as described in;				
B C	200mm thick walling Extra Over for key pointing - horizontal	SM SM	990 62		
	ELEMENT NO. 3 Carried	to the summary			

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	SECTION NO .3 FIRST FLOOR ELEMENT NO. 4 - EXTERNAL FINISHES External Floor finishes Cement and sand (1:3) screeds, backings, beds etc. 30mm thick screed including red oxide surface floor finish (m.s)	SM	85		
	External wall finishes 15mm (minimum) two coat lime render including skimming; Plaster; 9mm thick first coat of cement and sand (1:6); 3mm second coat of cement and lime putty (1:10); steel trowelled smooth; complete with wire gauze anti-crack mechanism at the intersection of masonry walling and concrete beams as described to: -				
D	Concrete/masonry surfaces to receive paint (m.s) In Mild Steel; one coat red oxide primer; three coats enamel gloss paintwork to metal surfaces 1100mm high balustrading comprising 50mm diameter	SM	510		
E	mild steel handrail welded onto and including 40mm diameter mild steel vertical balusters: 1100mm high balusters at 900mm centres: 2No. 30 x 3mm mild steel flat intermediate rails infilled with and including 25mm diameter 2tier mild steel intermediate balusters at 900mm centres (Refer to architect's details)	LM	85		
	ELEMENT NO. 4 Carried EXTERNAL FINISHES Main su				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
С	SECTION NO .3 FIRST FLOOR ELEMENT NO. 5 - INTERNAL FINISHES Floor finishes Cement and sand (1:3) screeds, backings, beds etc. 30mm thick bed finished to receive Red oxide floor	SM	900		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>Internal Wall finishes</u>				
	12mm (minimum) two coat lime plaster including				
	skimming; Plaster; 9mm thick first coat of cement and sand (1:6);				
	3mm second coat of cement and lime putty (1:10); steel				
	<u>trowelled</u>				
	smooth; complete with wire gauze anti-crack mechanism at the				
	intersection of masonry walling and concrete beams as described				
	to: -				
Α	Concrete/masonry surfaces internally generally	SM	1,900		
В	Cement and sand (1:4) backings etc. 15mm backing finished to receive Ceramic wall tiles (m.s)	SM	80		
н	In Mild Steel; one coat red oxide primer; three coats enamel gloss paintwork to metal surfaces 1100mm high balustrading comprising 50mm diameter mild steel	LM	47		
	handrail welded onto and including 40mm diameter mild steel vertical balusters: 1100mm high balusters at 900mm centres: 2No. 30 x 3mm mild steel flat intermediate rails infilled with and including 25mm diameter 2tier mild steel				
	intermediate balusters at 900mm centres (Refer to architect's details)				
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	<u>Ceiling finishes</u> <u>CEILING FINISHES</u> <u>12mm thick chipboard ceiling board V cut joints fixed</u> <u>to brandering (M/S)</u>	SM	820		
В	75 x 20 wrot cypress cornice	LM	170		
С	50 x 50mm sawn treated cypress brandering	LM	2060		
D	Ditto 75 x 50 mm plugged	LM	170		
E	Extra over ceiling board for trap door size 800×800 mm	NO	12		
F	Gypsum Ceiling Soffits	SM	720		
	Prepare and apply three coats polyurethane clear polish to woodwork				
G	Surfaces not exceeding 100mm girth	SM	158		
Н	Surfaces over 100mm but not exceeding 200mm girth	LM	148		
	Total Carried to Collection				
	COLLECTION				
	Carried from page FF/5				
	Carried from page FF/6				
	Carried from Above				
EE / 7	ELEMENT NO. 5 Carried INTERNAL FINISHES Main sum				

ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSHS
	ELEMENT NO. 6				
	ROOF CONSTRUCTION, COVERING AND RAINWATER DISPOSAL				
	Wrought cypress treated Timber spanning 33200mm by 10300mm hoisted 6000mm high and with a moisture content not exceeding 12%				
Α	Common Rafters size 150 x 50mm thick	598	LM		
В	Purlins size 100 x 50mm thick	777	LM		
С	Hip rafters size 150 x 50mm thick	103	SM		
D	King post size 150 x 50mm thick	230	LM		
Е	Tie beam size 150 x 50mm thick	749.6	LM		
F	Struts and ties 150 x 50mm thick	1344	LM		
G	Fascia board size 225 x 25mm thick	210	LM		
Н	Weather boards size 1500mm x 50mm thick	0	LM		
I	Wall plates bolted Bolts and holes included size 100 x 50mm	330.5	LM		
	ROOF COVERING				
	Approved pre painted sheets as 'BOX PROFILE ALUZINC' sheet s or any other approved roofing material				
J	28 Gauge Pre-painted sheets as 'BOX PROFILE' or other equal and approved roofing materials size 3000mm by 750mm with end and side laps as recommended by manufacturer and with matching ridges.	1090	SM		
К	<u>Ditto</u> but to matching ridge capping and galvanized	101.2	LM		
	U channels size 150 x 50mm.				
	TOTAL CARRIED TO COLLECTION PAGE 10.				

ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSHS
	RAINWATER DISPOSAL				
	24-gauge light pressed, galvanized mild steel, purpose made, ready primed box gutters jointed with mastic and fixed to fascia with brackets to BS 1091				
А	Size 200 by 150mm	270	LM		
В	Extra for outlet in box gutter, diameter 100mm	14	NO		
С	Extra for bend	14	NO		
D	Extra for stopped end	14	NO		
	24 Gauge light pressed galvanized mild steel				
	purpose made ready primed down pipes jointed with				
	mastic and fixed to walls with brackets to BS 1091				
Е	Diameter 100mm	84	LM		
F	Extra for swan neck offset in pipe diameter	14	NO		
G	Extra for shoe in pipe diameter	14	NO		
	24 gauge galvanized mild steel sheet				
Н	As flashing hips, girth 600mm	27	LM		
	TOTAL CARRIED TO COLLECTION PAGE 10.				

ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSHS
А	TESTING Allow for testing the whole of the rainwater disposa installation to the satisfaction of the engineer and for replacing any defective work free of charge		ITEM		
	TOTAL CARRIED TO COLLECTION BELOW				
	COLLECTION				
	Brought forward from page FF/8.				
	Brought forward from page FF/9.				
	Brought down from above				
	TOTAL OF ELEMENT 04 CARRIED TO SUMMARY PAGE.	•	•		

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 FIRST FLOOR				
	ELEMENT NO. 7 - WINDOWS [REFER TO WINDOW SCHEDULES]				
1 2 3	General Notes: All Mild Steel sections to be standard booth manufacturing sections only Colour to be decided later All accessories to be powdered to match frame and samples of all to be approved in the first instance. All flush bolts to be minimum 200mm long, chrome plated of				
4	approved quality.				
5	All corner glazing to be butt jointed with silicon sealant				
6	All bathroom windows to be glazed in opaque laminated glass. Where possible, the BQ has shown these as washroom windows; but it will be the tenderer's responsibility to crosscheck with the Architect's drawings as to the accuracy of this.				
	Mild Steel Casement windows [Refer to the Architect's Supply, assemble and fix the following approved powder coated Mild Steel Casement windows, fabricated from approved standard hollow sections 55 x 50mm (minimum 2mm thick), including 6mm thick clear laminated glazing secured on framing with approved with glazing strips and glazing beading including				
	waterproofing all joints using silicon sealing compounds and				
А В С	approved brackets; fixing with screws; building in lugs to jambs, plugging and screwing head and cill ; sealing with mastic, adjusting on completion and all necessary ironmongery such as fasters, stays, hinges and sliding rails to Architects details and approval Window Overall size 2,500 x 2,000mm high Window Overall size 1,200 x 1200mm high	NO NO NO	66 5 1		
	Window cill Precast concrete class 20 (12mm, aggregate), including formwork, finishing fair face on all exposed surfaces, hoisting and placing in position, bedding and jointing in cement and sand (1:3) mortar	-			
G	275×75 mm thick window cill once rebated; 20×20 mm splaged drip and jointing in cement and sand 1:3 mortar	LM	150		
EE / 11	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
А	Finishing to reveals 15 mm cement and sand (1:3) render, finished with wood float to: - Concrete or masonry surfaces externally 12mm (minimum) two coat lime plaster as described to	SM	42		
В	Concrete or masonry surfaces internally	SM	42		
С	Painting & decoration Prepare and apply one undercoat and two finishing coats first quality weather guard emulsion paint on: - Concrete or masonry surfaces externally	SM	42		
D	Skim, Prepare and apply three coats first quality silk vinyl emulsion paint on: -				
	Plastered walls internally	SM	42		
	Total Carried to Collection				
	COLLECTION				
	Carried from page FF/11				
	Carried from Above				
EE / 12	ELEMENT NO. 6 Carried WINDOWS Main sur				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .2 FIRST FLOOR ELEMENT NO. 8 - DOORS [REFER ALL TO ARCHITECT'S SCHEDULES]				
A B C	Supply and fix hardwood Frames with and including supply of low expansion polyurethane foam; in Wrot mahogany or equivalent hardwood and approved (stained to match the colour of veneer): Ex 50 x 200mm Frame with one labour and 10mm groove to detail; plugged Ditto Transome Ex 75 x 25mm Architrave with 10mm groove to detail; plugged Ex 25 x 25mm quadrant	LM LM LM LM	5.7 2.4 5.7 5.7		
N	Solid timber doors 50mm thick solid core Mahogany paneled doors to B.S459: part 2 faced both sides with 6mm mahogany plywood and lipped on all edges in hardwood; including grooves per detail Single Leaf Door Overall size 900 x 2,400mm high (see Architect's details) high	NO	1		
Total Ca	rried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	45mm thick semi solid core flush door to B.S 459: part 2 faced both sides faced both sides with 3mm veneer and lipped on all edges in hardwood, all as per Architects details Single Leaf Door size 1,000mm x 2,400mm high	NO	1		
B C D	Single Leaf Door size 900mm x 2,400mm high Fanlight glazing 4mm thick clear glass fixed with timber beads (m.s) Ditto but obscured to washroom doors	NO SM SM	6 1 5		
	Steel Doors Supply, assemble and fix the following purpose made heavy duty steel door complete with fixing hugs on, pin type hinges including all necessary cutting and all ironmongery as Kasmetal or equal and approved including all welding and priming with red oxide before fixing (Refer to attached door schedules)				
Е	Door overall size 1000 x 2,400mm high complete with 100 x 25 x 3mm RHS framing all round; 100 x 25 x 3mm RHS middle rails; infilled with 3mm thick metal Prepare and apply approved stain, sanding sealer and three coats of 'Crown Paints Solo' or other equal	NO	8		
F	<u>and approved varnish</u> to: General timber surfaces	SM	165		
G	Frames; over 100mm but not exceeding 200mm girth	LM	52		
Н	Surfaces over 300mm girth	SM	57		
I	Prepare and apply one coat etching primer two undercoats and one coat oil paint full gloss furnish to: - General surfaces of metal doors	SM	5		
	Total Carried to Collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>Ironmongery</u> Supply and fix the following ironmongery as approved				
	with				
	matching screws: -				
	NOTE; Tenderer to refer to the drawing & schedule for				
	iron mongery - All iron mongery to be per Architect's				
	Approval				
	[Tenderer to Provide a Sample board]				
	To softwood, hardwood or the like fixing with screw:				
Α	Brass hinges; 100 mm	PRS.	19		
В	Three lever mortice lock complete with furniture	NO	21		
	· ·				
	To concrete or blockwork; fixing with bolts; plugging				
С	Rubber door stop	NO	21		
	Total Carried to Collection				
	<u>COLLECTION</u>				
	Carried from page FF/13				
	Carried from page FF/14				
	Carried from Above				
	ELEMENT NO. 7 Carried	to the			
	DOORS Main	summary	7		

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .3 FIRST FLOOR				
	ELEMENT NO. 8- BUILDER'S WORK IN CONNECTION WITH SPECIALIST SERVICES				
	Inspect all architectural, mechanical, electrical and structural drawings as provided; allow for all builders' work associated with all the specialist works				
А	Cut away fittings and pipework; form all holes, chases, etc. and make good after the plumber, electrician andall other specialist works	ITEM			
	ELEMENT NO. 8 BUILDER'S WORK IN CONNECTION Main summ				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO .3 FIRST FLOOR MAIN SUMMARY				
1	REINFORCED CONCRETE FRAME		FF/2		
2	WALLING		FF/6		
3	EXTERNAL FINISHES		FF/7		
4	INTERNAL FINISHES		FF/10		
5	ROOF CONSTRUCTION & RAINWATER DISPOSAL		FF/13		
6	WINDOWS		FF/15		
7	DOORS		FF/18		
8	BUILDER'S WORK IN CONNECTION		FF/16		
	SECTION NO. 3 - FIRST FLOOR CARRIED TO TOTAL AMOUNT GRAND SUMMARY	KSHS			

FOUL DRAINAGE SYSTEM

	NAGE SYSTEM				
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT KSHS.
	GENERAL ITEMS				
	Provisional Sums				
А	Allow a Provisional Sum for testing of the whole				
А	foul drainage				
	system in the presence of the Engineer/Project				
	Manager and make good any defects, retest as				
	necessary and leave the whole foul drainage				
	system perfect and to the satisfaction of the				
	Engineer/Project Manager.				
		SUM	1		
	SITE CLEARANCE				
	General Site Clearance				
	Clear 1.5m either side of centre line of the				
Б	proposed sewer line of grass, bushes, small trees	CM	o		
В	and obstructions and dispose as directed by the	SM	550		
	Project Manager.				
	MANHOLES				
	Manhole Excavation				
	Excavate pit in normal soil for Rectangular				
С	Manhole type 'A' as				
	per drawing detail No. (50) 5300. Depth to invert				
	max. 0.6m	CM	2		
D	Excavate pit in normal soil for Rectangular				
	Manhole type 'B' as				
	per drawing detail No. (50) 5301. Depth to invert	СМ	10		
	max. 1.0m	CIT	10		
Е	Excavate pit in normal soil for Rectangular				
L	Manhole type 'C' as				
	per drawing detail No. (50) 5302. Depth to invert	CM	20		
	max. 1.0m	CM	20		
F	Ditto n.l.t 1.0m but n.e 1.5m	CM	10		
	Excavate pit in normal soil for Rectangular				
G	Manhole type 'D' as				
	per drawing detail No. (50) 5303. Depth to invert				
	max. 1m.	CM	15		
Н	Ditto n.l.t 1.0m but n.e 1.5m	СМ	13		
ī	Ditto n.l.t 1.5m but n.e 2.0m	CM	12		
1			12		
J	Extra over excavation for excavation in Rock class II	CM	7		
	Manhole Construction				
	Provide, mix and place 50mm thick concrete				
K	grade C10 (Mix Ratio1:4:8) as blinding for				
	manholes. Cement to BS 12, 14mm aggregate to				
	BS 882.				
		CM	3		
	Provide, mix and place 150mm thick Concrete				
	grade C20 (Mix Ratio 1:2:4) to construct 150mm	CN4	5		
L	thick manholes' bases. Cement to BS 12, 20mm	CM	5		
	aggregate to BS 882.				
	Provide, mix and place 150mm thick concrete				
	grade C20 (Mix Ratio 1:2:4) as cover slab for	l .			
М	manholes. Cement to BS 12, 20mm aggregate to	CM	5		
	BS 882.				
	Provide all materials, mix and place conc. grade				
	C15 (Mix Ratio 1:3:6) as benching for 160 mm,				
N.I	200mm and 225mm diameter pipes. Include for	CNA	4		
N	forming as well as finishing benching to falls and	CM	4		
	building in pipes as per drawings. Cement to BS				
	12, 20mm aggregate to BS 882.				
	Provide materials for and erect 200mm thick				
0	masonry for manholes type 'A', 'B',Ç' and D as per	SM	175		
	drawing details				
	TOTAL CARRIED TO COLLECTION PAGE 3		_		
	-				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT KSHS.
	Manhole Construction Cont.				
А	Sawn formwork to vertical sides of base and cover slab of Rectangular Manholes A, B, C and D	SM	72		
В	Provide 8mm diameter steel bars for cover slab of Rectangular				
	Manhole Type 'B', C and D as per Drawing Detail	KG	100		
С	Provide and fix bitumen coated cast iron steps to B.S 1247 to detail 50 (5309) to both Rectangular and Circular Manholes Types 'A' and 'B' as per Drawing Detail No. 50 (5300),		2		
D	50(5301),50 (5314) and 50(5315) respectively. Provide 12mm thick cement and sand (mix 1:1)	No.	50		
	sulphate resisting rendering to the walls of the manholes.	SM	200		
Е	Ditto but to cover slab	SM	30		
F	Ditto but to surface of benching.	SM	36		
G	Allow for keeping excavations free from both surface and underground water. C.I MH Cover and Frame To B.S 497 & B.S 556	SUM	1		
Н	Provide and fix 600 x 450mm Medium duty C.I manhole cover & frame and grease to detail 50 (5313)	No.	25		
	SEWERLINE				
I	Excavate trench in normal soil for 160mmØ, 200mmØ UPVC				
	pipe (ISO class 41) and 225mmØ Concrete Ogeo Pipe and cart away surplus material as directed by the Engineer. Excavation measured from ground level to a depth n.e. 1.0m.		100		
J	Ditto n.l.t 1.0m but n.e 1.5m	CM	150		
K	Ditto n.l.t 1.5m but n.e 1.5m	CM	150		
	TOTAL CARRIED TO COLLECTION PAGE 3				

******	DECODEDATION		OTV	DATE	AMOUNT I/CHC
ITEM	DESCRIPTION SEWERLINE Cont.	UNIT	QTY	RATE	AMOUNT KSHS.
A	Extra over excavation for excavation in Rock class	СМ	20		
	Allow for maintaining sides of all excavations				
В	vertical by planking and strutting using 25mm sawn timber	SM	1,200		
	PIPE LAYING	511	1/200		
С	Provide, lay and joint 160mm diameter uPVC pipes (ISO class				
	41) to BS 4660 on gravel bedding and surround	LM	55		
D	Provide, lay and joint 200mm diameter uPVC pipes (ISO class 41) to BS 4660 on gravel bedding and surround	LM	55		
E	Provide, lay and joint 225mm diameter Pre-Cast	<u> </u>	33		
_	Concrete Ogee pipes on gravel bedding and surround	LM	50		
F	Provide and compact 100mm approved quarry				
	dust or sand as bedding and surround for uPVC pipes as per				
	Drawing detail (50) 5310'E'	SM	200		
G	Ditto Concrete grade C20 (Mix Ratio 1:2:4) as	311	200		
G	surround around pipes as per Drawing detail (50) 5310'F'	СМ	8		
Н	Backfill and compact selected material in layers of 150mm thick	СМ	200		
I	Load and cart away all surplus excavated				
•	material as instructed by the Engineer/Project Manager	СМ	50		
J	Allow a provisional sum of Kshs. 30,000 for any other				
	additional Foul Drainage Works	SUM	1		
	Carried to Collection				
	COLLECTION				
	COLLECTION Brought Forward from Page1		\vdash		
	Brought Forward from Page1				
	Brought Forward from Page2				
	Duesight Command from Alexan				
	Brought Forward from Above		\vdash		
		-			
	TOTAL CARRIED TO GRAND SUMMARY PAGE				
	. C.ME CHIMIED IS GIVEN SOUTHING FACE				

BILL NO:2 SEPTIC TANK

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT KSHS.
	90,000 LITRES CAPACITY SEPTIC TANK				
	Site Clearance				
	Clear site of all bushes, scrub, undergrowth,				
	scattered small trees and grub up roots including				
	removing from site as directed by Engineer.				
Α		SM	100		
	Excavation		1 1		
	Excavate in pit for septic tank starting from				
	ground level and backfill around septic after				
	construction and cart away surplus material as				
D	directed by Engineer.	CM	150		
B C	Depth not exceeding (n.e) 1.5m.	CM	150		
C	Ditto, depth not limited to (n. l. t.) 1.5m but n.e				
	3.0m	CM	150		
D					
	Ditto, depth not limited to 3.0m but n.e 4.5m.	СМ	130		
Е					
	Ditto, depth not limited to 4.5m but n.e 6.0m.	CM	5		
F					
	Trim bottom of excavated surface.	SM	60		
G	Fortuna accompliant to make all and I	CNA	20		
	Extra over for excavation in rock class I.	CM	20		
	Concrete class 15 (mix 1:3:6)				
Н	Mix and place 50mm concrete blinding.	СМ	5		
	The drie place somm concrete binding.	<u> </u>			
	Vibrated reinforced concrete class 20/20 (mix				
	1:2:4)				
I	Mix and place 200mm thick concrete in base	СМ	16		
1	slab.	CIT	10		
1	Walling Ditto but in 250mm thick wall	CM	40		
J K	Ditto, but in 250mm thick wall. Ditto, but in 200mm thick wall.	CM	10		
L	Ditto, but in 150mm thick scum baffle wall	CM	12		
	Dicto, but in 150mm thek scam bame wan	CIT	12		
М	Ditto, but in 200mm thick suspended cover slab	CM	15		
	Mild steel reinforcement to B.S 4449 Include for				
	cutting, bending, tying wire and spacer blocks.				
Ν	8mm diameter bars.	KG	270		
	High yield square twisted reinforcement steel to B.S 4461				
		KG	300		
O P	10mm diameter bars. 12mm diameter bars.	KG	3,500		
Q	16mm diameter bars	KG	3,600		
٧	BRC Mesh reinforcement to B.S 1483		3,000		
R	BRC mesh No. 65/66.	SM	15		
	Formwork		 		
	Sawn formwork to:-				
S	Interior sides of vertical walls.	SM	175		
T	External sides of vertical walls.	SM	180		
U	Soffit of suspended slab.	SM	70		
V	Sides of suspended slab, 75mm-150mm wide.	SM	20		
W	Ditto, 150-225mm.	SM	4		
Х	Ditto, 225-300mm.	SM	4		
	TOTAL CARRIED TO COLLECTION PAGE 6				

ITEM	DESCRIPTION	LINITT	OTV	DATE	AMOUNT VOUS
TIEM	DESCRIPTION SOAKPITS (14 No.)	UNIT	QTY	RATE	AMOUNT KSHS.
	Excavate pits for circular soak pit as per detailed drawing No. (50)5345, partly backfill after construction and cart away surplus material from site, plank and strut sides of excavations including removing fallen materials and keep excavations free from surface and underground water				
Α	Depth i.e. 6.0 m from the existing ground level	CM	80		
В	Extra over for excavation in rock class I	CM	20		
С	Concrete class 10 (mix 1:4:8) Mix and place 50mm thick concrete blinding in strip footing.	СМ			
D	Ditto but 100mm thick strip footing, mix 1:3:6.	CM			
E	Walling. 150mm thick dressed natural stone to detail 50 (5345).	SM	35		
F	12mm thick water proof cement rendering to vertical walls.	SM	40		
G	Approved 150mm thick natural stone as hand packed hardcore fill	СМ	100		
	Vibrated reinforced concrete class 20/20 (mix 1:2:4)				
Н	Mix and place concrete class 20/20 in 150mm thick suspended slab.	СМ	4		
	High tensile steel reinforcement bars to B.S 4449				
I	8 mm diameter round bars.	Kg	500		
J	Provide 200mm diameter stone blocks or hardcore in soak pits.	СМ	90		
К	Provide and fix 600 x 450mm medium duty C.I manhole cover and frame to B.S 497.	No.	14		
	The following in Distribution Manholes (7 No.)				
	Excavations Excavate pit for rectangular distribution manholes as per detailed				
	drawing no. (50) 5351, partly backfill after construction and cart away the surplus material from site as directed.				
L	Depth n.e 1.5m starting from the existing ground level	СМ	10		
М	Extra over for excavation in Rock Class I	СМ	2		
	Blinding Provide, mix and place 50mm thick concrete grade C10 (MixRatio1:4:8) as blinding for manholes base	SM	10		
N	slab. Cement to Manhole Base slab				
0	Provide all materials, mix and place 150mm thick concrete grade C15 (Mix Ratio 1:3:6) as base slab for manholes. Cement to BS	SM	2		
	TOTAL CARRIED TO COLLECTION PAGE 6				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT KSHS.
	Sawn Formwork to:				
Α	Soffit of cover slab	SM	10		
В	Edge of cover slab between 75-150mm high	LM	30		
	Cover slab				
	Provide all materials, mix and place 100mm thick	СМ			
	classw 20	CIT	•		
С	(mix 1:2:4) cover slab for manholes				
	Provide all materials, mix and place 150mm thick	SM	10		
	concrete grade				
	C15 (Mix Ratio 1:3:6) as benching for 160mm				
	diameter forming the main channel and branch				
	channels as well as finishing benching to falls and built-in pipes as per detailed drawings. Cement to				
	BS 12, 20mm aggregate to BS 882.				
6	bs 12, 2011111 aggregate to bs 602.				
D	Walling				
	Walling Provide lay and joint 150mm thick approved				
	Provide, lay and joint 150mm thick approved dressed natural	SM	50		
Е	stone walling to manholes.				
	Supply and fix medium duty, cast iron manhole		_		
	cover size	No.	7		
F	600X450				
	Rendering				
	Provide all materials, mix and place 12mm thick	SM	50		
_	water proof	511	30		
G H	cement and sand (mix1:2) render to walls Ditto but to cover slab	SM	10		
П	Provide 10mm thick water proof cement and		10		
	sand (mix1:1)	SM	10		
Ι	trowelled smooth to surface of benching				
	FRENCH DRAINS				
	Excavate trench for agricultural pipe n.e 200mm	СМ	30		
	in diameter for	CI-1	50		
J	French drains to detailed drawing No. (50) 5344, backfill after				
K	Ditto to invert n.e 1.5m	СМ	170		
L	Ditto, depth not less than 1.5m but n.e 2.0m	CM	70		
M	Ditto, depth not less than 1.5m but n.e 2.5m	CM	70		
	Provide and lay 100mm diameter agricultural				
	pipes in French	LM	250		
	drains. Include for all other materials as per				
N.I	drawing No. (50) 5344				
N	Cultivate within soakage area, provide and				
	spread 10mm thick	SM	600		
	layer of red soil mixed with manure (ratio manure				
0	red soil 1:6)				
	Provide and plant Kikuyu grass and maintain till	SM	600		
	well established	SI⁴I	600		
Р					
	Carried to Collection				
	COLLECTION				
	COLLECTION Prought forward from page 4				
	Brought forward from page4 Brought forward from page5				
	Brought forward from above				
	TOTAL CARRIED TO GRAND SUMMARY PAGE				
	I VIAL CARRILD IO GRAND SUNNIARI FAGE				

BILL NO.4-SANITARY FITTINGS

Supply and fix the following sanitary appliances complete with all the accessories including all connections to services, wasels, foliating to supply, over flows and all plugating and screwing towals and floors. Where I rade means are mentioned below, the raference is intended as a guide to the type and quality of fitting "After Closes" Supply over the connector of control of the connector of control of the connector of the connector of control of	ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSHS
competes with all the accessories including all connections to services, westes, indinino to supply, over flows and all plugoinu and screwing towalls and floors Where trade anames are mentioned below, the reference is intended as a quide to the type and quality of fitting Water Closet Sulte in white vibreous china comprising of WC bowl with top plate and inhegral competency of the property of th						
connections to services, westes, Jointine to supply, over flows and all bluegina and screwing towards and floors Where trade names are mentioned below, the reference is intended as a guide to the type and quality of fitting Water. Closes. Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral loot treads. S trap connector, 9 litres high cistem and fittings and pull chain including siphon, 15mm side finite outneed or and cistem supports. All to be theyford orderated or approved equivalent. Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc. M Plus Pack PKB174WH comprising of Avalon WC pan, Doc.M cistem, fittings and spatula lever, Doc.M seat ring, formen plated hings, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc. M support rails (Sno.), Doc.M injeed support rail, toller for holder, wall hanges (Pair), grid waste, pan fixings and cistem cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Byoe, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated flow those tap hole and chain stay hole. Tube complete with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated flow of the plate of the pl		Supply and fix the following sanitary appliances				
over flows and all bluedina and screwing towalls and floors Where trade anness are mentioned below, the reference is intended as a guide to the type and quality of fitting Water Closet Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral floot treads. S trap connector, 9 litters high distem and fittings and pull chain including siphon, 15mm side fallet ball valve, 20mm side overflow, plastic thist pipe inlet connector and cistern supports. All to be Twyford Oriental or approved equivalent Doc. MP iss Pack PK8174WH comprising of Avolon NC pan, Doc. M sistern, fittings and sistern and spatual lever, Doc.M seat ring, chrome plated hings, Serni pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated yillar tap, Doc.M seat ring, chrome plated hings, Serni pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated support rails (fine). Doc.M hinged support rails (fine) and the side of the plate of		complete with all the accessories including all				
over flows and all bluedina and screwing towalls and floors Where trade anness are mentioned below, the reference is intended as a guide to the type and quality of fitting Water Closet Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral floot treads. S trap connector, 9 litters high distem and fittings and pull chain including siphon, 15mm side fallet ball valve, 20mm side overflow, plastic thist pipe inlet connector and cistern supports. All to be Twyford Oriental or approved equivalent Doc. MP iss Pack PK8174WH comprising of Avolon NC pan, Doc. M sistern, fittings and sistern and spatual lever, Doc.M seat ring, chrome plated hings, Serni pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated yillar tap, Doc.M seat ring, chrome plated hings, Serni pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated support rails (fine). Doc.M hinged support rails (fine) and the side of the plate of		connections to services, wastes, jointing to supply,				
and floors Where trade names are mentioned below, the reference is intended as a guide to the type and quality of fitting Water Closist Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral foot treads. S trap connector, 9 litres high cistern and fittings and pull chain including siphon, 15mm side late ball valve, 20mm side overflow, plastic flush pipe inlet connector and cistern supports. All to be Twyford Oriental or approved equivalent Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PK817AWH comprising of Avalom WC pen, Doc.M disest, nitring, and stare may be added unit bisabled unit bisabled wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated piller tap, Doc.M sport rais (Sno.), Doc.M hinged support rail, foilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin. Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm dismeter bottlet trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents Burnal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzie complete with concealed spreader pipes all in stalless steel fasteners - spreader nozzie complete with concealed spreader pipes all in stalless steel fasteners - spreader nozzie complete with concealed spreader pipes all in stalless steel fasteners - spreader nozzie complete with concealed spreader pipes all in stalless steel fasteners - spreader in protection and wall flams of the start of the pipes and the start of the pipes and the start of the pi						
below, the reference is intended as a guide to the type and quality of fitting water Closet Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral foot treads. S trap connector, 9 litres high cistern and fittings and pull chain including siphon, 15mm side Inlet ball valve, 20mm side overflow, plastic fixes high pie infection connector and cistern supports. All to be Twyford Onental or approved equivalent Docah Plus Pack PKS174WH comprising of Avalon WC pan, Doc. M cistern, fittings and spartual lever, Doc. M seat ring, chrome plated thinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc M support rails (Sno.). Doc. M hinged support rail, toilet roil holder, wall hangers (Pari), qrid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottile trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents 8 White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inclet complete with mounting brace and stabiles stockets, chrome plated press action actualor complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange - Top infet chrome 11/4* urinal flush valve complete with						
ype and quality of fitting Water Closet Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral foot treads. S trap connector, 9 litres high cistern and fittings and pull chain including siphon, 15mm side Inlet abil valve, 20mm side overflow, plastic flush pipe inlet connector and cistern supports. All to be Tiwyford Oriental or approved equivalent Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PK81 74WH comprising of Avalon WC pan, Doc M cistern, fittings and spetula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (Sno.), Doc.M hinged support rail, toillet roll holder, wall hangers (Pari), qnid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-550 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing Vipe, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents Burinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stalniess steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome pipe durinal bowls keed firmly on the wall with stainless steel fasteners. 6 No						
Water Closet Squatting water closet suite in white vitreous china comprising of WC bowl with top plate and integral foot treads. S trap connector, 9 litres high cistem and fittings and pull chain including siphon, 15mm side Inlet ball valve, 20mm side overflow, plastic flush pipe inlet connector and cistem supports. All to be Twyford Onental or approved equivalent Disabled unit Disabled Ceramic WC, as Twyfords/ Tapls or approved equivalent Doc. M Plus Pack PKB174WH comprising of Avalon WC pan, Doc. M cistern, fittings and spatula lever, Doc. M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brockets and fixings, Lever elbow action chrome plated pillar tap, Doc. M support rails (Sno.), Doc. M hinged support rail, tieller toll holder, wall hangers (Peir), grid waste, pan fixings and cistem cover clips. Allow for wo cutlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel fasteners - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange Press Button urinal flushing system comprising: - Top inlet chrome 11/4* urinal flush valve complete with chrome pipe to urinal chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
comprising of WC bowl with top plate and integral foot treads. S trap connector, 9 litres high cistern and fittings and pull chain including siphon, 15mm side Inlet ball valve, 20mm side overflow, plastic flush pipe interconnector and cistern supports. All to be Twyford Oriental or approved equivalent Disabled unit Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc. M Plus Pack PK8174WH comprising of Avalon WC pan, Doc.M cistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rail, toller cell holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wo culter connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents Burnal Bowl White ceramic wall hung urinal bowl consisting of: urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel asteners - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		Water Closet				
frot treads. S trap connector, 9 litres high distem and fittings and pull chain including siphon, 15mm side Inlet ball valve, 20mm side overflow, plastic flush pipe inlet connector and cistern supports. All to be Twyford Oriental or approved equivalent Disabled unit Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PK8174WH comprising of Avalon WC pan, Doc.M Gistern, fittings and spatual lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rail, toilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, throme plated 15mm approved pillar tap, plastic 23mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Unnal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners spreader nozzie complete with concealed spreader pipes all in stainless steel fasteners spreader nozzie complete with concealed spreader pipes all in stainless steel fasteners - Press Button Urinal flushing System Press Button Urinal flushing System comprising: - Top inlet chrome 11/4* urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described ourinal bowls fixed firmly on the wall with stainless steel fasteners.		Squatting water closet suite in white vitreous china				
A fittings and pull chain including siphon, 15mm side Inlet ball valve, 20mm side conflow, plastic flush pipe inite flush pipe inite connector and cistern supports. All to be Twyford Oriental or approved equivalent Disabled unit Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PK8174WH comprising of Avalon WC pan, Doc.M Gistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (Sno.), Doc.M hinged support rail, toilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with and large valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: urinal bowl with top inlet complete with mounting braces and stainless steel fasteners sperader nozzle complete with concealed spreader pipes all in stainless steel fasteners spreader nozzle complete with concealed spreader pipes all in stainless steel asteners - Press Button urinal Flushing System Press Button urinal Flushing system comprising: - Top inlet chrome plate ourinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipes ourinal - chrome plated press action actuator complete with chrome pipes.		comprising of WC bowl with top plate and integral				
ball valve, 20mm side overflow, plastic flush pipe inlet connector and cistern supports. All to be Twyford Oriental or approved equivalent Disabled unit Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc. M Plus Pack PK8174WH comprising of Avalon WC pan, Doc. M cistern, fittings and spatual lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rails (official valve) and complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rails (official valve) as Cobra C-15-350 complete with angle valve as Cobra Chassic and taps as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: urinal bowl with top inlet complete with mounting braces and stainless steel fasteners spreader nozzie complete with concealed spreader pipes all in stainless steel fasteners spreader nozzie complete with concealed spreader pipes all in stainless steel fasteners - Press Button urinal flushing System Press Button urinal flushing system comprising: chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		foot treads. S trap connector, 9 litres high cistern and				
connector and cistern supports. All to be Twyford Oriental or approved equivalent Disabled unit Disabled Ceramic W.C. as Twyfords/Tapis or approved equivalent Doc.M Plus Pack PK8174WH comprising of Avalon WC, pan, Doc.M distern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rail, toilet roll holder, wall hangers (Peir), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with and provided valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: urinal bowl with top inlet complete with mounting braces and stainless steel fasteners spreader nozzle complete with concealed spreader pipes all in stainless steel fasteners responsed ren zozle complete with concealed spreader pipes all in stainless steel fasteners responsed ren zozle complete with concealed spreader pipes all in stainless steel fasteners responsed ren zozle complete with concealed spreader pipes all in stainless steel fasteners responsed ren zozle complete with concealed spreader pipes all in stainless steel fasteners representation of the wall with spread and the provided with concealed spreader pipes all in stainless steel fasteners Top indet chrome pipe to urinal chrome pipes White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with	Α	fittings and pull chain including siphon, 15mm side Inlet	8	NO		
Oriental or approved equivalent Disabled unit Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PK8174WH comprising of Avalon WC pan, Doc.M Gistern, fittings and spatual lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (Sno.), Doc.M hinged support rails (olter Oil holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: urinal bowl with top inlet complete with mounting braces and stainless steel fasteners spreader nozzie complete with concealed spreader pipes all in stainless steel fasteners - spreader nozzie complete with concealed spreader pipes all in stainless steel fasteners - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
Disabled unit Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PK8174WH comprising of Avalon WC pan, Doc.M cistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rail, toilet roil holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand Basin size 560x405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl Consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button urinal flushing system Press Button urinal flushing system comprising: - Top inlet chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
Disabled Ceramic W.C. as Twyfords/ Tapis or approved equivalent Doc.M Plus Pack PR8174WH comprising of Avalon WC pan, Doc.M cistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (Sno.), Doc.M pinged support rails (bile roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 1.5mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button urinal flushing system Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with stainless steel fasteners.						
equivalent Do.C.M Plus Pack PK8.174WH comprising of Avalon WC pan, Do.C.M cistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M pinged support rail (bilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we coutlet connector WF1.24OWH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand Basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		Disabled unit				
equivalent Do.C.M Plus Pack PK8.174WH comprising of Avalon WC pan, Do.C.M cistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M pinged support rail (bilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we coutlet connector WF1.24OWH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand Basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
Avalon WC pan, Doc.M cistern, fittings and spatula lever, Doc.M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (Sno.), Doc.M hinged support rail, toilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button urinal flushing system Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
lever, Doc. M seat ring, chrome plated hinge, Semi pedestal wash hand Basin complete with wall brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support ralis (Sno.), Doc.M hinged support rali, toller roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand Basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm dlameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel fasteners - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button urinal flushing system Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		, ,				
brackets and fixings, Lever elbow action chrome plated pillar tap, Doc.M support rails (5no.), Doc.M hinged support rail, toilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button urinal flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
brackets and fixings, Lever elbow action chrome plated pillar tap, Doc. M support rails (Sno.), Doc. M hinged support rail, toilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel with concealed spreader pipes all in stainless steel with concealed spreader nozzle complete with concealed spreader nozzle complete with concealed spreader or pipes all in stainless steel with concealed spreader with concealed spreader nozzle complete with concealed spreader or pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button urinal flushing system Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
plated pillar tap, Doc.M support rails (Sno.), Doc.M hinged support rail, toilet roll holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for we outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel value plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		pedestal wash hand Basin complete with wall				
plated pillar tap, Doc.M support rails (sno.), Doc.M hinged support rail, toiler toil holder, wall hangers (Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand Basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.	D		2	L.		
(Pair), grid waste, pan fixings and cistern cover clips. Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners. 6 No	Ь	plated pillar tap, Doc.M support rails (5no.), Doc.M	2	No		
Allow for wc outlet connector WF1240WH and flexible hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: urinal bowl with top inlet complete with mounting braces and stainless steel fasteners spreader nozzle complete with concealed spreader pipes all in stainless steel white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal chrome pipe to urinal chrome pipe to urinal Chrome plated press action actuator complete with chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		hinged support rail, toilet roll holder, wall hangers				
hose pipe as Cobra C-15-350 complete with angle valve as Cobra Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel fasteners - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Crop inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		(Pair), grid waste, pan fixings and cistern cover clips.				
Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B		Allow for wc outlet connector WF1240WH and flexible				
Wash Hand Basin Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B		hose pipe as Cobra C-15-350 complete with angle				
Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		• • • • • • • • • • • • • • • • • • • •				
Wash hand basin, size 560×405mm, of the wall fixing type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.						
type, with one tap hole and chain stay hole. Tube complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
complete with wall brackets, chrome plated 15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl 6 No consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
15mm approved pillar tap, plastic 32mm diameter bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners	В					
bottle trap with 75mm seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		complete with wall brackets, chrome plated				
fixing brackets. The wash hand basin to be as Twyford Classic and taps as Twyford Amazon or approved equivalents B Urinal Bowl White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		15mm approved pillar tap, plastic 32mm diameter				
Classic and taps as Twyford Amazon or approved equivalents B						
equivalents Urinal Bow White ceramic wall hung urinal bow 6 No		fixing brackets. The wash hand basin to be as Twyford	14	NO		
equivalents Urinal Bow White ceramic wall hung urinal bow 6 No		Classic and taps as Twyford Amazon or approved				
White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
White ceramic wall hung urinal bowl consisting of: - urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
consisting of:	В	<u>Urinal Bow</u> l				
- urinal bowl with top inlet complete with mounting braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners			6	No		
braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		consisting of:				
braces and stainless steel fasteners - spreader nozzle complete with concealed spreader pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners.		- urinal bowl with top inlet complete with mounting				
pipes all in stainless steel - white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners. 6 No		braces and stainless steel fasteners				
- white plastic drain grating, 40mm drain siphon, pipe connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
connection and wall flange C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		pipes all in stainless steel				
C Press Button Urinal Flushing System Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		- white plastic drain grating, 40mm drain siphon, pipe				
Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		connection and wall flange				
Press Button urinal flushing system comprising: - Top inlet chrome 11/4" urinal flush valve complete with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners. 6 No	С	Press Button Urinal Flushing System				
with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		Press Button urinal flushing system comprising:	6	No		
with chrome pipe to urinal - chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
- chrome plated press action actuator complete with chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		with chrome pipe to urinal				
chrome pipe. D Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners		- chrome plated press action actuator complete with				
Urinal Bowl Divisions White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners						
White ceramic urinal division separating the above described urinal bowls fixed firmly on the wall with stainless steel fasteners	-					
described urinal bowls fixed firmly on the wall with stainless steel fasteners	D					
stainless steel fasteners						
			6	No		
TOTAL CARRIED FORWARD TO COLLECTION PAGE		stainless steel fasteners				
		TOTAL CARRIED FORWARD TO COLLECTION PAGE				

ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSH
А	Shower Fittings Concealed Chrome plated shower mixer for hot and cold water as Bricon/Aztec or equal and approved with a swivel head	0	NO		
В	Toilet Roll Holder Semi-recessed toilet roll holders in vitreous china, size 165mm as Twyford Ref: No. VC 9806 WH or approved equivalent		NO		
С	Mirrors 6mm thick polished plate glass, silver backed mirror with bevelled edges, size 610× 457mm plugged and screwed to wall with 4 No. chrome plated dome capped screws and 5mm thick foam back rest	10	NO		
	TOTAL CARRIED FORWARD TO COLLECTION PAGE				

ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSH
А	Soap Dish Semi recessed soap dish size 305× 150mm as Twyford built in soap and sponge tray cat. No. 9312 WH or equal and approved	6	NO		
	CARRIED DOWN TO COLLECTION COLLECTION				
	Brought forward from page MW1				
	Brought forward from page MW 2				
	Brought down from above				
	TOTAL FOR SANITARY FITTINGS CARRIED TO GRAND SUMMARY PAGE				

BILL NO.5-COLD WATER STORAGE SYSTEM

ITEM	DESCRIPTION	QTY	UNIT	RATE KSHS	AMOUNT KSH
	STORAGE TANKS				
А	Supply and install High Level 10,000 litres capacity plastic high level cold water storage tank as 'ROTO','KENTANK' or equal approved complete with back nuts and nipples for inlet, outlet and overflow pipes including hoisting on to a Reinforced concrete Tower as described in the drawing m.s. for rain water harvesting.	2	NO		
В	Supply and install Low Level 10,000 litres capacity plastic high level cold water storage tank as 'ROTO','KENTANK' or equal approved complete with back nuts and nipples for inlet,	1	NO		
	outlet and overflow pipes including hoisting on to a Concrete base as described in the drawing m.s. for rain				
	water harvesting.				
С	Allow for connecting all appliances to the nearest water mains	1	ITEM		
D	Allow for testing and commissioning the Whole System to Engineer's Approval.	1	ITEM		
	TOTAL TO COLLECTION PAGE				

TANK BASES

ITEM	DESCRIPTION	UNIT	QTY	RATE KSHS	AMOUNT KSH
	The Following In 3.0M Diameter Circular				
	Tank Bases Complete With Draw-Off Point				
	Site Clearance				
Α.	Clear site of all grass and bushes and cart away.	SM	14		
	Excavations and Earth Works				
В.	Excavate over site to reduce levels average depth 150mm from ground level.	SM	14		
C.	Excavate for foundation trenches depth not exceeding 1.5 meter from stripped level.	СМ	11		
D.	Extra over excavation in rock irrespective of class.	ITEM	1		
E.	Return fill and ram.	СМ	6		
F.	Load surplus excavated and spread 10m away from site of works.	СМ	5		
	<u>Hardcore</u>				
G.	Approved compacted hardcore in layers not exceeding 150mm thick.	СМ	7		
Н.	50mm thick Murram blinding.	SM	11		
	<u>Walling</u>				
J.	150mm thick natural stone curved walls.	SM	24		
K.	Ditto for draw-off point.	SM	4		
	TOTAL TO COLLECTION PAGE				

ITEM	DESCRIPTION	UNIT	QTY	RATE KSHS	AMOUNT KSH
	CONCRETE WORKS				
	Concrete 1:2:4 in;-				
A.	150mm thick base slab.	SM	15		
В.	Concrete 1:3:6 in circular strip bases and draw- off point bases.	СМ	3		
	<u>Formwork</u>				
C.	Sawn formwork to edges of floor slab 75 – 150mm.	LM	19		
	<u>Finishes</u>				
D.	20mm thick cement/sand 1:3 waterproof rendering to exposed concrete surfaces.	SM	29		
	<u>Soakage</u>				
E.	1000mm diameter soakage pit 1200mm deep filled with loose packed hardcore including connection to draw-off point and covered with 100mm thick fine soil.	NO	1		
	TOTAL TO COLLECTION PAGE			_	

SUB-SUMMARY

ITEM NO.	BILL SECTION	AMOUNT KSHS
	COLLECTION	
A.	TOTAL BROUGHT FORWARD FROM PAGE CS1.	
В.	TOTAL BROUGHT FORWARD FROM PAGE CS2	
C.	TOTAL BROUGHT FORWARD FROM PAGE CS3.	
	TOTAL FOR COLD WATER STORAGE CARRIED TO GRAND SUMMARY PAGE	

BILL NO. 6- ELECTRICAL WORKS

ITEM	DESCRIPTION	UNIT	QTY	RATE KSHS	AMOUNT KSHS
	SUPPLY, INSTAL, TEST AND COMMISSION THE				
	FOLLOWING				
1	LIGHTING POINTS				
Α.	Lighting point wired in 1.5mmSQ PVC insulated single				
	core Copper cable drawn in 20mm diameter PVC HG				
	conduits, excluding switches and lighting fittings as				
	follows:-				
	(i) One way switching.	NO	32		
	(ii) Two way switching.	NO	40		
В.	10A lighting switches, moulded plate flush mounted withscrew covers as CLIPSAL, BG or approved				
	equivalent.				
	(i) 1 gang 1 way. (ii) 3 gang 1 way. (ii) 2 gang 2 way.	NO NO NO	12 46 1		
2	LIGHTING FITTINGS	NO			
	Lighting fittings complete with lamps and all other				
	necessary accessories as:-				
C.	60watts, spherical screw week ball fitting as THORN MTC 1060 or approved equivalent C/W Energy saving bulb.	NO	20		
D.	1200mm, 1 x 36W batten fluorescent fitting as FITZGERALD, THORN or approved equivalent.	NO	30		
3	POWER POINTS				
F.	13A Power points wired ring comprising of				
	3 x 2.5mm SQ S/C multi-strand copper cables drawn in concealed 20mm diameter HG PVC conduits.	NO	120		
G	13A molded plate switched socket outlet with neon				
	indicator as BG, CLIPSAL or approved equivalent				
	(i) Twin.	NO	120		
	TOTAL AMOUNT CARRIED TO SUMMARY PAGE				

ITEM	DESCRIPTION	UNIT	QTY	RATE KSHS	AMOUNT KSHS
4	DISTRIBUTION				
н.	Circuit comprising of 3 x 10mm SQ S/C PVC 1 drawn in concealed 32mm HG PVC conduits from cable looping box to CCU.(Actual Measurement to be done on site)	LM	150		
J	12 Way CCU Flush mounted C/ W integral switch with a hinged cover as MEMGUARD or approved equal.	NO	3		
K.	MCBS SP as MEM 63A	NO NO	6 6		
L.	MCBS SP as MEM 6A.	110	J		
5	Sub-mains cable 16mm x 4 C UG SWA.	LM	150		
6	100A MCCB X 3 Pole inside cable looping box.	NO	3		
7	Earthing to Electrical Engineers approval at the CLB.	NO	1		
	FIRE FIGHTING EQUIPMENT Supply and fix in position to be decided on site the following firefighting equipment.				
М.	4.5Kg Carbon Dioxide gas fire extinguisher.	NO	9		
N.	9.0L Water/Carbon Dioxide fire extinguisher.	NO	9		
	TESTING				
P.	Allow for testing and Commissioning of the entire installation.	ITEM	1		
	TOTAL AMOUNT CARRIED TO SUMMARY PAGE				

ITEM NO.	BILL SECTION	AMOUNT KSHS
	<u>SUMMARY</u>	
1.0.	TOTAL BROUGHT FORWARD FROM PAGE EW1.	
2.0.	TOTAL BROUGHT FORWARD FROM PAGE EW2.	
	TOTAL AMOUNT FOR ELECTRICAL MORNE CARRIED TO CRAND CUMMARY RACE	
	TOTAL AMOUNT FOR ELECTRICAL WORKS CARRIED TO GRAND SUMMARY PAGE	

Item No.	Description	Qty	Unit	Rate KShs	Amount KShs
	SECTION NO. 12 - PROVISIONAL SUMS PROVISIONAL SUMS				
	The following provisional sums are to be measured on completion and priced in accordance with the rates contained in these bills of quantities or prorata thereto or deducted in whole if not required				
А	Provide a Sum of Kenya Shillings NILL for Paved Walk way and Storm water Drainage	ITEM		KSHS	
В	Provide a Sum of Kenya Shillings Five Hundred Thousand Only for Internal Cold water supply system & and Water Reticulation and Internal Drainage System	ITEM		KSHS	500,000.00
С	Provide a Sum of Kenya Shillings One Million Five Only for contingencies to be omitted or expended in whole or in part at the discretion of the Project Manager			кѕнѕ	1,000,000.00
	Main summary				1,500,000.00

ITEM	DESCRIPTION	Page No.	FOR OFFICIAL USE ONLY	FOR TENDERER'S USE ONLY
		PAGE	K.SHS.	K.S
Α	PARTICULAR PRELIMINARIES	PP/10		
В	GENERAL PRELIMINARIES	GP/10		
С	BUILDER'S WORK; GROUND FLOOR	GF/24		
D	BUILDER'S WORK; FIRST FLOOR	FF/17		
Е	CIVIL WORKS	LS/ 1		
F	MECHANICAL WORKS			
G	COLD WATER STORAGE			
Н	ELECTRICAL WORKS	M/50		
I	PRIME COST & PROVISIONAL SUMS	PS/1	1,500,000.00	

AMOUNT IN WORDS
TENDERER'S NAME
ADDRESS
SIGNATURE
OFFICIAL STAMP
DATE
NAME OF WITNESS
SIGNATURE
DATE

BILL NO. 2: WORK ITEMS

(organized appropriately into work sections, such as foundations, walls/structure, finishes, doors and windows, mechanical installations. etc.

Bill No 2 - (Name of Section e.g. Foundations).

Item no.	Description	Unit	Quantity	Rate	Amount
	 Bill No. 2 (carried forward to S				

Page

Bill No. 3: Schedule of Daywork Rates - Labor

Item no.	Description	Unit	Nominal quantity	Rate	Amount
	Subtotal				
	Allowpercent of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 3 (b) above.				
	Total for Day work (carried forward to Day work Summary, p)				

PC

Page

a. To be entered by the Tenderer.

Bill No. 4: Schedule of Daywork Rates - Materials

Item no.	Description	Unit	Nominal quantity	Rate	Extended amount	
	Subtotal					
	Allowpercent a. of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 4 (b) above.					
	Total for Day work: Materials (carried forward to Day work Summary, p.					

PC

a. To be entered by the Tenderer.

Page

Bill No. 5: Schedule of Day work Rates - Contractor's Equipment

Item no.	Description	Nominal quantity (hours)	Basic hourly rental rate	Extended amount
		(
	Allow_ percent ^a of Subtotal for			
	Contractor's overhead, profit, etc., in			
	accordance with paragraph 5 above.			
Total for l	Day work: Contractor's Equipment (carried for	rward to Day work S	Summary, p)	

a. To be entered by the Tenderer.

Bill No. 6: Day work Summary

	Amount	% Foreign	Currency
1. Total for Day work: Labor		_	
2. Total for Day work: Materials			
3. Total for Day work: Contractor's Equipment			
Total for Day work (Provisional Sum) (carried forward			
toSummary of Bills of Quantities, p)			

Bill No. 7: Provisional Sums

Bill no.	Item no.	Description	Amount
1			
2			
3			
4			
etc.			
Total for S	Total for Specified Provisional Sums (carried forward to Grand Summary		

GRAND SUMMARY

SUMMARY ITEMS	Page	Amount
Bill No. 1: Preliminary Items		
Bill No. 2: Work Items		
Bill No 3: Day work Summary		
Bill No 4: Provisional Sums		
Subtotal of Bills No 1-4		
Allow for any Discounts i		
TOTAL TENDER PRICE Carried forward to Form of Tender	_	

PC

SECTION VI - SPECIFICATIONS

Notes for preparing Specifications

- 1. Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Procuring Entity and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2. Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.
- 3. There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as high ways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4. Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5. The Procuring Entity should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking intoconsideration the comparative specialized advantage of potential tenderers.
- 6. The Procuring Entity should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.
- 7. Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Procuring Entity each on its own merits and independently of whether the tenderer has priced the item as described in the Procuring Entity's design included with the tender documents.

SECTION VII - DRAWINGS

<u>Note</u> A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet. Please note that the full set of drawings shall be given to the successfully bidder. Bidders are also encouraged to seek for the drawing from the procuring entity at will

PC Page



SECTION VIII - GENERAL CONDITIONS OF CONTRACT (GCC)

[Name of Procuring Entity]

[Name of Contract]

[Architect Name and Address]

General Conditions of Contract

1. GENERALPROVISIONS

1.1 Definitions

In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated below. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

- "Accepted Contract Amount" means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
- "Base Date" means a date 30 day prior to the submission of tenders.
- "Bill of Quantities" means the priced and completed Bill of Quantities forming part of the tender.
- "Completion Date" means the date of completion of the Work certified by the Engineer.
- "Contract Price" means the price defined in the contract and thereafter as adjusted in accordance with the provisions of the Contract.
- "Contract" means the agreement entered into between the Procuring Entity and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works.
- "Contractor's Documents" means the calculations, computer programs and other software, progress reports, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.
- "Contractor's Equipment" means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Procuring Entity's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.
- "Contractor's Personnel" means the Contractor's Representative and all personnel whom the Contractor utilizes on Site, who may include the staff, labor and other employees of the Contractor and of each Subcontractor; and any other personnel assisting the Contractor in the execution of the Works.
- "Contractor's Representative" means the person named by the Contractor in the Contractor appointed from time to time by the Contractor who acts on behalf of the Contractor.
- "Contractor" means the person(s) named as contractor in the Form of Tender accepted by the Procuring Entity.
- "Cost" means expenditure reasonably incurred (or to be incurred) by the Contractor, whether on or off the Site, including overhead and similar charges, but does not include profit.
- "Day" means a calendar day and "year" means 365 days.
- "Day works" means Work inputs subject to payment on a time basis for labour and the associated materials and plant.

- "Defect" means any part of the Works not completed in accordance with the Contract.
- "Defects Liability Certificate" means the certificate issued by Architect upon correction of defects by the Contractor.
- "Defects Liability Period" means the period named in the Special Conditions of Contract and calculated from the Completion Date, within which the contractor is liable for any defects that may develop in the handed over works.
- "Defects Notification Period" means the period for notifying defects in the Works or a Section (as the case maybe) under Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects], which extends over the days stated in the Special Conditions of Contract.
- "Drawings" means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract.
- "Final Payment Certificate" means the payment certificate issued under Sub-Clause 14.13 [Issue of Final Payment Certificate].
- "Final Statement" means the statement defined in Sub-Clause 14.11 [Application for Final Payment Certificate].
- "Force Majeure" is defined in Clause 19 [Force Majeure].
- "Foreign Currency" means a currency of another country (not Kenya) in which part (or all) of the Contract Price is payable, but not the Local Currency.
- "Goods" means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.
- "Interim Payment Certificate" means a payment certificate issued under Clause 14 [Contract Price and Payment], other than the Final Payment Certificate.
- "Laws" means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.
- "Letter of Acceptance" means the letter of formal acceptance of a tender, signed by Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.
- "Local Currency" means the currency of Kenya.
- "Materials" means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supply-only materials (if any) to be supplied by the Contractor under the Contract.
- "Notice of Dissatisfaction" means the notice given by either Party to the other under Sub-Clause 20.3 indicating its dissatisfaction and intention to commence arbitration.
- "Special Conditions of Contract" means the pages completed by the Procuring Entity entitled Special Conditions of Contract which constitute Part A of the Special Conditions.
- "Party" means the Procuring Entity or the Contractor, as the context requires.
- "Payment Certificate" means a payment certificate issued under Clause 14 [Contract Price and Payment].
- "Performance Certificate" means the certificate issued under Sub-Clause 11.9 [Performance Certificate].
- "Performance Security" means the security (or securities, if any) under Sub-Clause 4.2 [Performance Security].
- "Permanent Works" means the permanent works to be executed by the Contractor under the Contract.
- "Plant" means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Procuring Entity and relating to the construction or operation of the Works.
- "Procuring Entity's Equipment" means the apparatus, machinery and vehicles (if any) made available by the

Procuring Entity for the use of the Contract or in the execution of the Works, as stated in the Specification; but does not include Plant which has not been taken over by the Procuring Entity.

- "Procuring Entity's Personnel" means the Engineer, the Engineer, the assistants and all other staff, labor and other employees of the Architect and of the Procuring Entity; and any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as Procuring Entity's Personnel.
- "Procuring Entity" means the Entity named in the Special Conditions of Contract.
- **"Engineer"** is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract and shall be an "Architect" or a "Quantity Surveyor" registered under the Architects and Quantity Surveyors Act Cap 525 or an "Engineer" registered under Engineers Registration Act Cap 530.
- "Engineer" means the person appointed by the Procuring Entity to act as the Architect for the purposes of the Contract and named in the Special Conditions of Contract, or other person appointed from time to time by the Procuring Entity and notified to the Contractor
- "Provisional Sum" means a sum (if any) which is specified in the Contract as a provisional sum, for the execution of any part of the Works or for the supply of Plant, Materials or services under Sub-Clause 13.5 [Provisional Sums].
- "Retention Money" means the accumulated retention moneys which the Procuring Entity retains under Sub-Clause 14.3 [Application for Interim Payment Certificates] and pays under Sub-Clause 14.9 [Payment of Retention Money].
- "Schedules" means the document(s) entitled schedules, completed by the Contractor and submitted with the Form of Tender, as included in the Contract.
- "Section" means a part of the Works specified in the Special Conditions of Contract as a Section (if any)
- "Site Investigation Reports" are those reports that may be included in the tendering documents which a ref actual and interpretative about the surface and sub-surface condition sat the Site.
- "Site" means the places where the Permanent Works are to be executed, including storage and working areas, and to which Plant and Materials are to be delivered, and any other places as may be specified in the Contract as forming part of the Site.
- "Specification" means the document entitled specification, as included in the Contract, and any additions and modifications to the specification in accordance with the Contract. Such document specifies the Works.
- "Start Date" or "Commencement Date" is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).
- "Statement" means a statement submitted by the Contractor as part of an application, under Clause 14 [Contract Price and Payment], for a payment certificate.
- "Subcontractor" means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works.
- "Taking-Over Certificate" means a certificate issued under Clause 10 [Procuring Entity's Taking Over].
- "Temporary Works" means all temporary works of every kind (other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.
- "Temporary works" means works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.
- "Tender" means the Form of Tender and all other documents which the Contractor submitted with the Form of Tender, as included in the Contract.
- "Tests after Completion" means the tests (if any) which are specified in the Contract and which are carried out in

accordance with the Specification after the Works or a Section (as the case may be) are taken over by the Procuring Entity.

- "Tests on Completion" means the tests which are specified in the Contractor agreed by both Parties or instructed as a Variation, and which are carried out under Clause 9 [Tests on Completion] before the Works or a Section (as the case may be) are taken over by the Procuring Entity.
- "Time for Completion" means the time for completing the Works or a Section (as the case may be) as stated in the Special Conditions of Contract (with any extension calculated from the Commencement Date.
- "Unforeseeable" means not reasonably foreseeable by an experienced contractor by the Base Date.
- "Variation" means any change to the Works, which is instructed or approved as a variation under Clause 13 [Variations and Adjustments].
- "Works" means the items the Procuring Entity requires the Contractor to undertake as defined in the Appendix to Conditions of Contract. "Works" may also mean the Permanent Works and the Temporary Works, or either of them as appropriate.

1.2 Interpretation

In the Contract, except where the context requires otherwise:

- a) Words indicating one gender include all genders;
- b) words indicating the singular also include the plural and words indicating the plural also include the singular;
- c) provisions including the word "agree", "agreed" or "agreement" require the agreement to be recorded in writing;
- d) "written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record; and

The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.

1.3 Communications

- 13.1 Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:
 - a) In writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the Special Conditions of Contract; and
 - b) delivered, sent or transmitted to the address or the recipient's communications as stated in the SpecialConditions of Contract. However:
 - i) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
 - ii) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the address from which their quest was issued.
- Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed. When a certificate is issued to a Party, the certifier shall send a copy to the other Party. When a notice is issued to a Party, by the other Party or the Engineer, a copy shall be sent to the Architect or the other Party, as the case may be.

1.4 Law and Language

- **141** The Contract shall be governed by the laws of **Kenya**.
- 142 The ruling language of the Contract shall be **English.**

1.5 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:

- a) The Contract Agreement,
- b) The Letter of Acceptance,
- c) The Special Conditions Part A,
- d) the Special Conditions Part B
- e) the General Conditions of Contract
- f) the Form of Tender.
- g) the Specifications and Bills of Quantities
- h) the Drawings, and
- i) the Schedules and any other documents forming part of the Contract.

If an ambiguity or discrepancy is found in the documents, the Architect shall issue any necessary clarification or instruction.

1.6 Contract Agreement

The Parties shall enter into a Contract Agreement within 14 days after the Contractor receives the Contract Agreement, unless the Special Conditions establish otherwise. The Contract Agreement shall be based upon the form annexed to the Special Conditions. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Procuring Entity.

1.7 Assignment

The Contractor shall not assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, the contractor:

- a) May as sign the whole or any part with the prior consent of the Procuring Entity, and
- b) may, as security in favor of a bank or financial institution, assign its right to moneys due, or to become due, under the Contract.

1.8 Care and Supply of Documents

- 181 The Specifications and Drawings shall be in the custody and care of the Procuring Entity. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawings and Bills of Quantities shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.
- Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Procuring Entity. Unless otherwise stated in the Contract, the Contractor shall supply to the Architect two copies of each of the Contractor's Documents.
- 1.83 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Procuring Entity's Personnel shall have the right of access to all these documents at all reasonable times.
- 1.84 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

1.9 Timely provision of Drawings or Instructions

- 19.1 The Contractor shall give notice to the Architect whenever the Works are likely to be delayed or disrupted if any necessary drawing or instruction is not issued to the Contractor within a particular time, which shall be reasonable. The notice shall include details of the necessary drawing or instruction, details of why and by when it should be issued, and the nature and amount of the delay or disruption likely to be suffered if it is late.
- 192 If the Contractor suffers delay and/or incurs Cost as a result of a failure of the Architect to issue the notified drawing or instruction within a time which is reasonable and is specified in the notice with supporting details, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and

- b) payment of any other associated costs accrued, which shall be included in the Contract Price.
- 193 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- However, if and to the extent that the Architect failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, or costs accrued.

1.10 Procuring Entity's Use of Contractor's Documents

- 1.10.1 As agreed between the Parties, the Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by (or on behalf of) the Contractor.
- 1.102 The Contractor shall be deemed (by signing the Contract) to give to the Procuring Entity a non-terminable transferable non-exclusive royalty-free license to copy, use and communicate the Contractor's Documents, including making and using modifications of them. This license shall:
 - a) apply throughout the actual or intended working life (whichever is longer) of the relevant parts of the Works,
 - b) entitle any person in proper possession of the relevant part of the Works to copy, use and communicate the Contractor's Documents for the purposes of completing, operating, maintaining, altering, adjusting, repairing and demolishing the Works, and
 - c) in the case of Contractor's Documents which are in the form of computer programs and other software, permit their use on any computer on the Site and other places as envisaged by the Contract, including replacements of any computers supplied by the Contractor.
- 1.103 The Contractor's Documents and other design documents made by (or on behalf of) the Contractor shall not, without the Contractor's consent, be used, copied or communicated to a third party by (or on behalf of) the Procuring Entity or purposes other than those permitted under Sub-Clause 1.10.2.

1.11 Contractor's Use of Procuring Entity's Documents

As agreed between the Parties, the Procuring Entity shall retain the copyright and other intellectual property rights in the Specification, the Drawings and other documents made by (or on behalf of) the Procuring Entity. The Contractor may, at his cost, copy, use, and obtain communication of these documents for the purposes of the Contract. They shall not, without the Procuring Entity's consent, be copied, used or communicated to a third party by the Contractor, except as necessary for the purposes of the Contract.

1.12 Confidential Details

- 1.121 The Contractor's and the Procuring Entity's Personnel shall ensure confidentiality at all times. The confidentiality shall survive termination or completion of the contract. They shall disclose all such confidential and other information as may be reasonably required in order to verify compliance with the Contract and allow its proper implementation.
- 1.122 The Contractor's and the Procuring Entity's Personnel shall also treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

1.13 Compliance with Laws

The Contractor shall, in performing the Contract, comply with applicable Laws. Unless otherwise stated in the Special Conditions of Contract:

a) The Procuring Entity shall have obtained (or shall obtain) the planning, zoning, building permitor similar permission for the Permanent Works, and any other permissions described in the Specifications as having been (or to be) obtained by the Procuring Entity; and the Procuring Entity shall indemnify and hold the Contractor harmless against and from the consequences of any failure to do so; and

b) the Contractor shall give all notices, pay all taxes, duties and fees, and obtain all permits, licenses and approvals, as required by the Laws in relation to the execution and completion of the Works and the remedying of any defects; and the Contractor shall indemnify and hold the Procuring Entity harmless against and from the consequences of any failure to do so, unless the Contractor is impeded to accomplish these actions and shows evidence of its diligence.

1.14 Joint and Several Liability

If the Contractor constitutes (under applicable Laws) a joint venture, consortium or other unincorporated grouping of two or more persons:

- a) These persons shall be deemed to be jointly and severally liable to the Procuring Entity for the performance of the Contract;
- b) these persons shall notify the Procuring Entity of their leader who shall have authority to bind the Contractor and each of these persons; and
- c) the Contractor shall not alter its composition or legal status without the prior consent of the Procuring Entity.

1.15 Inspections and Audit by the Procuring Entity

Pursuant to paragraph 2.2(e). of Appendix B to the General Conditions, the Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Public Procurement Regulatory Authority, Procuring Entity and/or persons appointed or designated by the Government of Kenya to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity if requested by the Procuring Entity. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 15.6 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise of the Procuring Entity's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of in eligibility pursuant to the Procuring Entity's prevailing sanctions procedures).

2 THE PROCURING ENTITY

2.1 Right of Access to the Site

- 21.1 The Procuring Entity shall give the Contractor right of access to, and possession of, all parts of the Site within the time (or times) stated in the **Special Conditions of Contract.** The right and possession may not be exclusive to the Contractor. If, under the Contract, the Procuring Entity is required to give (to the Contractor) possession of any foundation, structure, plant or means of access, the Procuring Entity shall do so in the time and manner stated in the Specification. However, the Procuring Entity may withhold any such right or possession until the Performance Security has been received.
- If no such time is stated in the Special Conditions of Contract, the Procuring Entity shall give the Contractor right of access to, and possession of, the Site within such times as required to enable the Contractor to proceed without disruption in accordance with the programme submitted under Sub-Clause 8.3 [Programme].
- If the Contractor suffers delay and/or incurs Cost as a result of a failure by the Procuring Entity to give any such right or possession within such time, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- However, if and to the extent that the Procuring Entity's failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, Cost or profit.

22 Permits, Licenses or Approvals

- The Procuring Entity shall provide, at the request of the Contractor, such reasonable assistance as to allow the Contractor to obtain properly:
 - a) Copies of the Laws of Kenya which are relevant to the Contract but are not readily available, and
 - b) any permits, licenses or approvals required by the Laws of Kenya:
 - i) which the Contractor is required to obtain under Sub-Clause 1.13 [Compliance with Laws],
 - ii) for the delivery of Goods, including clearance through customs, and
 - iii) for the export of Contractor's Equipment when it is removed from the Site.

23 Procuring Entity's Personnel

The Procuring Entity shall be responsible for ensuring that the Procuring Entity's Personnel and the Procuring Entity's other contractor son the Site:

- a) co-operate with the Contractor's efforts under Sub-Clause 4.6 [Co-operation], and
- b) take action similar to those which the Contractor is required to take under sub-paragraphs (a), (b) and (c) of Sub-Clause 4.8 [Safety Procedures] and under Sub-Clause 4.18 [Protection of the Environment].

24 Procuring Entity's Financial Arrangements

The Procuring Entity shall make and maintain all necessary financial arrangements which will enable the Procuring Entity to pay the Contract Price punctually (as estimated at that time) in accordance with Clause 14 [Contract Price and Payment].

3 THE ENGINEER

3.1 Architect Duties and Authority

- The Procuring Entity shall appoint the Architect who shall carry out the duties as signed to him in the Contract.

 The Architect staff shall include suitably qualified Assistants and other professionals who are competent to carry out these duties. The Architect Name and Address shall be provided in the **Special Conditions of Contract.**
- 3.12 The Architect shall have no authority to amend the Contract.
- 3.13 The Architect May exercise the authority attributable to the Architect as specified in or necessarily to be implied from the Contract. If the Architects required to obtain the approval of the Procuring Entity before exercising a specified authority, the requirements shall be as stated in the Special Conditions of Contract. The Procuring Entity shall promptly inform the Contractor of any change to the authority attributed to the Engineer.
- 3.14 However, whenever the Architect exercises a specified authority for which the Procuring Entity's approvals required, then (for the purposes of the Contract) the contractor shall require the Architect to provide evidence of such approval before complying with the instruction.
- 3.15 Except as otherwise stated in these Conditions:
 - a) Whenever carrying out duties or exercising authority, specified in or implied by the Contract, the Architect shall be deemed to act for the Procuring Entity;
 - b) the Architect has no authority to relieve either Party of any duties, obligations or responsibilities under the Contract:
 - any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by the Architect (including absence of disapproval) shall not relieve the Contractor from any responsibility he has under the Contract, including responsibility for errors, omissions, discrepancies and non-compliances; and
 - d) any act by the Architect in response to a Contractor's request shall be notified in writing to the Contractor within 14 days of receipt.

3.1.6 The following provisions shall apply:

The Architect shall obtain the specific approval of the Procuring Entity before taking action under thefollowing Sub-Clauses of these Conditions:

- a) Sub-Clause 4.12: agreeing or determining an extension of time and/or additional cost.
- b) Sub-Clause 13.1: instructing a Variation, except;
 - i) In an emergency situation as determined by the Engineer, or
 - ii) If such a Variation would increase the Accepted Contract Amount by less than the percentage specified in the **Special Conditions of Contract.**
- c) Sub-Clause 13.3: Approving a proposal for Variation submitted by the Contractor in accordance with Sub Clause 13.1 or 13.2.
- d) Sub-Clause 13.4: Specifying the amount payable in each of the applicable three currencies.
- Notwithstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Engineer, an emergency occurs affecting the safety of life or of the Works or of adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forth with comply, despite the absence of approval of the Procuring Entity, with any such instruction of the Engineer. The Architect shall determine an addition to the Contract Price, in respect of such instruction, in accordance with Clause 13 and shall notify the Contractor accordingly, with a copy to the Procuring Entity.

32 Delegation by the Engineer

- The Architect may from time to time assign duties and delegate authority to assistants and may also revoke such assignment or delegation. These assistants may include a resident Engineer, and/or independent inspectors appointed to inspect and/ or test items of Plant and/or Materials. The assignment, delegation or revocation shall be in writing and shall not take effect until copies have been received by both Parties. However, unless otherwise agreed by both Parties, the Architect shall not delegate the authority to determine any matter in accordance with Sub-Clause 3.5 [Determinations].
- Each assistant, to whom duties have been assigned or authority has been delegated, shall only be authorized to issue instructions to the Contractor to the extent defined by the delegation. Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by an assistant, in accordance with the delegation, shall have the same effect as though the act had been an act of the Engineer. However:
 - a) Any failure to disapprove any work, Plant or Materials shall not constitute approval, and shall therefore not prejudice the right of the Architect to reject the work, Plant or Materials;
 - b) If the Contractor questions any determination or instruction of an assistant, the Contractor may refer the matter to the Engineer, who shall promptly confirm, reverse or vary the determination or instruction.

33 Instructions of the Engineer

- The Architect may issue to the Contractor (at any time) instructions and additional or modified Drawings which may be necessary for the execution of the Works and the remedying of any defects, all in accordance with the Contract. The Contractor shall only take instructions from the Engineer, or from an assistant to whom the appropriate authority has been delegated under Clause 3.2.1.
- The Contractor shall comply with the instructions given by the Architect or delegated assistant, on any matter related to the Contract. Whenever practicable, their instructions shall be given in writing. If the Architect tor a delegated assistant:
 - a) Gives an oral instruction,
 - b) receives a written confirmation of the instruction, from (or on behalf of) the Contractor, within two working days after giving the instruction, and

c) does not reply by issuing a written rejection and/or instruction within two working days after receiving the confirmation,

Then the confirmation shall constitute the written instruction of the Architect or delegated assistant (as the case may be).

34 Replacement of the Engineer

If the Procuring Entity intends to replace the Engineer, the Procuring Entity shall, in not less than 21 days before the intended date of replacement, give notice to the Contractor of the name, address and relevant experience of the intended person to replace the Engineer.

35 Determinations

- Whenever these Conditions provide that the Architect shall proceed in accordance with this Sub-Clause 3.5 to agree or determine any matter, the Architect shall consult with each Party in an endeavor to reach agreement. If agreement is not achieved, the Architect shall make a fair determination in accordance with the Contract, taking due regard of all relevant circumstances.
- 3.5.1 The Architect shall give notice to both Parties of each agree mentor determination, with supporting particulars, within 30 days from the receipt of the corresponding claim or request except when otherwise specified. Each Party shall give effect to each agreement or determination unless and until revised under Clause 20 [Claims, Disputes and Arbitration].

4 THE CONTRACTOR

4.1 Contractor's General Obligations

- 4.1.1 The Contractor shall design (to the extent specified in the Contract), execute and complete the Works in accordance with the Contract and with the Architect instructions, ands hall remedy any defects in the Works.
- The Contractor shall provide the Plant and Contractor's Documents specified in the Contract, and all Contractor's Personnel, Goods, consumables and other things and services, whether of a temporary or permanent nature, required in and for this design, execution, completion and remedying of defects.
- 4.13 All equipment, material, and services to be incorporated in or required for the Works shall have their origin in any eligible source country.
- 4.14 The Contractor shall be responsible for the adequacy, stability and safety of all Site operations and of all methods of construction. Except to the extent specified in the Contract, the Contractor (i) shall be responsible for all Contractor's Documents, Temporary Works, and such design of each item of Plant and Materials as is required for the item to be in accordance with the Contract, and (ii) shall not otherwise be responsible for the designer specification of the Permanent Works.
- The Contractor shall, whenever required by the Engineer, submit details of the arrangements and methods which the Contractor proposes to adopt for the execution of the Works. No significant alteration to these arrangements and methods shall be made without this having previously been notified to the Engineer.
- 4.16 If the Contract specifies that the Contractor shall design any part of the Permanent Works, then unless otherwise stated in the Special Conditions:
 - a) The Contractor shall submit to the Architect the Contractor's Documents for this part in accordance with the procedures specified in the Contract;
 - b) these Contractor's Documents shall be in accordance with the Specification and Drawings, shall be written in the language for communications defined in Sub-Clause 1.4 [Law and Language], and shall include additional information required by the Architect to add to the Drawings for co-ordination of each Party's designs;
 - c) the Contractor shall be responsible for this part and it shall, when the Works are completed, befit for such purposes for which the part is intended as are specified in the Contract; and
 - d) prior to the commencement of the Tests on Completion, the Contractor shall submit to the Architect the "as-built" documents and, if applicable, operation and maintenance manuals in accordance with the Specification and in sufficient detail for the Procuring Entity to operate, maintain, dismantle, reassemble, adjust and repair this part of the Works. Such part shall not be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections] until these documents and manuals have been submitted to the Engineer.

42 Performance Security

- The Contractor shall obtain (at his cost) a Performance Security for proper performance, in the amount stated in the **Special Conditions of Contract** and denominated in the currency (ies) of the Contract or in a freely convertible currency acceptable to the Procuring Entity. If an amount is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- The Contractor shall deliver the Performance Security to the Procuring Entity within 30 days after receiving the Notification of Award and shall send a copy to the Engineer. The Performance Security shall be issued by a reputable bank selected by the Contractor and shall be in the form annexed to the Special Conditions, as stipulated by the Procuring Entity in the Special Conditions of Contract, or in another form approved by the Procuring Entity.
- The Contractor shall ensure that the Performance Security is valid and enforceable until the Contractor has executed and completed the Works and remedied any defects. If the terms of the Performance Security specify its expiry date, and the Contractor has not become entitled to receive the Performance Certificate by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the Performance Security until the Works have been completed and any defects have been remedied.
- The Procuring Entity shall not make a claim under the Performance Security, except for amounts to which the Procuring Entity is entitled under the Contract.
- The Procuring Entity shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Procuring Entity was not entitled to make the claim.
- The Procuring Entity shall return the Performance Security to the Contractor within 14 days after receiving a copy of the Taking-Over Certificate.
- Without limitation to the provisions of the rest of this Sub-Clause, whenever the Architect determines an addition or a reduction to the Contract Price as a result of a change in cost and/ or legislation, or as a result of a Variation, amounting to more than 25 percent of the portion of the Contract Price payable in a specific currency, the Contractor shall at the Architect request promptly increase, or may decrease, as the case may be, the value of the Performance Security in that currency by an equal percentage.

43 Contractor's Representative

- The Contractor shall appoint the Contractor's Representative and shall give him all authority necessary to act on the Contractor's behalf under the Contract. The Contractor's Representative's Name and Address shall be provided in the **Special Conditions of Contract.**
- Unless the Contractor's Representative **is named in the Contract**, the Contractor shall, prior to the Commencement Date, submit to the Architect for consent the name and particulars of the person the Contractor proposes to appoint as Contractor's Representative. If consent is withheld or subsequently revoked in terms of Sub-Clause 6.9 [Contractor's Personnel], or if the appointed person fails to act as Contractor's Representative, the Contractor shall similarly submit the name and particulars of another suitable person for such appointment.
- The Contractor shall not, without the prior consent of the Engineer, revoke the appointment of the Contractor's Representative or appoint are placement.
- The whole time of the Contractor's Representative shall be given to directing the Contractor's performance of the Contract. If the Contractor's Representative is to be temporarily absent from the Site during the execution of the Works, a suitable replacement person shall be appointed, subject to the Architect prior consent, and the Architect shall be notified accordingly.
- The Contractor's Representative shall, on behalf of the Contractor, receive instructions under Sub-Clause 3.3 [Instructions of the Engineer].
- The Contractor's Representative may delegate any powers, functions and authority to any competent person, and may at any time revoke the delegation. Any delegation or revocation shall not take effect until the Architect has received prior notice signed by the Contractor's Representative, naming the person and specifying the powers, functions and authority being delegated or revoked.
- The Contractor's Representative shall be fluent in the language for communications defined in Sub-Clause 1.4

[Law and Language]. If the Contractor's Representative's delegates are not fluent in the said language, the Contractor shall make competent interpreter available during all working hours in a number deemed sufficient by the Engineer.

4.4 Sub-contractors

- The Contractor shall not subcontract the whole of the Works. The contractor may however subcontract the works as provided in Clause 34.2.
- The Contractor shall be responsible for the acts or defaults of any Subcontractor, his agents or employees, as if they were the acts or defaults of the Contractor. Unless otherwise stated in the Special Conditions:
 - a) The Contractor shall not be required to obtain consent to suppliers solely of Materials, or to a subcontract for which the Subcontractor is named in the Contract;
 - b) The prior consent of the Procuring Entity shall be obtained to other proposed Subcontractors;
 - c) the Contractor shall give the Procuring Entity not less than 14 days' notice of the intended date of the commencement of each Subcontractor's work, and of the commencement of such work on the Site; and
 - d) each subcontract shall include provisions which would entitle the Procuring Entity to require the subcontract to be assigned to the Procuring Entity under Sub-Clause 4.5 [Assignment of Benefit of Subcontract] (if or when applicable) or in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity].
- The Contractor shall ensure that the requirements imposed on the Contractor by Sub-Clause 1.12 [Confidential Details] apply equally to each Subcontractor.
- Where practicable, the Contractor shall give fair and reasonable opportunity for contractors from Kenya to be appointed as Subcontractors.

45 Assignment of Benefit of Subcontract

If a Subcontractor's obligations extend beyond the expiry date of the relevant Defects Notification Period and the Engineer, prior to this date, instructs the Contractor to assign the benefit of such obligations to the Procuring Entity, then the Contractor shall do so. Unless otherwise stated in the assignment, the Contractor shall have no liability to the Procuring Entity for the work carried out by the Subcontractor after the assignment takes effect.

4.6 Co-operation

- The Contractor shall, as specified in the Contract or as instructed by the Engineer, allow appropriate opportunities for carrying out work to:
 - a) The Procuring Entity's Personnel,
 - b) Any other contractors employed by the Procuring Entity, and
 - c) The personnel of any legally constituted public authorities, who may be employed in the execution on or near the Site of any work not included in the Contract.
- Any such instruction shall constitute a Variation if and to the extent that it causes the Contractor to suffer delays and/or to incur Unforeseeable Cost. Services for these personnel and other contractors may include the use of Contractor's Equipment, Temporary Works or access arrangements which are the responsibility of the Contractor.
- If, under the Contract, the Procuring Entity is required to give to the Contractor possession of any foundation, structure, plant or means of access in accordance with Contractor's Documents, the Contractor shall submit such documents to the Architect in the time and manner stated in the Specification.

4.7 Setting Out of the Works

- 47.1 The Contractor shall set out the Works in relation to original points, lines and levels of reference specified in the Contractor notified by the Engineer. The Contractor shall be responsible for the correct positioning of all parts of the Works, and shall rectify any error in the positions, levels, dimensions or alignment of the Works.
- The Procuring Entity shall be responsible for any errors in these specified or notified items of reference, but the Contractor shall use reasonable efforts to verify their accuracy before they are used.

- 4.73 If the Contractor suffers delay and/or incurs Cost from executing work which was necessitated by an errorin these items of reference, and an experienced contractor could not reasonably have discovered such error and avoided this delay and/ or Cost, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such costs accrued, which shall be included in the Contract Price.
- 4.7.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent the error could not reasonably have been discovered, and (ii) the matters described in sub-paragraphs (a) and (b) above related to these.

48 Safety Procedures

The Contractor shall:

- a) Comply with all applicable safety regulations,
- b) Take care for the safety of all persons entitled to be on the Site,
- c) Use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to these persons,
- d) provide fencing, lighting, guarding and watching of the Works until completion and taking over under Clause 10 [Procuring Entity's Taking Over], and
- e) provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and of owners and occupiers of adjacent land.

49 Quality Assurance

- 49.1 The Contractor shall institute a quality assurance system to demonstrate compliance with the requirements of the Contract. The system shall be in accordance with the details stated in the Contract. The Architect shall be entitled to audit any aspect of the system.
- Details of all procedures and compliance documents shall be submitted to the Architect for information before each design and execution stage is commenced. When any document of a technical nature is issued to the Engineer, evidence of the prior approval by the Contractor itself shall be apparent on the document itself.

Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the Contract.

4.10 Site Data

- 4.10.1 The Procuring Entity shall have made available to the Contractor for his information, prior to the Base Date, all relevant data in the Procuring Entity's possession on sub-surface and hydrological conditions at the Site, including environmental aspects. The Procuring Entity shall similarly make available to the Contractor all such data which come into the Procuring Entity's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.
- 4102 To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):
 - a) The form and nature of the Site, including sub-surface conditions,
 - b) the hydrological and climatic conditions,
 - c) the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,
 - d) the Laws, procedures and labour practices of Kenya, and
 - e) the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

4.11 Sufficiency of the Accepted Contract Amount

- 4.11.1 The Contractor shall be deemed to:
 - a) Have satisfied itself as to the correctness and sufficiency of the Accepted Contract Amount, and
 - b) have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in Sub-Clause 4.10 [Site Data].
- Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract (including those under Provisional Sums, if any) and all things necessary for the proper execution and completion of the Works and the remedying of any defects.

4.12 Unforeseeable Physical Conditions

- In this Sub-Clause, "physical conditions" means natural physical conditions and man-made and other physical obstructions and pollutants, which the Contractor encounters at the Site when executing the Works, including sub-surface and hydrological conditions but excluding climatic conditions.
- 4122 If the Contractor encounters adverse physical conditions which he considers to have been Unforeseeable, the Contractor shall give notice to the Architect as soon as practicable.
- 4.123 This notice shall describe the physical conditions, so that they can be inspected by the Architect and shall set out the reasons why the Contractor considers them to be Unforeseeable. The Contractor shall continue executing the Works, using such proper and reasonable measures as are appropriate for the physical conditions, and shall comply with any instructions which the Architect may give. If an instruction constitutes a Variation, Clause 13 [Variations and Adjustments] shall apply.
- If and to the extent that the Contractor encounters physical conditions which are Unforeseeable, gives such a notice, and suffers delay and/or incurs Cost due to these conditions, the Contractor shall be entitled subject to notice under Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.
- 4.125 Upon receiving such notice and inspecting and/or investigating these physical conditions, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent these physical conditions were Unforeseeable, and (ii) the matters described in sub-paragraphs (a) and (b) above related to this extent.
- However, before additional Cost is finally agreed or determined under sub-paragraph (ii), the Architect may also review whether other physical conditions in similar parts of the Works (if any) were more favorable than could reasonably have been foreseen when the Contractor submitted the Tender. If and to the extent that these more favorable conditions were encountered, the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the reductions in Cost which were due to these conditions, which may be included (as deductions) in the Contract Price and Payment Certificates. However, the net effect of all adjustments under sub-paragraph (b) and all these reductions, for all the physical conditions encountered in similar parts of the Works, shall not result in a net reduction in the Contract Price.
- 4.127 The Architect shall take account of any evidence of the physical conditions foreseen by the Contractor when submitting the Tender, which shall be made available by the Contractor, but shall not be bound by the Contractor's interpretation of any such evidence.

4.13 Rights of Way and Facilities

Unless otherwise specified in the Contract the Procuring Entity shall provide effective access to and possession of the Site including special and/or temporary rights-of-way which are necessary for the Works. The Contractor shall obtain, at his risk and cost, any additional rights of way or facilities outside the Site

which he may require for the purposes of the Works.

4.14 Avoidance of Interference

- 4.14.1 The Contractor shall not interfere unnecessarily or improperly with:
 - a) The convenience of the public, or
 - b) The access to and use and occupation of all roads and foot paths, irrespective of whether they are public or in the possession of the Procuring Entity or of others.
- The Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from any such unnecessary or improper interference.

4.15 Access Route

- 4.15.1 The Contractor shall be deemed to have been satisfied as to the suitability and availability of access routes to the Site at Base Date. The Contractor shall use reasonable efforts to prevent any road or bridge from being damaged by the Contractor's traffic or by the Contractor's Personnel. These efforts shall include the proper use of appropriate vehicles and routes.
- 4.15.2 Except as otherwise stated in these Conditions:
 - a) The Contractor shall (as between the Parties) be responsible for any maintenance which may be required for his use of access routes;
 - b) the Contractor shall provide all necessary signs or directions along access routes, and shall obtain any permission which may be required from the relevant authorities for his use of routes, signs and directions;
 - c) the Procuring Entity shall not be responsible for any claims which may arise from the use or otherwise of any access route;
 - d) the Procuring Entity does not guarantee the suitability or availability of particular access routes; and
 - e) Costs due to non-suitability or non-availability, for the use required by the Contractor, of access routes shall be borne by the Contractor.

4.16 Transport of Goods

Unless otherwise stated in the Special Conditions:

- a) the Contractor shall give the Architect not less than 21 days' notice of the date on which any Plant or a major item of other Goods will be delivered to the Site;
- b) the Contractor shall be responsible for packing, loading, transporting, receiving, unloading, storing and protecting all Goods and other things required for the Works; and
- c) the Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from the transport of Goods and shall negotiate and pay all claims arising from their transport.

4.17 Contractor's Equipment

The Contractor shall be responsible for all Contractor's Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the consent of the Engineer. However, consent shall not be required for vehicles transporting Goods or Contractor's Personnel off Site.

4.18 Protection of the Environment

- 4.18.1 The contractor shall comply with the applicable environmental laws, regulations and policies.
- 4.182 The Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.
- 4.183 The Contractors hall ensure that emissions, surfaced is charges and effluent from the Contractor's activities shall not exceed the values stated in the Specification or prescribed by applicable Laws.

4.19 Electricity, Water and Gas

- 4.19.1 The Contractor shall, except as stated below, be responsible for the provision of all power, water and other services he may require for his construction activities and to the extent defined in the Specifications, for the tests.
- 4.192 The Contractor shall be entitled to use for the purposes of the Works such supplies of electricity, water, gas and other services as may be available on the Site and of which details and prices are given in the Specifications. The Contractor shall, at his risk and cost, provide any apparatus necessary for his use of these services and for measuring the quantities consumed.
- The quantities consumed and the amounts due (at these prices) for such services shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.

420 Procuring Entity's Equipment and Free-Issue Materials

- 420.1 The Procuring Entity shall make the Procuring Entity's Equipment (if any) available for the use of the Contractor in the execution of the Works in accordance with the details, arrangements and prices stated in the Specification. Unless otherwise stated in the Specification:
 - a) The Procuring Entity shall be responsible for the Procuring Entity's Equipment, except that
 - b) the Contractor shall be responsible for each item of Procuring Entity's Equipment whilst any of the Contractor's Personnel is operating it, driving it, directing it or in possession or control of it.
- 420.1 The appropriate quantities and the amounts due (at such stated prices) for the use of Procuring Entity's Equipment shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.
- 4202 The Procuring Entity shall supply, free of charge, the "free-issue materials" (if any) in accordance with the details stated in the Specification. The Procuring Entity shall, at his risk and cost, provide these materials at the time and place specified in the Contract. The Contractor shall then visually inspect them and shall promptly give notice to the Architect of any shortage, defect or default in these materials. Unless otherwise agreed by both Parties, the Procuring Entity shall immediately rectify the notified shortage, defector default.
- 4203 After this visual inspection, the free-issue materials shall come under the care, custody and control of the Contractor. The Contractor's obligations of inspection, care, custody and control shall not relieve the Procuring Entity of liability for any shortage, defect or default not apparent from a visual inspection.

4.21 Progress Reports

- 421.1 Unless otherwise stated in the Special Conditions, monthly progress reports shall be prepared by the Contractor and submitted to the Architect in six copies. The first report shall cover the period up to the end of the first calendar month following the Commencement Date. Reports shall be submitted monthly thereafter, each within 7 days after the last day of the period to which it relates.
- 4212 Reporting shall continue until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works. Each report shall include:
 - a) charts and detailed descriptions of progress, including each stage of design (if any), Contractor's Documents, procurement, manufacture, delivery to Site, construction, erection and testing; and including these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
 - b) photographs showing the status of manufacture and of progress on the Site;
 - c) for the manufacture of each main item of Plant and Materials, the name of the manufacturer, manufacture location, percentage progress, and the actual or expected dates of:
 - i) commencement of manufacture,
 - ii) Contractor's inspections,
 - iii) tests, and

- iv) shipment and arrival at the Site;
- d) the details described in Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment];
- e) copies of quality assurance documents, test results and certificates of Materials;
- f) list of notices given under Sub-Clause 2.5 [Procuring Entity's Claims] and notices given under Sub-Clause 20.1 [Contractor's Claims];
- g) safety statistics, including details of any hazardous incidents and activities relating to environmental aspects and public relations; and
- h) comparison so factual and planned progress, with details of any events or circumstances which may jeopardize the completion in accordance with the Contract, and the measures being (or to be) adopted to overcome delays.

4.22 Security of the Site

Unless otherwise stated in the Special Conditions:

- a) The Contractor shall be responsible for keeping unauthorized persons off the Site, and
- b) authorized persons shall be limited to the Contractor's Personnel and the Procuring Entity's Personnel; and to any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as authorized personnel of the Procuring Entity's other contractors on the Site.

4.23 Contractor's Operations on Site

- 423.1 The Contractor shall confine his operations to the Site, and to any additional areas which may be obtained by the Contractor and agreed by the Architect as additional working areas. The Contractor shalltake all necessary precautions to keep Contractor's Equipment and Contractor's Personnel within the Site and these additional areas, and to keep them off adjacent and.
- During the execution of the Works, the Contractor shall keep the Site free from all unnecessary obstruction and shall store or dispose of any Contractor's Equipment or surplus materials. The Contractor shall clear away and remove from the Site any wreckage, rubbish and Temporary Works which are no longer required.
- 4233 Upon the issue of a Taking-Over Certificate, the Contractor shall clear away and remove, from that part of the Site and Works to which the Taking-Over Certificate refers, all Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works. The Contractor shall leave that part of the Site and the Works in a clean and safe condition. However, the Contractor may retain on Site, during the Defects Notification Period, such Goods as are required for the Contractor to fulfil obligations under the Contract.

424 Fossils

- 424.1 All fossils, coins, articles of value or antiquity, and structures and other remains or items of geological or archaeological interest found on the Site shall be placed under the care and authority of the Procuring Entity. The Contractor shall take reasonable precautions to prevent Contractor's Personnel or other persons from removing or damaging any of these findings.
- 4242 The Contractor shall, upon discovery of any such finding, promptly give notice to the Engineer, who shall issue instructions for dealing with it. If the Contractor suffers delay and/or incurs Cost from complying with the instructions, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.

 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5

 [Determinations] to agree or determine these matters.

5 NOMINATED SUBCONTRACTORS

5.1 Definition of "nominated Subcontractor"

In this Contract, "nominated Subcontractor" means a Subcontractor:

- a) Who is nominated by the Procuring Entity, or
- b) Contractor has nominated as a Subcontractor subject to Sub-Clause 5.2 [Objection to Notification].

52 Objection to Nomination

The Contractor shall not be under any obligation to employ a nominated Subcontractor against whom the Contractor raises reasonable objection by notice to the Procuring Entity as soon as practicable, with supporting particulars. An objection shall be deemed reasonable if it arises from (among other things) any of the following matters, unless the Procuring Entity agrees in writing to indemnify the Contractor against and from the consequences of the matter:

- a) there are reasons to believe that the Subcontractor does not have sufficient competence, resources or financial strength;
- b) the nominated Subcontractor does not accept to indemnify the Contractor against and from any negligence or misuse of Goods by the nominated Subcontractor, his agents and employees; or
- c) the nominated Subcontractor does not accept to enter into a subcontract which specifies that, for the subcontracted work (including design, if any), the nominated Subcontractor shall:
 - i) undertake to the Contractor such obligations and liabilities as will enable the Contractor to discharge his obligations and liabilities under the Contract;
 - ii) indemnify the Contractor against and from all obligations and liabilities arising under or in connection with the Contract and from the consequences of any failure by the Subcontractor to perform these obligations or to fulfil these liabilities, and
 - be paid only if and when the Contractor has received from the Procuring Entity payments for sums due under the Subcontract referred to under Sub-Clause 5.3 [Payment to nominated Subcontractors].

53 Payments to nominated Subcontractors

The Contractor shall pay to the nominated Subcontractor the amounts shown on the nominated Subcontractor's invoices approved by the Contractor which the Architect certifies to be due in accordance with the subcontract. These amounts plus other charges shall be included in the Contract Price in accordance with sub-paragraph (b) of Sub-Clause 13.5 [Provisional Sums], except as stated in Sub-Clause 5.4 [Evidence of Payments].

54 Evidence of Payments

- 54.1 Before issuing a Payment Certificate which includes an amount payable to a nominated Subcontractor, the Architect may request the Contractor to supply reasonable evidence that the nominated Subcontractor has received all amounts due in accordance with previous Payment Certificates, less applicable deductions for retention or otherwise. Unless the Contractor:
 - (a) Submits this reasonable evidence to the Engineer, or
 - (b) i) Satisfies the Architect in writing that the Contractor is reasonably entitled to withhold or refuseto pay these amounts, and
 - ii) Submits to the Architect reasonable evidence that the nominated Subcontractor has been notified of the Contractor's entitlement, then the Procuring Entity may (at his sole discretion) pay, direct to the nominated Subcontractor, part or all of such amounts previously certified (less applicable deductions) as are due to the nominated Subcontractor and for which the Contractor has failed to submit the evidence described in sub-paragraphs (a) or (b) above. The Contractor shall then repay, to the Procuring Entity, the amount which the nominated Subcontractor was directly paid by the Procuring Entity.

6 STAFF AND LABOR

6.1 Engagement of Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall make arrangements for the engagement of all staff and labor, local or otherwise, and for their payment, feeding, transport, and, when appropriate, housing. The Contractor is encouraged, to the extent practicable and reasonable, to employ staff and labor with appropriate qualifications and experience from sources within Kenya.

Rates of Wages and Conditions of Labor

The Contractor shall pay rates of wages, and observe conditions of labor, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Procuring Entity's whose trade or industry is similar

to that of the Contractor.

The Contractor shall inform the Contractor's Personnel about their liability to pay personal income taxes in Kenya in respect of such of their salaries, wages, allowances and any benefits as are subject to tax under the Laws of Kenya for the time being in force, and the Contractor shall perform such duties in regard to such deductions there of as may be imposed on him by such Laws.

63 Persons in the Service of Procuring Entity

The Contractor shall not recruit, or attempt to recruit, staff and labour from amongst the Procuring Entity's Personnel.

6.4 Labor Laws

The Contractor shall comply with all the relevant labour Laws applicable to the Contractor's Personnel, including Laws relating to their employment, employment of children, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights. The Contractor shall require his employees to obey all applicable Laws, including those concerning safety at work.

65 Working Hours

No work shall be carried out on the Site on locally recognized days of rest, or outside the normal working hours stated in the **Special Conditions of Contract**, unless:

- a) Otherwise stated in the Contract,
- b) The Architect gives consent, or
- c) The work is unavoidable, or necessary for the protection of life or property or for the safety of the Works, in which case the Contractor shall immediately advise the Engineer, provided that work done outside the normal working hours shall be considered and paid for as overtime.

6.6 Facilities for Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall provide and maintain all necessary accommodation and welfare facilities on site for the Contractor's Personnel. The Contractor shall also provide facilities for the Procuring Entity's Personnel as stated in the Specifications. The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

6.7 Health and Safety

- 67.1 The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel. In collaboration with local health authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Procuring Entity's Personnel, and that suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.
- The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the execution of the Works, the Contractor shall provide whatever is required by this person to exercise this responsibility and authority.
- The Contractor shall send, to the Engineer, details of any accident as soon as practicable after its occurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Architect may reasonably require.
- The Contractor shall conduct an awareness programme on HIV and other sexually transmitted diseases via an approved service provider and shall undertake such other measures taken to reduce the risk of the transferof these diseases between and among the Contractor's Personnel and the local community, to promote early diagnosis and to assist affected individuals.

68 Contractor's Superintendence

Throughout the execution of the Works, and as long thereafter as is necessary to fulfil the Contractor's obligations, the Contractor shall provide all necessary super intendance to plan, arrange, direct, manage, inspect and test the work.

Superintendence shall be given by a sufficient number of persons having adequate knowledge of the language for communications (defined in Sub-Clause 1.4 [Law and Language]) and of the operations to be carried out (including the methods and techniques required, the hazards likely to be encountered and methods of preventing accidents), for the satisfactory and safe execution of the Works.

69 Contractor's Personnel

- 69.1 The Contractor's Personnel shall be appropriately qualified, skilled and experienced in their respective trades or occupations. The Contractors Key personnel shall be named in the Special Conditions of Contract. The Architect may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative if applicable, who:
 - a) Persists in any misconduct or lack of care,
 - b) Carries out duties in competently or negligently,
 - c) fails to conform with any provisions of the Contract,
 - d) persists in any conduct which is prejudicial to safety, health, or the protection of the environment, or
 - e) based on reasonable evidence, is determined to have engaged in Fraud and Corruption during the execution of the Works.
- 692 If appropriate, the Contractor shall then appoint (or cause to be appointed) a suitable replacement person.

6.10 Records of Contractor's Personnel and Equipment

The Contractor shall submit, to the Engineer, details showing the number of each class of Contractor's Personnel and of each type of Contractor's Equipment on the Site. Details shall be submitted each calendar month, in a form approved by the Engineer, until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.

6.11 Disorderly Conduct

The Contractor shall at all times take all reasonable precautions to prevent any unlawful, riotous or disorderly conduct by or amongst the Contractor's Personnel, and to preserve peace and protection of persons and property on and near the Site.

6.12 Foreign Personnel

- The Contractor shall not employ foreign personnel unless the contractor demonstrates that there are no Kenyans with the required skills.
- The Contractor shall be responsible for the return of any foreign personnel to the place where they were recruited or to their domicile. In the event of the death in Kenya of any of these personnel or members of their families, the Contractor shall similarly be responsible for making the appropriate arrangements for their return or burial.

6.13 Supply of Water

The Contractor shall, having regard to local conditions, provide on the Site an adequate supply of drinking and other water for the use of the Contractor's Personnel.

6.14 Measures against Insect and Pest Nuisance

The Contractor shall a tall times take the necessary precautions to protect the Contractor's Personnel employed on the Site from insect and pest nuisance, and to reduce the danger to their health. The Contractor shall comply with all the regulations of the local health authorities, including use of appropriate insecticide.

6.15 Alcoholic Liquor or Drugs

The Contractor shall not, otherwise than in accordance with the Laws of Kenya, onsite, import, sell, give, barter or otherwise dispose of any alcoholic liquor or drugs, or permit or allow importation, sale, gift, barter or disposal thereof by Contractor's Personnel.

6.16 Prohibition of Forced or Compulsory Labour

The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty, and includes any kind of

involuntary or compulsory labor, such as indentured labor, bonded labor or similar labor-contracting arrangements.

6.17 Prohibition of Harmful Child Labor

The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where the relevant labour laws of Kenya have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.

6.18 Employment Records of Workers

The Contractor shall keep complete and accurate records of the employment of labour at the Site. The records shall include the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis and submitted to the Engineer. These records shall be included in the details to be submitted by the Contractor under Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment].

6.19 Workers' Organizations

The Contractor shall comply with the relevant labor laws that recognize workers' rights to form and to join workers' organizations of their choosing without interference.

620 Non-Discrimination and Equal Opportunity

The Contractor shall base the labour employment on the principle of equal opportunity and fair treatment and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employ mentor retirement, and discipline.

7. PLANT, MATERIALS AND WORKMANSHIP

7.1 Manner of Execution

The Contractor shall carry out the manufacture/assemble of plant, the production and manufacture of Materials, and all other execution of the Works:

- a) In the manner (if any) specified in the Contract,
- b) in a proper workman like and careful manner, in accordance with recognized good practice, and
- c) with properly equipped facilities and non-hazardous Materials, except as otherwise specified in the Contract.

72 Samples

The Contractor shall submit the following samples of Materials, and relevant information, to the Architect for consent prior to using the Material sin or for the Works:

- a) manufacturer's standard samples of Materials and samples specified in the Contract, all at the Contractor's cost, and
- b) additional samples instructed by the Architect as a Variation.

Each sample shall be labeled as to origin and intended use in the Works.

73 Inspection

- 73.1 The Procuring Entity's Personnel shall at all reasonable times:
 - a) Have full access to all parts of the Site and to all places from which natural Materials are being obtained, and
 - b) during production, manufacture and construction (at the Site and elsewhere), be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of manufacture of Plant and production and manufacture of Materials.
- 732 The Contractor shall give the Procuring Entity's Personnel full opportunity to carry out these activities,

including providing access, facilities, permissions and safety equipment. No such activity shall relieve the Contractor from any obligation or responsibility.

The Contractor shall give notice to the Architect whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Architect shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that the Architect does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Engineer, uncover the work and there after reinstate and make good, all at the Contractor's cost.

7.4 Testing

- 7.4.1 This Sub-Clause shall apply to all tests specified in the Contract.
- Except as otherwise specified in the Contract, the Contractor shall provide all apparatus, assistance, documents and other information, electricity, equipment, fuel, consumables, instruments, labor, materials, and suitably qualified and experienced staff, as are necessary to carry out the specified tests efficiently. The Contractor shall agree, with the Engineer, the time and place for the specified testing of any Plant, Materials and other parts of the Works.
- The Architect may, under Clause 13 [Variations and Adjustments], vary the location or details of specified tests, or instruct the Contractor to carry out additional tests. If these varied or additional tests show that the tested Plant, Materials or workmanship is not in accordance with the Contract, the cost of carrying out this Variation shall be borne by the Contractor, notwithstanding other provisions of the Contract.
- 7.4.4 The Architect shall give the Contractor not less than 24 hours' notice of the Architect intention to attend the tests. If the Architect does not attend at the time and place agreed, the Contractor may proceed with the tests, unless otherwise instructed by the Engineer, and the tests shall then be deemed to have been made in the Architect presence.
- 7.45 If the Contractor suffers delay and/ or incurs Cost from complying with these instructions or as a result of a delay for which the Procuring Entity is responsible, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- 7.4.6 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 7.4.7 The Contractor shall promptly forward to the Architect duly certified reports of the tests. When the specified tests have be enpassed, the Architect shall endorse the Contractor's test certificate, or issue a certificate to him, to that effect. If the Architect has not attended the tests, he shall be deemed to have accepted the readingsas accurate.

7.5 Rejection

- 75.1 If, as a result of an examination, inspection, measurement or testing, any Plant, Materials or workmanship is found to be defective or otherwise not in accordance with the Contract, the Architect may reject the Plant, Materials or workmanship by giving notice to the Contractor, with reasons. The Contractor shall then promptly make good the defect and ensure that the rejected item complies with the Contract.
- If the Architect requires this Plant, Materials or workmanship to be retested, the tests shall be repeated under the same terms and conditions. If the rejection and retesting cause the Procuring Entity to incur additional costs, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity.

7.6 Remedial Work

- 761 Notwithstanding any previous test or certification, the Architect may instruct the Contractor to:
 - a) Remove from the Site and replace any Plant or Materials which is not in accordance with the Contract,
 - b) remove and re-execute any other work which is not in accordance with the Contract, and
 - c) execute any work which is urgently required for the safety of the Works, whether because of an accident, unforeseen able event or otherwise.

- The Contractor shall comply with the instruction within a reasonable time, which shall be the time (if any) specified in the instruction, or immediately if urgency is specified under sub-paragraph (c).
- If the Contractor fails to comply with the instruction, the Procuring Entity shall be entitled to employ and pay other persons to carry out the work. Except to the extent that the Contractor would have been entitled to payment for the work, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity all costs arising from this failure.
- 7.64 If the contractor repeatedly delivers defective work, the Procuring Entity may consider termination in accordance with Clause 15.

7.7 Ownership of Plant and Materials

Except as otherwise provided in the Contract, each item of Plant and Materials shall become the property of the Procuring Entity at whichever is the earlier of the following times, free from liens and other encumbrances:

- a) When it is incorporated in the Works;
- b) when the Contractor is paid the corresponding value of the Plant and Materials under Sub-Clause 8.10 [Payment for Plant and Materials in Event of Suspension].

7.8 Royalties

Unless otherwise stated in the Specification, the Contractor shall pay all royalties, rents and other payments for:

- a) Natural materials obtained from outside the Site, and
- b) The disposal of material from demolitions and excavations and of other surplus material (whether natural or man-made), except to the extent that disposal are as within the Site are specified in the Contract.

8 COMMENCEMENT, DELAYS AND SUSPENSION

81 Commencement of Works

- 81.1 Except as otherwise specified in the Special Conditions of Contract, the Commencement Date shall be the date at which the following precedent condition shave all been fulfilled and the Architect notification recording the agreement of both Parties on such fulfilment and instructing to commence the Work is received by the Contractor:
 - a) Signature of the Contract Agreement by both Parties, and if required, approval of the Contract by relevant authorities of Kenya;
 - b) except if otherwise specified in the Special Conditions of Contract, effective access to and possession of the Site given to the Contractor together with such permission(s) under (a) of Sub-Clause 1.13 [Compliance with Laws] as required for the commencement of the Works.
 - c) Receipt by the Contractor of the Advance Payment under Sub-Clause 14.2 [Advance Payment] provided that the corresponding bank guarantee has been delivered by the Contractor.
- If the said Architect instruction is not received by the Contractor within 180 days from his receipt of the Letter of Acceptance, the Contractor shall be entitled to terminate the Contract under Sub-Clause 1 6.2 [Termination by Contractor].
- The Contractor shall commence the execution of the Works as soon as is reasonably practicable after the Commencement Date and shall then proceed with the Works with due expedition and without delay.

82 Time for Completion

The Contractor shall complete the whole of the Works, and each Section (if any), within the Time for Completion for the Works or Section (as the case may be), including:

- a) Achieving the passing of the Tests on Completion, and
- b) completing all work which is stated in the Contract as being required for the Works or Section to be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections].

83 Programme

83.1 The Contractor shall submit a detailed time programme to the Architect within 1 4 days after receiving the

notice under Sub-Clause 8.1 [Commencement of Works]. The Contractor shall also submit a revised programme whenever the previous programme is inconsistent with actual progress or with the Contractor's obligations. Each programme shall include:

- a) The order in which the Contractor intends to carry out the Works, including the anticipated timing of each stage of design (if any), Contractor's Documents, procurement, manufacture of Plant, delivery to Site, construction, erection and testing,
- b) each of these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
- c) the sequence and timing of inspections and tests specified in the Contract, and
- d) a supporting report which includes:
 - i) a general description of the methods which the Contractor intends to adopt, and of the major stages, in the execution of the Works, and
 - ii) details showing the Contractor's reasonable estimate of the number of each class of Contractor's Personnel and of each type of Contractor's Equipment, required on the Site for each major stage.
- Unless the Engineer, within 14 days after receiving a programme, gives notice to the Contractor stating the extent to which it does not comply with the Contract, the Contractor shall proceed in accordance with the programme, subject to his other obligations under the Contract. The Procuring Entity's Personnel shall be entitled to rely upon the programme when planning their activities.
- The Contractor shall promptly give notice to the Architect of specific probable future events or circumstances which may adversely affect the work, increase the Contract Price or delay the execution of the Works.
- If, at any time, the Architect gives notice to the Contractor that a programme fails (to the extent stated) to comply with the Contractor to be consistent with actual progress and the Contractor's stated intentions, the Contractor shall submit a revised programme to the Architect in accordance with this Sub-Clause.

84 Extension of Time for Completion

- The Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to an extension of the Time for Completion if and to the extent that completion for the purposes of Sub-Clause 10.1 [Taking Over of the Works and Sections] is or will be delayed by any of the following causes:
 - a) a Variation (unless an adjustment to the Time for Completion has been agreed under Sub-Clause 13.3 [Variation Procedure]) or other substantial change in the quantity of an item of work included in the Contract,
 - b) a cause of delay giving an entitlement to extension of time under a Sub-Clause of these Conditions,
 - c) exceptionally adverse climatic conditions,
 - d) Unforeseeable shortages in the availability of personnel or Goods caused by epidemic or governmental actions, or
 - e) any delay, impediment or prevention caused by or attributable to the Procuring Entity, the Procuring Entity's Personnel, or the Procuring Entity's other contractors.
- If the Contractor considers itself to be entitled to an extension of the Time for Completion, the Contractor shall give notice to the Architect in accordance with Sub-Clause 20.1 [Contractor's Claims]. When determining each extension of time under Sub-Clause 20.1, the Architect shall review previous determinations and may increase, but shall not decrease, the total extension of time.

85 Delays Caused by Authorities

If the following conditions apply, namely:

- a) The Contractor has diligently followed the procedures laid down by the relevant legally constituted public authorities in Kenya,
- b) These authorities delay or disrupt the Contractor's work, and
- c) the delay or disruption was Unforeseeable, then this delay or disruption will be considered as a cause of delay under sub-paragraph (b) of Sub-Clause 8.4 [Extension of Time for Completion].

8.6 Rate of Progress

- 8.6.1 If, at any time:
 - a) Actual progress is too slow to complete within the Time for Completion, and/or
 - b) Progress has fallen (or will fall) behind the current programme under Sub-Clause 8.3 [Programme], other than as a result of a cause listed in Sub-Clause 8.4 [Extension of Time for Completion], then the Architect may instruct the Contractor to submit, under Sub-Clause 8.3 [Programme], a revised programme and supporting report describing the revised methods which the Contractor proposes to adopt in order to expedite progress and complete within the Time for Completion.
- Unless the Architect notifies otherwise, the Contractor shall adopt these revised methods, which may require increases in the working hours and/or in the numbers of Contractor's Personnel and/or Goods, at the risk and cost of the Contractor. If these revised methods cause the Procuring Entity to incur additional costs, the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity, in addition to delay damages (if any) under Sub-Clause 8.7 below.
- Additional costs of revised methods including acceleration measures, instructed by the Architect to reduce delays resulting from causes listed under Sub-Clause 8.4 [Extension of Time for Completion] shall be paid by the Procuring Entity, without generating, however, any other additional payment benefit to the Contractor.

8.7 Delay Damages

- 87.1 If the Contractor fails to comply with Sub-Clause 8.2 [Time for Completion], the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay delay damages to the Procuring Entity for this default. These delay damages shall be the sum stated in the **Special Conditions of Contract**, which shall be paid for everyday which shall elapse between the relevant Time for Completion and the date stated in the taking-Over Certificate. However, the total amount due under this Sub-Clause shall not exceed the maximum amount of delay damages (if any) stated in the Special Conditions of Contract.
- These delay damages shall be the only damages due from the Contractor for such default, other than in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity] prior to completion of the Works. These damages shall not relieve the Contractor from his obligation to complete the Works, or from any other duties, obligations or responsibilities which he may have under the Contract.

88 Suspension of Work

- The Architect may at any time instruct the Contractor to suspend progress of part or all of the Works. During such suspension, the Contractor shall protect, store and secure such part or the Works against any deterioration, loss or damage.
- The Architect may also notify the cause for the suspension. If and to the extent that the cause is notified and is the responsibility of the Contractor, the following Sub-Clauses 8.9, 8.10 and 8.11 shall not apply.

89 Consequences of Suspension

- 89.1 If the Contractor suffers delay and/or incurs Cost from complying with the Architect instructions under Sub-Clause 8.8 [Suspension of Work] and/or from resuming the work, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) Payment of any such Cost, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- The Contractor shall not be entitled to an extension of time for, or to payment of the Cost incurred in, making good the consequences of the Contractor's faulty design, workmanship or materials, or of the Contractor's failure to protect, store or secure in accordance with Sub-Clause 8.8 [Suspension of Work].

8.10 Payment for Plant and Materials in Event of Suspension

The Contractor shall be entitled to payment of the value (as at the date of suspension) of Plant and/ or

Materials which have not been delivered to Site, if:

- a) The work on Plant or delivery of Plant and/ or Materials has been suspended for more than 30 days, and
- b) the Contractor has marked the Plant and/or Materials as the Procuring Entity's property in accordance with the Architect instructions.

8.11 Prolonged Suspension

If the suspension under Sub-Clause 8.8 [Suspension of Work] has continued for more than 84 days, the Contractor may request the Architect permission to proceed. If the Architect does not give permission within 30 days after being requested to do so, the Contractor may, by giving notice to the Engineer, treat the suspension as an omission under Clause 13 [Variations and Adjustments] of the affected part of the Works. If the suspension affects the whole of the Works, the Contractor may give notice of termination under Sub-Clause 16.2 [Termination by Contractor].

8.12 Resumption of Work

After the permission or instruction to proceed is given, the Contractor and the Architect shall jointly examine the Works and the Plant and Materials affected by the suspension. The Contractor shall make good any deterioration or defect in or loss of the Works or Plant or Materials, which has occurred during the suspension after receiving from the Architect an instruction to this effect under Clause 13 [Variations and Adjustments].

9. TESTS ON COMPLETION

9.1 Contractor's Obligations

- 9.1.1 The Contractor shall carry out the Tests on Completion in accordance with this Clause and Sub-Clause 7.4 [Testing], after providing the documents in accordance with sub-paragraph (d) of Sub-Clause 4.1 [Contractor's General Obligations].
- 9.12 The Contractor shall give to the Architect not less than 21 days' notice of the date after which the Contractor will be ready to carry out each of the Tests on Completion. Unless otherwise agreed, Tests on Completion shall be carried out within 14 days after this date, on such day or days as the Architect shall instruct.
- 9.13 In considering the results of the Tests on Completion, the Architect shall make allowances for the effect of any use of the Works by the Procuring Entity on the performance or other characteristics of the Works. As soon as the Works, or a Section, have passed any Tests on Completion, the Contractor shall submit a certified report of the results of these Tests to the Engineer.

92 Delayed Tests

- If the Tests on Completion are being unduly delayed by the Procuring Entity, Sub-Clause 7.4 [Testing] (fifth paragraph) and/ or Sub-Clause 10.3 [Interference with Tests on Completion] shall be applicable.
- If the Tests on Completion are being unduly delayed by the Contractor, the Architect may by notice require the Contractor to carry out the Tests within 21 days after receiving the notice. The Contractor shall carry out the Tests on such day or days within that period as the Contractor may fix and of which he shall give notice to the Engineer.
- 923 If the Contractor fails to carry out the Tests on Completion within the period of 21 days, the Procuring Entity's Personnel may proceed with the Test sat the risk and cost of the Contractor. The Tests on Completion shall then be deemed to have been carried out in the presence of the Contractor and the results of the Tests shall be accepted as accurate.

93 Retesting of related works

If the Works, or a Section, fail to pass the Tests on Completion, Sub-Clause 7.5 [Rejection] shall apply, and the Architect or the Contractor may require the failed Tests, and Tests on Completion on any related work, to be repeated under the same terms and conditions.

94 Failure to Pass Tests on Completion

94.1 If the Works, or a Section, fail to pass the Tests on Completion repeated under Sub-Clause 9.3 [Retesting], the Architect shall be entitled to:

- a) Order further repetition of Tests on Completion under Sub-Clause 9.3; or
- b) if the failure deprives the Procuring Entity of substantially the whole benefit of the Works or Section, reject the Works or Section (as the case may be), in which event the Procuring Entity shall have the same remedies as are provided in sub-paragraph (c) of Sub-Clause1 1.4 [Failure to Remedy Defects].

10. PROCURING ENTITY'S TAKING OVER

10.1 Taking Over of the Works and Sections

- 10.1.1 Except as stated in Sub-Clause 9.4 [Failure to Pass Tests on Completion], the Works shall be taken over by the Procuring Entity when (i) the Works have been completed in accordance with the Contract, including the matters described in Sub-Clause 8.2 [Time for Completion] and except as allowed in sub-paragraph (a) below, and (ii) a Taking-Over Certificate for the Works has been issued, or is deemed to have been issued in accordance with this Sub-Clause.
- 10.12 The Contractor may apply by notice to the Architect for a Taking-Over Certificate not earlier than 14 days before the Works will, in the Contractor's opinion, be complete and ready for taking over. If the Works are divided into Sections, the Contract or may similarly apply for a Taking-Over Certificate for each Section.
- 10.13 The Architect shall, within 30 days after receiving the Contractor's application:
 - a) Issue the Taking-Over Certificate to the Contract or, stating the date on which the Works or Section were completed in accordance with the Contract, except for any minor outstanding work and defects which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or
 - b) reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice under his Sub-Clause.
- 10.14 If the Architect fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 30 days, and if the Works or Section (as the case may be) are substantially in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on the last day of that period.

102 Taking Over of Parts of the Works

- 1021 The Architect may, at the sole discretion of the Procuring Entity, issue a Taking-Over Certificate for any part of the Permanent Works.
- The Procuring Entity shall not use any part of the Works (other than as a temporary measure which is either specified in the Contract or agreed by both Parties) unless and until the Architect has issued a Taking-Over Certificate for this part. However, if the Procuring Entity does use any part of the Works before the Taking-Over Certificate is issued:
 - a) The part which is used shall be deemed to have been taken over as from the date on which it is used,
 - b) the Contractor shall cease to be liable for the care of such part as from this date, when responsibility shall pass to the Procuring Entity, and
 - c) if requested by the Contractor, the Architect shall issue a Taking-Over Certificate for this part.
- After the Architect has issued a Taking-Over Certificate for a part of the Works, the Contractor shall be given the earliest opportunity to take such steps as may be necessary to carry out any outstanding Tests on Completion. The Contractor shall carry out these Tests on Completion as soon as practicable before the expiry date of the relevant Defects Notification Period.
- If the Contractor incurs Cost as a result of the Procuring Entity taking over and/or using a part of the Works, other than such use as is specified in the Contractor agreed by the Contractor, the Contractor shall (i) give notice to the Architect and (ii) be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to payment of any such accrued costs, which shall be included in the Contract Price. After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this accrued cost.
- If a Taking-Over Certificate has been issued for a part of the Works (other than a Section), the delay damages thereafter for completion of the remainder of the Works shall be reduced. Similarly, the delay damages for the remainder of the Section (if any) in which this part is included shall also be reduced. For any period of delay after the date stated in this Taking-Over Certificate, the proportional reduction in these delay damages shall be calculated as the proportion which the value of the part so certified bears to the value of the Works or Section (as the case may be) as a whole. The Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these proportions. The provisions of this paragraph shall only apply

to the daily rate of delay damages under Sub-Clause 8.7 [Delay Damages] and shall not affect the maximum amount of these damages.

103 Interference with Tests on Completion

- 103.1 If the Contractor is prevented, for more than 14 days, from carrying out the Tests on Completion by a cause for which the Procuring Entity is responsible, the Procuring Entity shall be deemed to have taken over the Works or Section (as the case may be) on the date when the Tests on Completion would otherwise have been completed.
- 1032 The Architect shall then issue a Taking-Over Certificate accordingly, and the Contractor shall carry out the Tests on Completion as soon as practicable, before the expiry date of the Defects Notification Period. The Architect shall require the Tests on Completion to be carried out by giving 14 days' notice and in accordance with the relevant provisions of the Contract.
- 1033 If the Contractor suffers delay and/or incurs Cost as a result of this delay in carrying out the Tests on Completion, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such accrued costs, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

10.4 Surfaces Requiring Reinstatement

Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.

11. DEFECTS LIABILITY

11.1 Completion of Outstanding Work and Remedying Defects

- 11.1.1 In order that the Works and Contractor's Documents, and each Section, shall be in the condition required by the Contract (fair wear and tear excepted) by the expiry date of the relevant Defects Notification Period or as soon as practicable thereafter, the Contractor shall:
 - a) complete any work which is outstanding on the date stated in a Taking-Over Certificate, within such reasonable time as is instructed by the Engineer, and
 - b) execute all work required to remedy defects or damage, as may be notified by (or on behalf of) the Procuring Entity on or before the expiry date of the Defects Notification Period for the Works or Section (as the case may be).
- 11.12 If a defect appears or damage occurs, the Contractor shall be notified accordingly by the Engineer.

11.2 Cost of Remedying Defects

- All work referred to in sub-paragraph (b) of Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects] shall be executed at the risk and cost of the Contractor, if and to the extent that the work is attributable to:
 - a) Any design for which the Contractor is responsible,
 - b) Plant, Materials or workmanship not being in accordance with the Contract, or
 - c) Failure by the Contractor to comply with any other obligation.
- If and to the extent that such work is attributable to any other cause, the Contractor shall be notified promptly by (or on behalf of) the Procuring Entity, and Sub-Clause 13.3 [Variation Procedure] shall apply.

11.3 Extension of Defects Notification Period

113.1 The Procuring Entity shall be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to an extension of the Defects Notification Period for the Works or a Section if and to the extent that the Works, Section or a major item of Plant (as the case may be, and after taking over) cannot be used for the purposes for which they

are intended by reason of a defect or by reason of damage attributable to the Contractor. However, a Defects Notification Period shall not be extended by more than two years.

If delivery and/ or erection of Plant and/ or Materials was suspended under Sub-Clause 8.8 [Suspension of Work] or Sub-Clause 16.1 [Contractor's Entitlement to Suspend Work], the Contractor's obligations under this Clause shall not apply to any defects or damage occurring more than two years after the Defects Notification Period for the Plant and/ or Materials would otherwise have expired.

11.4 Failure to Remedy Defects

- If the Contractor fails to remedy any defect or damage within a reasonable time, a date may be fixed by the Engineer, on or by which the defect or damage is to be remedied. The Contractor shall be given reasonable notice of this date.
- If the Contractor fails to remedy the defect or damage by this notified date and this remedial work was to be executed at the cost of the Contractor under Sub-Clause 11.2[Cost of Remedying Defects], the Procuring Entity may (at his option):
 - (a) Carry out the work itself or by others, in a reasonable manner and at the Contractor's cost, but the Contractor shall have no responsibility for this work; and the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity the costs reasonably incurred by the Procuring Entity in remedying the defect or damage;
 - (b) Require the Architect to agree or determine a reasonable reduction in the Contract Price in accordance with Sub-Clause 3.5 [Determinations]; or
 - (c) if the defect or damage deprives the Procuring Entity of substantially the whole benefit of the Works or any major part of the Works, terminate the Contract as a whole, or in respect of such major part which cannot be put to the intended use. Without prejudice to any other rights, under the Contractor otherwise, the Procuring Entity shall then be entitled to recover all sums paid for the Works or for such part (as the case may be), plus financing costs and the cost of dismantling the same, clearing the Site and returning Plant and Materials to the Contractor.

115 Removal of Defective Work

If the defector damage cannot be remedied expeditiously on the Site and the Procuring Entity gives consent, the Contractor may remove from the Site for the purposes of repair such items of Plant as are defective or damaged. This consent may require the Contractor to increase the amount of the Performance Security by the full replacement cost of these items, or to provide other appropriate security.

11.6 Further Tests

- If the work of remedying of any defector damage may affect the performance of the Works, the Architect may require the repetition of any of the tests described in the Contract. The requirement shall be made by notice within 14 days after the defect or damage is remedied.
- These tests shall be carried out in accordance with the terms applicable to the previous tests, except that they shall be carried out at the risk and cost of the Party liable, under Sub-Clause 11.2 [Cost of Remedying Defects], for the cost of the remedial work.

11.7 Right of Access

Until the Completion Certificate has been issued, the Contractor shall have such right of access to the Works as is reasonably required in order to comply with this Clause, except as may be inconsistent with the Procuring Entity's reasonable security restrictions.

118 Contractor to Search

The Contractor shall, if required by the Engineer, search for the cause of any defect on parts of the works that have already accepted, under the direction of the Engineer. Unless the defect is to be remedied at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Cost of the search plus profit shall be agreed or determined by the Architect in accordance with Sub-Clause 3.5 [Determinations] and shall be included in the Contract Price.

11.9 Completion Certificate

Performance of the Contractor's obligations shall not be considered to have been completed until the Architect has issued the Completion Certificate to the Contractor, stating the date on which the Contractor completed

his obligations under the Contract.

- The Architect shall issue the Completion Certificate within 30days after the latest of the expiry dates of the Defects Liability Period, or as soon thereafter as the Contractor has supplied all the Contractor's Documents and completed and tested all the Works, including remedying any defects. A copy of the Completion Certificate shall be issued to the Procuring Entity.
- Only the Completion Certificate shall be deemed to constitute acceptance of the Works.

11.10 Unfulfilled Obligations

After the Completion Certificate has been issued, each Party shall remain liable for the fulfilment of any obligation which remains unperformed at that time. For the purposes of determining the nature and extent of unperformed obligations, the Contract shall be deemed to remain in force.

11.11 Clearance of Site

- 11.11.1 Upon receiving the Completion Certificate, the Contractor shall remove any remaining Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works from the Site.
- 11.112 If all these items have not been removed within 30 days after receipt by the Contractor of the Completion Certificate, the Procuring Entity may sell or otherwise dispose of any remaining items. The Procuring Entity shall be entitled to be paid the costs incurred in connection with, or attributable to, such sale or disposal and restoring the Site.
- 11.113 Any balance of the moneys from the sale shall be paid to the Contractor. If these moneys are less than the Procuring Entity's costs, the Contractor shall pay the outstanding balance to the Procuring Entity.

12 MEASUREMENT AN DEVALUATION

121 Works to be Measured

- 12.1.1 The Works shall be measured, and valued for payment, in accordance with this Clause. The Contractor shall show in each application under Sub-Clauses 14.3 [Application for Interim Payment Certificates], 14.10 [Statement on Completion] and 14.11 [Application for Final Payment Certificate] the quantities and other particulars detailing the amounts which he considers to be entitled under the Contract.
- Whenever the Architect requires any part of the Works to be measured, reasonable notice shall be given to the Contractor's Representative, who shall:
 - a) promptly either attend or send another qualified representative to assist the Architect in making the measurement, and
 - b) supply any particulars requested by the Engineer.
- 12.13 If the Contractor fails to attend or send a representative, the measurement made by the Architect shall be accepted as accurate.
- 12.14 Except as otherwise stated in the Contract, wherever any Permanent Works are to be measured from records, these shall be prepared by the Engineer. The Contractor shall, as and when requested, attend to examine and agreed the records with the Engineer, and shall sign the same when agreed. If the Contractor does not attend, the records shall be accepted as accurate.
- If the Contractor examines and disagrees the records, and/ or does not sign them as agreed, then the Contractor shall give notice to the Architect of the respects in which the records are asserted to be inaccurate. After receiving this notice, the Architect shall review the records and either confirm or vary them and certify the payment of the undisputed part. If the Contractor does not so give notice to the Architect within 14 days after being requested to examine the records, they shall be accepted as accurate.

122 Method of Measurement

Except as otherwise stated in the Contract:

- a) Measurement shall be made of the net actual quantity of each item of the Permanent Works, and
- b) the method of measurement shall be in accordance with the Bill of Quantities or other applicable Schedules.

123 Evaluation

- Except as otherwise stated in the Contract, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of work one by evaluating each item of work, applying the measurement agreed or determined in accordance with the above Sub-Clauses 12.1 and 12.2 and the appropriate rate or price for the item.
- For each item of work, the appropriate rate or price for the item shall be the rate or price specified for such item in the Contractor, if there is no such item, specified for similar work.
- Any item of work included in the Bill of Quantities for which no rate or price was specified shall be considered as included in other rates and prices in the Bill of Quantities and will not be paid for separately.
- However, for a new item of work, a new rate or price shall be appropriate for such item of work if:
 - a) The work is instructed under Clause 13 [Variations and Adjustments],
 - b) no rate or price is specified in the Contract for this item, and
 - c) no specified rate or price is appropriate because the item of work is not of similar character, or is not executed under similar conditions, as any item in the Contract.
- Each new rate or price shall be derived from any relevant rates or prices in the Contract. If no rates or prices are relevant for the new item of work, it shall be derived from the reasonable Cost of executing such work, prevailing market rates, together with profit, taking account of any other relevant matters.
- Until such time as an appropriate rate or price is agreed or determined, the Architect shall determine a provisional rate or price for the purposes of Interim Payment Certificates as soon as the concerned work commences.
- Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (*which would be the tender price*), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a <u>plus or minus</u> percentage. The percentage already worked out during tender evaluation is worked out as follows: (*corrected tender price tender price*)/ *tender price X* 100.

124 Omissions

Whenever the omission of any work forms part (or all) of a Variation, the value of which has not been agreed, if:

- a) The Contractor will incur (or has incurred) cost which, if the work had not been omitted, would have been deemed to be covered by a sum forming part of the Accepted Contract Amount;
- b) The omission of the work will result (or has resulted) in this sum not forming part of the Contract Price; and
- c) this cost is not deemed to be included in the evaluation of any substituted work; then the Contractor shall give notice to the Architect accordingly, with supporting particulars. Upon receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this cost, which shall be included in the Contract Price.

13 VARIATIONS AND ADJUSTMENTS

13.1 Right to Vary

- 13.1.1 Variations may be initiated by the Architect at any time prior to issuing the Taking-Over Certificate for the Works, either by an instruction or by a request for the Contractor to submit a proposal. No Variation instructed by the Architect under this Clause shall in any way vitiate or in validate the Contract.
- 13.12 The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Architect stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence or progress of the Works. Upon receiving this notice, the Architect shall cancel, confirm or vary the instruction.
- 13.13 Each Variation may include:
 - a) changes to the quantities of any item of work included in the Contract (however, such changes do not necessarily constitute a Variation),
 - b) changes to the quality and other characteristics of any item of work,
 - c) changes to the levels, positions and/or dimensions of any part of the Works,

- d) omission of any work unless it is to be carried out by others,
- e) any additional work, Plant, Materials or services necessary for the Permanent Works, including any associated Tests on Completion, boreholes and other testing and exploratory work, or
- f) changes to the sequence or timing of the execution of the Works.
- 13.14 The Contractor shall not make any alteration and/or modification of the Permanent Works, unless and until the Architect instructs after obtaining approval of the Procuring Entity.

132 Variation Order Procedure

- Prior to any Variation Order under Sub-Clause 13.1.4 the Architect shall notify the Contractor of the nature and form of such variation. As soon as possible after having received such notice, the Contractor shall submit to the Engineer:
 - a) A description of work, if any, to be performed and a programme for its execution, and
 - b) the Contractor's proposals for any necessary modifications to the Programme according to Sub-Clause 8.3 or to any of the Contractor's obligations under the Contract, and
 - c) the Contractor's proposals for adjustment to the Contract Price.

Following the receipt of the Contractor's submission the Architect shall, after due consultation with the Employer and the Contractor, decide as soon as possible whether or not the variation shall be carried out. If the Architect decides that the variation shall be carried out, he shall issue a Variation Order clearly identified as such in accordance with the Contractor's submission or as modified by agreement.

If the Architect and the Contractor are unable to agree the adjustment of the Contract Price, the provisions of Sub-Clause 13.2.2 shall apply.

1322 Disagreement on Adjustment of the Contract Price

If the Contractor and the Architecture unable to agree on the adjustment of the Contract Price, the adjustment shall be determined in accordance with the rates specified in the Bills of Quantities or Schedule of Day work Prices. If the rates contained in the Bills of Quantities or Day works Prices are not directly applicable to the specific work in question, suitable rates shall be established by the Architect reflecting the level of pricing in the Day works Prices. Where rates are not contained in the said Prices, the amount shall be such as is in all the circumstances reasonable, reflecting a market price. Due account shall be taken of any over-or underrecovery of overheads by the Contractor in consequence of the variation. The Contractor shall also be entitled to be paid:

- a) The cost of any partial execution of the Works rendered useless by any such variation,
- b) The cost of making necessary alterations to Plant already manufactured or in the course of manufacture or of any work done that has to be altered in consequence of such a variation,
- c) any additional costs incurred by the Contractor by the disruption of the progress of the Works as detailed in the Programme, and
- d) the net effect of the Contractor's finance costs, including interest, caused by the variation.

The Architect shall on this basis determine the rates or prices to enable on-account payment to be included in certificates of payment.

1323 Contractor to Proceed

On receipt of a Variation Order, the Contractor shall forth with proceed to carry out the variation and be bound to these Conditions in so doing as if such variation was stated in the Contract. The work shall not be delayed pending the granting of an extension of the Time for Completion or an adjustment to the Contract Price under Sub-Clause 31.3.

133 Value Engineering

- 13.3.1 The Contractor may, at any time, submit to the Architect written proposal which (in the Contractor's opinion) will, if adopted, (i) accelerate completion, (ii) reduce the cost to the Procuring Entity of executing, maintaining or operating the Works, (iii) improve the efficiency or value to the Procuring Entity of the completed Works, or
 - (iv) otherwise be of benefit to the Procuring Entity.
- 13.32 The proposal shall be prepared at the cost of the Contractor and shall include the items listed in Sub-Clause 13.3 [Variation Procedure].

- If a proposal, which is approved by the Engineer, includes a change in the design of part of the Permanent Works, then unless otherwise agreed by both Parties:
 - a) The Contractor shall design this part,
 - b) sub-paragraphs (a) to (d) of Sub-Clause 4.1 [Contractor's General Obligations] shall apply, and
 - c) if this change results in a reduction in the contract value of this part, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine a fee, which shall be included in the Contract Price. This fee shall behalf (50%) of the difference between the following amounts:
 - i) such reduction in contract value, resulting from the change, excluding adjustments under Sub-Clause 13.8 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost], and
 - ii) the reduction (if any) in the value to the Procuring Entity of the varied works, taking account of any improvement in quality, anticipated life or operational efficiencies.
- 13.3.4 However, if the amount established in item 13.2.3 (c) (i) is less than amount established in item 13.2.3 (c (ii), there shall not be a fee. However, if the if the amount established in item 13.2.3 (c) (i) is more than amount established in item 13.2.3 (c (ii), it shall result in a price variation to the Procuring Entity.

13.4 Variation Procedure for Value Engineering proposal

- If the Architect requests a proposal, prior to instructing a Variation, the Contractor shall respond in writing s soon as practicable, either by giving reasons why he cannot comply (if this is the case) or by submitting:
 - a) A description of the proposed work to be performed and a programme for its execution,
 - b) the Contractor's proposal for any necessary modifications to the programme according to Sub-Clause 8.3 [Programme] and to the Time for Completion, and
 - c) the Contractor's proposal for evaluation of the Variation.
- 13.42 The Architect shall, as soon as practicable after receiving such proposal (under Sub-Clause 13.2 [Value Project Engineering] or otherwise), respond with approval, disapproval or comments. The Contractor shall not delay any work whilst awaiting a response.
- Each instruction to execute a Variation, with any requirements for the recording of Costs, shall be issued by the Architect to the Contractor, who shall acknowledge receipt.
- Each Variation shall be evaluated in accordance with Clause 12 [Measurement and Evaluation], unless the Architect instructs or approves otherwise in accordance with this Clause.

13.5 Payment in Applicable Currencies

If the Contract provides for payment of the Contract Price in more than one currency, then whenever an adjustment is agreed, approved or determined as stated above, the amount payable in each of the applicable currencies shall be specified. For this purpose, reference shall be made to the actual or expected currency proportions of the Cost of the varied work, and to the proportions of various currencies specified for payment of the Contract Price.

13.6 Provisional Sums

- Each Provisional Sum shall only be used, in whole or impart, in accordance with the Architect instructions, and the Contract Price shall be adjusted accordingly. The total sum paid to the Contractor shall include only such amounts, for the work, supplies or services to which the Provisional Sum relates, as the Architect shall have instructed. For each Provisional Sum, the Architect May instruct:
 - a) Work to be executed (including Plant, Materials or services to be supplied) by the Contractor and valued under Sub-Clause 13.3 [Variation Procedure]; and/or
 - b) Plant, Materials or services to be purchased by the Contractor, from a nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]) or otherwise; and for which there shall be included in the Contract Price:
 - i) The actual amounts paid (or due to be paid) by the Contractor, and
 - ii) a sum for overhead charges and profit, calculated as a percentage of these actual amounts by applying the relevant percentage rate (if any) stated in the appropriate Schedule. If there is no such rate, the percentage rate stated in **the Special Conditions of Contract** shall be applied.
- 13.62 The Contractor shall, when required by the Engineer, produce quotations, invoices, vouchers and accounts or receipts in substantiation.

13.7 Day works

- 137.1 For work of a minor or incidental nature, the Architect may instruct that a Variation shall be executed on a day work basis. The work shall then be valued in accordance with the Day work Schedule included in the Contract, and the following procedure shall apply. If a Day work Schedule is not included in the Contract, this Sub-Clause shall not apply.
- Before ordering Goods for the work, the Contractor shall submit quotations to the Engineer. When applying for payment, the Contractor shall submit invoices, vouchers and accounts or receipts for any Goods.
- 13.73 Except for any items for which the Day work Schedule specifies that payment is not due, the Contractor shall deliver reach day to the Architect accurate statements induplicate which shall include the following details of the resources used in executing the previous day's work:
 - a) The names, occupations and time of Contractor's Personnel,
 - b) the identification, type and time of Contractor's Equipment and Temporary Works, and
 - c) the quantities and types of Plant and Materials used.
- One copy of each statement will, if correct, or when agreed, be signed by the Architect and returned to the Contractor. The Contractor shall then submit priced statements of these resources to the Engineer, prior to their inclusion in the next Statement under Sub-Clause 14.3 [Application for Interim Payment Certificates].

13.8 Adjustments for Changes in Legislation

- 138.1 The Contract Price shall be adjusted to take account of any increase or decrease in Cost resulting from a change in the Laws of Kenya (including the introduction of new Laws and the repeal or modification of existing Laws) or in the judicial or official governmental interpretation of such Laws, made after the Base Date, which affect the Contractor in the performance of obligations under the Contract.
- If the Contractor suffers (or will suffer) delay and/or incurs (or will incur) additional Cost as a result of these changes in the Laws or in such interpretations, made after the Base Date, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.
- 1383 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- Notwithstanding the foregoing, the Contractor shall not be entitled to an extension of time if the relevant delay has already been taken into account in the determination of a previous extension of time and such Costshall not be separately paid if the same shall already have been taken into account in the indexing of any inputs to the table of adjustment data in accordance with the provisions of Sub-Clause 13.8 [Adjustments for Changes in Cost].

13.9 Adjustments for Changes in Cost

- In this Sub-Clause, "table of adjustment data" means the completed table of adjustment data for local and foreign currencies included in the Schedules. If there is no such table of adjustment data, this Sub-Clause shall not apply.
- If this Sub-Clause applies, the amounts payable to the Contractor shall be adjusted for rises or falls in the cost of labor, Goods and other inputs to the Works, by the addition or deduction of the amounts determined by the formulae prescribed in this Sub-Clause. To the extent that full compensation for any rise or fall in Costs is not covered by the provisions of this or other Clauses, the Accepted Contract Amount shall be deemed to have included a mounts to cover the contingency of other rises and falls in costs.
- The adjustment to be applied to the amount otherwise payable to the Contractor, as valued in accordance with the appropriate Schedule and certified in Payment Certificates, shall be determined from formulae for each of the currencies in which the Contract Price is payable. No adjustment is to be applied to work valued on the basis of Cost or current prices. The formulae shall be of the following general type:

Price Adjustment Formula (NOTE APPLICABLE FOR THIS TENDER)

Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

P = A + B Im/Io

where:

P is the adjustment factor for the portion of the Contract Price payable.

A and **B** are coefficients **specified in the SCC**, representing then on adjustable and adjustable portions, respectively, of the Contract Price payable and

I m is the index prevailing at the end of the month being invoiced and **Io**c is the index prevailing 30 days before Bid opening for inputs payable.

NOTE: The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the nonadjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other nonadjustable components. The sum of the adjustments for each currency are added to the Contract Price.

- The cost indices or reference prices stated in the table of adjustment data shall be used. If their source is in doubt, it shall be determined by the Engineer. Forth is purpose, reference shall be made to the values of the indices at stated dates (quoted in the fourth and fifth columns respectively of the table) for the purposes of clarification of the source; although these dates (and thus these values) may not correspond to the base cost indices.
- In cases where the "currency of index" is not the relevant currency of payment, each index shall be converted into the relevant currency of payment at the selling rate, established by the Central Bank of Kenya, of this relevant currency on the above date for which the index is required to be applicable.
- Until such time as each current cost index is available, the Architect shall determine a provisional index for the issue of Interim Payment Certificates. When a current cost index is available, the adjustment shall be recalculated accordingly.
- 139.7 If the Contractor fails to complete the Works within the Time for Completion, adjustment of prices there after shall be made using either (i) each index or price applicable on the date 49 days prior to the expiry of the Time for Completion of the Works, or (ii) the current index or price, whichever is more favorable to the Procuring Entity.
- The weightings (coefficients) for each of the factors of cost stated in the table(s) of adjustment data shall only be adjusted if they have been rendered unreasonable, unbalanced or in applicable, as a result of Variations.

14 CONTRACT PRICE AND PAYMENT

14.1 The Contract Price

- 14.1.1 Unless otherwise stated in the Special Conditions:
 - a) The value of the payment certificate shall be agreed or determined under Sub-Clause 12.3 [Evaluation] and be subject to adjustments in accordance with the Contract;
 - b) the Contractor shall pay all taxes, duties and fees required to be paid by him under the Contract, and the Contract Price shall not be adjusted for any of these costs except as stated in Sub-Clause 13.7 [Adjustments for Changes in Legislation];
 - c) any quantities which may be set out in the Bill of Quantities or other Schedule are estimated quantities and are not to be taken as the actual and correct quantities:

- i) of the Works which the Contractor is required to execute, or
- ii) for the purposes of Clause 12 [Measurement and Evaluation]; and
- d) the Contractor shall submit to the Engineer, within 30 days after the Commencement Date, a proposed breakdown of each lump sum price in the Schedules. The Architect may take account of the break down when preparing Payment Certificates but shall not be bound by it.
- 14.12 Notwithstanding the provisions of subparagraph (b), Contractor's Equipment, including essential spare parts there for, imported by the Contractor for the sole purpose of executing the Contract shall not be exempt from the payment of import duties and taxes upon importation.

14.2 Advance Payment

- The Procuring Entity shall make an advance payment, as an interest-free loan for mobilization and cash flow support, when the Contractor submits a guarantee in accordance with this Clause. The total advance payment, the number and timing of instalments (if more than one), and the applicable currencies and proportions, shall be as stated in the **Special Conditions of Contract.**
- Unless and until the Procuring Entity receives this guarantee, or if the total advance payment is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- The Architect shall deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate for the advance payment or its first instalment after receiving a Statement (under Sub-Clause 14.3 [Application for Interim Payment Certificates]) and after the Procuring Entity receives (i) the Performance Security in accordance with Sub-Clause 4.2 [Performance Security] and (ii) a guarantee in amounts and currencies equal to the advance payment. This guarantee shall be issued by a reputable bank or financial institutions elected by the Contractor and shall be in the form annexed to the Special Conditions or in another form approved by the Procuring Entity.
- The Contractor shall ensure that the guarantee is valid and enforceable until the advance payment has been repaid, but its amount shall be progressively reduced by the amount repaid by the Contractor as indicated in the Payment Certificates. If the terms of the guarantee specify its expiry date, and the advance payment has not been repaid by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the guarantee until the advance payment has been repaid.
- Unless stated otherwise in **the Special Conditions of Contract**, the advance payment shall be repaid through percentage deductions from the interim payments determined by the Architect in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates], as follows:
 - a) Deductions shall commence in the next interim Payment Certificate following that in which the total of all certified interim payments (excluding the advance payment and deductions and repayments of retention) exceeds 30 percent (30%) of the Accepted Contract Amount Less Provisional Sums; and
 - b) deductions shall be made at the amortization rate stated in the **Special Conditions of Contract** of the amount of each Interim Payment Certificate (excluding the advance payment and deductions for its repayments as well as deductions for retention money) in the currencies and proportions of the advance payment until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the time when 90 percent (90%) of the Accepted Contract Amount less Provisional Sums has been certified for payment.
- If the advance payment has not been repaid prior to the issue of the Taking-Over Certificate for the Works or prior to termination under Clause 15 [Termination by Procuring Entity], Clause 16 [Suspension and Termination by Contractor] or Clause 19 [Force Majeure] (as the case may be), the whole of the balance then outstanding shall immediately become due and in case of termination under Clause 15 [Termination by Procuring Entity], except for Sub-Clause 14.2.7 [Procuring Entity's Entitlement to Termination for Convenience], payable by the Contractor to the Procuring Entity.

143 Application for Interim Payment Certificates

The Contractor shall submit a Statement (in number of copies indicated in the **Special Conditions of Contract**) to the Architect after the end of each month, in a form approved by the Engineer, showing in detail

the amounts to which the Contractor considers itself to be entitled, together with supporting documents which shall include there port on the progress during this month in accordance with Sub-Clause4.21 [Progress Reports].

- The Statement shall include the following items, as applicable, which shall be expressed in the various currencies in which the Contract Price is payable, in the sequence listed:
 - a) the estimated contract value of the Works executed and the Contractor's Documents produced up to the end of the month (including Variations but excluding items described in sub-paragraphs (b) to (g) below);
 - b) any amounts to be added and deducted for changes in legislation and changes in cost, in accordance with Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost];
 - c) any amount to be deducted for retention, calculated by applying the percentage of retention stated in **the Special Conditions of Contract** to the total of the above amounts, until the amount so retained by the Procuring Entity reaches the limit of Retention Money (if any) stated **in the Special Conditions of Contract**:
 - d) any amounts to be added for the advance payment and (if more than one instalment) and to be deducted for its repayments in accordance with Sub-Clause 14.2 [Advance Payment];
 - e) any amounts to be added and deducted for Plant and Materials in accordance with Sub-Clause 14.5 [Plant and Materials intended for the Works];
 - f) any other additions or deductions which may have become due under the Contractor otherwise, including those under Clause 20 [Claims, Disputes and Arbitration]; and
 - g) the deduction of amounts certified in all previous Payment Certificates.

144 Schedule of Payments

- I the Contract includes a schedule of payments specifying the instalments in which the Contract Price will be paid, then unless otherwise stated in this schedule:
 - a) The instalments quoted in this schedule of payments shall be the estimated contract values for the purposes of sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates];
 - b) Sub-Clause 14.5 [Plant and Materials intended for the Works] shall not apply; and
 - c) If these instalments are not defined by reference to the actual progress achieved in executing the Works, and if actual progress is found to be less or more than that on which this schedule of payments was based, then the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine revised instalments, which shall take account of the extent to which progress is less or more than that on which the instalments were previously based.
- 1442 If the Contract does not include a schedule of payments, the Contractor shall submit non-binding estimates of the payments which he expects to become due during each quarterly period. The first estimate shall be submitted within 42 days after the Commencement Date. Revised estimates shall be submitted at quarterly intervals, until the Taking-Over Certificate has been issued for the Works.

145 Plant and Materials intended for the Works

- If this Sub-Clause applies, Interim Payment Certificates shall include, under sub-paragraph (e) of Sub-Clause 14.3, (i) an amount for Plant and Materials which have been sent to the Site for incorporation in the Permanent Works, and (ii) a reduction when the contract value of such Plant and Materials is included as part of the Permanent Works under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates].
- If the lists referred to in sub-paragraphs (b)(i) or (c)(i) below are not included in the Schedules, this Sub-Clause shall not apply.
- 1453 The Architect shall determine and certify each addition if the following conditions are satisfied:
 - a) The Contractor has:
 - i) kept satisfactory records (including the orders, receipts, Costs and use of Plant and Materials) which are available for inspection, and
 - (ii) submitted statement of the Cost of acquiring and delivering the Plant and Materials to the Site, supported by satisfactory evidence;

and either:

- b) the relevant Plant and Materials:
 - i) are those listed in the Schedules for payment when shipped,
 - ii) have been shipped to Kenya, en route to the Site, in accordance with the Contract; and
 - iii) are described in a clean shipped bill of lading or other evidence of shipment, which has been submitted to the Architect together with evidence of payment of freight and insurance, any other documents reasonably required, and a bank guarantee in a form and issued by an entity approved by the Procuring Entity in amounts and currencies equal to the amount due under this Sub-Clause: this guarantee may be in a similar form to the form referred to in Sub-Clause14.2 [Advance Payment] and shall be valid until the Plant and Materials are properly stored on Site and protected against loss, damage or deterioration; or
- c) the relevant Plant and Materials:
 - i) are those listed in the Schedules for payment when delivered to the Site, and
 - ii) have been delivered to and are properly stored on the Site, are protected against loss, damage or deterioration and appear to be in accordance with the Contract.
- 145.4 The additional amount to be certified shall be the equivalent of eighty percent (80%) of the Architect determination of the cost of the Plant and Materials (including delivery to Site), taking account of the documents mentioned in this Sub-Clause and of the contract value of the Plant and Materials.
- The currencies for this additional amount shall be the same as those in which payment will become due when the contract value is included under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates]. At that time, the Payment Certificate shall include the applicable reduction which shall be equivalent to, and in the same currencies and proportions as, this additional amount for the relevant Plant and Materials.

14.6 Issue of Interim Payment Certificates

- No amount will be certified or paid until the Procuring Entity has received and approved the Performance Security. Thereafter, the Architect shall, within 30 days after receiving a Statement and supporting documents, deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate which shall state the amount which the Architect fairly determines to be due, with all supporting particulars for any reduction or withholding made by the Architect on the Statement if any.
- However, prior to issuing the Taking-Over Certificate for the Works, the Architect shall not be bound to issue an Interim Payment Certificate in an amount which would (after retention and other deductions) be less than the minimum amount of Interim Payment Certificates (if any) stated in the Special Conditions of Contract. In this event, the Architect shall give notice to the Contractor accordingly.
- 1463 An Interim Payment Certificate shall not be withheld for any other reason, although:
 - if anything supplied or work done by the Contractor is not in accordance with the Contract, the cost of rectification or replacement may be withheld until rectification or replacement has been completed; and/or
 - b) if the Contractor was or is failing to perform any work or obligation in accordance with the Contract, and had been so notified by the Engineer, the value of this work or obligation may be withheld until the work or obligation has been performed.
- 4.6.4 The Architect may in any Payment Certificate make any correction or modification that should properly be made to any previous Payment Certificate. A Payment Certificate shall not be deemed to indicate the Architect acceptance, approval, consent or satisfaction.

14.7 Payment

- 14.7.1 The Procuring Entity shall pay to the Contractor:
 - a) The advance payment shall be paid within 60 days after signing of the contract by both parties or within 60 days after receiving the documents in accordance with Sub-Clause 4.2 [Performance Security] and Sub-Clause 14.2 [Advance Payment], whichever is later;
 - b) The amount certified in each Interim Payment Certificate within 60 days after the Architect Issues Interim Payment Certificate; and
 - c) the amount certified in the Final Payment Certificate within 60 days after the Procuring Entity Issues Interim Payment Certificate; or after determination of any disputed amount shown in the Final Statement

Payment of the amount due in each currency shall be made into the bank account, nominated by the Contractor, in the payment country (forth is currency) specified in the Contract.

148 Delayed Payment

- If the Contractor does not receive payment in accordance with Sub-Clause 14.7 [Payment], the Contractor shall be entitled to receive financing charges (simple interest) monthly on the amount unpaid during the period of delay. This period shall be deemed to commence on the date for payment specified in Sub-Clause 14.7 [Payment], irrespective (in the case of its sub-paragraph (b) of the date on which any Interim Payment Certificate is issued.
- These financing charges shall be calculated at the annual rate of three percentage points above the mean rate of the Central Bank in Kenya of the currency of payment, or if not available, the interbank offered rate, and shall be paid in such currency.
- 14.83 The Contractor shall be entitled to this payment without formal notice and certification, and without prejudice to any other right or remedy.

149 Payment of Retention Money

- When the Taking-Over Certificate has been issued for the Works, the first half of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate is issued for a Section or part of the Works, a proportion of the Retention Money shall be certified and paid. This proportion shall behalf (50%) of the proportion calculated by dividing the estimated contract value of the Section or part, by the estimated final Contract Price.
- Promptly after the latest of the expiry dates of the Defects Liability Periods, the outstanding balance of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate was issued for a Section, a proportion of the second half of the Retention Money shall be certified and paid promptly after the expiry date of the Defects Notification Period for the Section. This proportion shall behalf (50%) of the proportion calculated by dividing the estimated contract value of the Section by the estimated final Contract Price.
- However, if any work remains to be executed under Clause 11 [Defects Liability], the Architects hall be entitled to withhold certification of the estimated cost of this work until it has been executed.
- When calculating these proportions, no account shall be taken of any adjustments under Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost].
- Unless otherwise stated in the Special Conditions, when the Taking-Over Certificate has been issued for the Works and the first half of the Retention Money has been certified for payment by the Engineer, the Contractor shall be entitled to substitute a Retention Money Security guarantee, in the form annexed to the Special Conditions or in another form approved by the Procuring Entity and issued by a reputable bank or financial institution selected by the Contractor, for the second half of the Retention Money.
- The Procuring Entity shall return the Retention Money Security guarantee to the Contractor within 14 days after receiving a copy of the Completion Certificate.

14.10 Statement at Completion

- 14.10.1 Within 84 days after receiving the Taking-Over Certificate for the Works, the Contractor shall submit to the Architect three copies of a Statement at completion with supporting documents, in accordance with Sub-Clause 14.3 [Application for Interim Payment Certificates], showing:
 - a) the value of all work done in accordance with the Contract up to the date stated in the Taking-Over Certificate for the Works,
 - b) any further sums which the Contractor considers to be due, and
 - c) an estimate of any other amounts which the Contractor considers will become due to him under the Contract. Estimated amounts shall be shown separately in this Statement at completion.

14.102 The Architect shall then certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates].

14.11 Application for Final Payment Certificate

- 14.11.1 Within 60 days after receiving the Completion Certificate, the Contractor shall submit, to the Engineer, six copies of a draft final statement with supporting documents showing in detail in a form approved by the Engineer:
 - a) The value of all work done in accordance with the Contract, and
 - b) Any further sums which the Contractor considers to be due to him under the Contractor otherwise.
- 14.11.2 If the Architect disagrees with or cannot verify any part of the draft final statement, the Contractor shall submit such further information as the Architect may reasonably require within 30 days from receipt of said draft and shall make such changes in the draft as may be agreed between them. The Contractor shall then prepare and submit to the Architect the final statement as agreed. This agreed statement is referred to in these Conditions as the "Final Statement".
- 14.11.3 However, if, following discussions between the Architect and the Contractor and any changes to the draft final statement which are agreed, it becomes evident that a dispute exists, the Architect shall deliver to the Procuring Entity (with a copy to the Contractor) an Interim Payment Certificate for the agreed parts of the draft final statement. Thereafter, if the dispute is finally resolved under Sub-Clause 20.4 [Obtaining Dispute Board's Decision] or Sub-Clause 20.5 [Amicable Settlement], the Contractor shall then prepare and submit to the Procuring Entity (with a copy to the Engineer) a Final Statement.

14.12 Discharge

When submitting the Final Statement, the Contractor shall submit a discharge which confirms that the total of the Final Statement represents full and final settlement of all moneys due to the Contractor under or in connection with the Contract. This discharge may state that it becomes effective when the Contractor has received the Performance Security and the outstanding balance of this total, in which event the discharge shall be effective on such date.

14.13 Issue of Final Payment Certificate

- 14.13.1 Within 30days after receiving the Final Statement and discharge in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall deliver, to the Procuring Entity and to the Contractor, the Final Payment Certificate which shall state:
 - a) The amount which he fairly determines is finally due, and
 - b) After giving credit to the Procuring Entity for all amounts previously paid by the Procuring Entity and for all sums to which the Procuring Entity is entitled, the balance (if any) due from the Procuring Entity to the Contractor or from the Contractor to the Procuring Entity, as the case may be.
- 14.132 If the Contractor has not applied for a Final Payment Certificate in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall request the Contractor to do so. If the Contractor fails to submit an application within a period of 30 days, the Architect shall issue the Final Payment Certificate for such amount as he fairly determines to be due.

14.14 Cessation of Procuring Entity's Liability

- 14.14.1 The Procuring Entity shall not be liable to the Contractor for any matter or thing under or in connection with the Contract or execution of the Works, except to the extent that the Contractor shall have included an amount expressly for it:
 - a) in the Final Statement and also,
 - b) (except for matters or things arising after the issue of the Taking-Over Certificate for the Works) in the Statement at completion described in Sub-Clause 14.10 [Statement at Completion].
- 14.142 However, this Sub-Clause shall not limit the Procuring Entity's liability under his indemnification obligations, or the Procuring Entity's liability in any case of fraud, deliberate default or reckless misconduct by the Procuring Entity.

14.15 Currencies of Payment

The Contract Price shall be paid in the currency or currencies named in the Schedule of Payment Currencies. If more than one currency is so named, payments shall be made as follows:

- a) If the Accepted Contract Amount was expressed in Local Currency only:
 - i) the proportions or amounts of the Local and Foreign Currencies, and the fixed rates of exchange to be used for calculating the payments, shall be as stated in the Schedule of Payment Currencies, except as otherwise agreed by both Parties;
 - ii) payments and deductions under Sub-Clause 13.5 [Provisional Sums] and Sub-Clause 13.7 [Adjustments for Changes in Legislation] shall be made in the applicable currencies and proportions; and
 - iii) other payments and deductions under sub-paragraphs (a) to (d) of Sub-Clause 14.3 [Application for Interim Payment Certificates] shall be made in the currencies and proportions specified in sub-paragraph (a) (i) above;
- b) payment of the damages specified in the Special Conditions of Contract, shall be made in the currencies and proportions specified in the Schedule of Payment Currencies;
- c) other payments to the Procuring Entity by the Contractor shall be made in the currency in which the sum was expended by the Procuring Entity, or in such currency as may be agreed by both Parties;
- d) if any amount payable by the Contractor to the Procuring Entity in a particular currency exceeds the sum payable by the Procuring Entity to the Contractor in that currency, the Procuring Entity may recover the balance of this amount from the sums otherwise payable to the Contractor in other currencies; and
- e) if no rates of exchange are stated in the Schedule of Payment Currencies, they shall be those prevailing on the Base Date and determined by the Central Bank of Kenya.

15. TERMINATION BY PROCURING ENTITY

15.1 Notice to correct any defects or failures

If the Contractor fails to carry out any obligation under the Contract, the Architect may by notice require the Contractor to make good the failure and to remedy it within 30 days.

15.2 Termination by Procuring Entity

- 1521 The Procuring Entity shall be entitled to terminate the Contract if the Contractor breaches the contract based on following circumstances which shall include but not limited to:
 - a) fails to comply with Sub-Clause 4.2 [Performance Security] or with a notice under Sub-Clause 15.1 [Notice to Correct],
 - b) abandons the Works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the Contract,
 - c) without reasonable excuse fails:
 - i) to proceed with the Works in accordance with Clause 8 [Commencement, Delays and Suspension], or
 - ii) to comply with a notice issued under Sub-Clause 7.5 [Rejection] or Sub-Clause 7.6 [Remedial Work], within 30 days after receiving it,
 - d) subcontracts the major part or whole of the Works or assigns the Contract without the consent of the Procuring Entity,
 - e) becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events, or
 - f) gives or offers to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an induce mentor reward:
 - i) for doing or for bearing to do any action in relation to the Contract, or
 - ii) for showing or for bearing to show favor or disfavor to any person in relation to the Contract, or
 - iii) if any of the Contractor's Personnel, agents or Subcontractors gives or offers to give (directly or indirectly) to any person any such induce mentor reward as is described in this sub-paragraph (f). However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination, or
 - g) If the contract or repeatedly fails to remedy delivers defective work,

- h) based on reasonable evidence, has engaged in Fraud and Corruption as defined in paragraph 2.2 of the Appendix B to these General Conditions, in competing for or in executing the Contract.
- In any of these events or circumstances, the Procuring Entity may, upon giving 14 days' notice to the Contractor, terminate the Contract and expel the Contractor from the Site. However, in the case of subparagraph (e) or (f) or (g) or (h), the Procuring Entity may by notice terminate the Contract immediately.
- 1523 The Procuring Entity's election to terminate the Contract shall not prejudice any other rights of the Procuring Entity, under the Contractor otherwise.
- The Contractor shall then leave the Site and deliver any required Goods, all Contractor's Documents, and other design documents made by or for him, to the Engineer. However, the Contractor shall use his best efforts to comply immediately with any reasonable instructions included in the notice (i) for the assignment of any subcontract, and (ii) for the protection of life or property or for the safety of the Works.
- After termination, the Procuring Entity may complete the Works and/ or arrange for any other entities to do so. The Procuring Entity and these entities may then use any Goods, Contractor's Documents and other design documents made by or on behalf of the Contractor.
- The Procuring Entity shall then give notice that the Contractor's Equipment and Temporary Works will be released to the Contractor at or near the Site. The Contractor shall promptly arrange their removal, at the risk and cost of the Contractor. However, if by this time the Contractor has failed to make a payment due to the Procuring Entity, these items may be sold by the Procuring Entity in order to recover this payment. Any balance of the proceeds shall then be paid to the Contractor.

153 Valuation at Date of Termination

As soon as practicable after a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of the Works, Goods and Contractor's Documents, and any other sums due to the Contractor for work executed in accordance with the Contract.

154 Payment after Termination

After a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Procuring Entity may:

- a) Proceed in accordance with Sub-Clause 2.5 [Procuring Entity's Claims],
- b) withhold further payments to the Contractor until the costs of execution, completion and remedying of any defects, damages for delay in completion (if any), and all other costs incurred by the Procuring Entity, have been established, and/ or
- c) recover from the Contractor any losses and damages incurred by the Procuring Entity and any extra costs of completing the Works, after allowing for any sum due to the Contractor under Sub-Clause 15.3 [Valuation at Date of Termination]. After recovering any such losses, damages and extra costs, the Procuring Entity shall pay any balance to the Contractor.

155 Procuring Entity's Entitlement to Termination for Convenience

The Procuring Entity shall be entitled to terminate the Contract, at any time at the Procuring Entity's convenience, by giving notice of such termination to the Contractor. The termination shall take effect 30 days after the later of the dates on which the Contractor receives this notice or the Procuring Entity returns the Performance Security. The Procuring Entity shall not terminate the Contract under this Sub-Clause in order to execute the Works itself or to arrange for the Works to be executed by another contractor or to avoid a termination of the Contract by the Contractor under Clause 16.2 [Termination by Contractor]. After this termination, the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment] and shall be paid in accordance with Sub-Clause 16.4 [Payment on Termination].

15.6 Fraud and Corruption

The Contractor shall ensure compliance with the Kenya Government's Anti-Corruption Laws and its prevailing sanctions.

15.7 Corrupt gifts and payments of commission

- 15.7.1 The Contractor shall not;
 - a) Offer or give or agree to give to any person in the service of the Procuring Entity any gift or consideration of any kind as an inducement or reward for doing or for bearing to door for having done or for borne to do any act in relation to the obtaining or execution of this or any other Contract for the Procuring Entity or for showing or for bearing to show favor or disfavor to any person in relation to thisor any other contract for the Procuring Entity.
 - b) Enter into this or any other contract with the Procuring Entity in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment there of have been disclosed in writing to the Procuring Entity.
- 15.72 Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement and Asset Disposal Act (2015) and the Anti-Corruption and Economic Crimes Act (2003) of the Laws of Kenya.

16 SUSPENSION AND TERMINATION BY CONTRACTOR

16.1 Contractor's Entitlement to Suspend Work

- If the Architect fails to certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates] or Sub-Clause 14.7 [Payment], or not receiving instructions that would enable the contractor to proceed with the works in accordance with the program, the Contractor may, after giving not less than 30 days' notice to the Procuring Entity, suspend work (or reduce the rate of work) unless and until the Contractor has received the Payment Certificate, reasonable evidence or payment, as the case may be and as described in the notice.
- The Contractor's action shall not prejudice his entitlements to financing charges under Sub-Clause 14.8 [Delayed Payment] and to termination under Sub-Clause 16.2 [Termination by Contractor].
- 16.13 If the Contractor subsequently receives such Payment Certificate, evidence or payment (as described in the relevant Sub-Clause and in the above notice) before giving a notice of termination, the Contractor shall resume normal working as soon as is reasonably practicable.
- If the Contractor suffers delay and/or incurs Cost as a result of suspending work (or reducing the rate of work) in accordance with this Sub-Clause, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

163 Termination by Contractor

- 163.1 The Contractor shall be entitled to terminate the Contract if:
 - a) the Architect fails, within 60 days after receiving a Statement and supporting documents, to issue the relevant Payment Certificate,
 - b) the Contractor does not receive the amount due under an Interim Payment Certificate within 90 days after the expiry of the time stated in Sub-Clause1 4.7 [Payment] within which payment is to be made (except for deductions in accordance with Sub-Clause 2.5 [Procuring Entity's Claims]),
 - c) the Procuring Entity substantially fails to perform his obligations under the Contract in such manner as to materially and adversely affect the economic balance of the Contract and/or the ability of the Contractor to perform the Contract,
 - d) a prolonged suspension affects the whole of the Works as described in Sub-Clause 8.11 [Prolonged Suspension], or
 - e) the Procuring Entity becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events.

- f) the Contractor does not receive the Architect instruction recording the agreement of both Parties on the fulfilment of the conditions for the Commencement of Works under Sub-Clause 8.1 [Commencement of Works].
- In any of these events or circumstances, the Contractor may, upon giving 14 days' notice to the Procuring Entity, terminate the Contract. However, in the case of sub-paragraph (f) or (g), the Contractor may by notice terminate the Contract immediately.
- 1633 The Contractor's election to terminate the Contract shall not prejudice any other rights of the Contractor, under the Contractor otherwise.

164 Cessation of Work and Removal of Contractor's Equipment

After a notice of termination under Sub-Clause 15.5 [Procuring Entity's Entitlement to Termination for Convenience], Sub-Clause 16.2 [Termination by Contractor] or Sub-Clause 19.6 [Optional Termination, Payment and Release] has taken effect, the Contractor shall promptly:

- a) cease all further work, except for such work as may have been instructed by the Architect for the protection of life or property or for the safety of the Works,
- b) hand over Contractor's Documents, Plant, Materials and other work, for which the Contractor has received payment, and
- c) remove all other Goods from the Site, except as necessary for safety, and leave the Site.

165 Payment on Termination

After a notice of termination under Sub-Clause 16.2 [Termination by Contractor] has taken effect, the Procuring Entity shall promptly:

- a) Return the Performance Security to the Contractor,
- b) pay the Contractor in accordance with Sub-Clause 19.6 [Optional Termination, Payment and Release], and
- c) pay to the Contractor the amount of any loss or damage sustained by the Contractor as a result of this termination.

17. RISK AND RESPONSIBILITY

17.1 Indemnities

- 17.1.1 The Contractor shall indemnify and hold harmless the Procuring Entity, the Procuring Entity's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of:
 - a) Bodily injury, sickness, disease or death, of any person what so ever arising out for in the course of orby reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless attributable to any negligence, willful actor breach of the Contract bythe Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and
 - b) damage to or loss of any property, real or personal (other than the Works), to the extent that such damage or loss arises out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless and to the extent that any such damage or loss is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.
- The Procuring Entity shall indemnify and hold harmless the Contractor, the Contractor's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of (1) bodily injury, sickness, disease or death, which is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and (2) the matters for which liability may be excluded from insurance cover, as described in sub-paragraphs (d)(i), (ii) and (iii) of Sub-Clause 18.3 [Insurance Against Injury to Persons and Damage to Property], unless and to the extent that any such damage or loss is attributable to any negligence, willful actor breach of the Contract by the contractor, the contractor's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.

17.2 Contractor's Care of the Works

The Contractor shall take full responsibility for the care of the Works and Goods from the Commencement

Date until the Taking-Over Certificate is issued (or is deemed to be issued under Sub-Clause 10.1 [Taking Over of the Works and Sections]) for the Works, when responsibility for the care of the Works shall pass to the Procuring Entity. If a Taking-Over Certificate is issued (or is so deemed to be issued) for any Section or part of the Works, responsibility for the care of the Section or part shall then pass to the Procuring Entity.

- After responsibility has accordingly passed to the Procuring Entity, the Contractor shall take responsibility for the care of any work which is outstanding on the date stated in a Taking-Over Certificate, until this outstanding work has been completed.
- If any loss or damage happens to the Works, Goods or Contractor's Documents during the period when the Contractor is responsible for their care, from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks], the Contractor shall rectify the loss or damage at the Contractor's risk and cost, so that the Works, Goods and Contractor's Documents conform with the Contract.
- The Contractor shall be liable for any loss or damage caused by any actions performed by the Contractor after a Taking-Over Certificate has been issued. The Contractor shall also be liable for any loss or damage which occurs after a Taking-Over Certificate has been issued and which arose from a previous event for which the Contractor was liable.

17.3 Procuring Entity's Risks

The risks referred to in Sub-Clause 17.4 [Consequences of Procuring Entity's Risks] below, in so far as they directly affect the execution of the Works in Kenya, are:

- a) War hostilities (whether war be declared or not),
- b) rebellion, riot, commotion or disorder, terrorism, sabotage by persons other than the Contractor's Personnel,
- c) explosive materials, ionizing gradiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such explosives, radiation or radio-activity,
- d) pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speeds,
- e) use or occupation by the Procuring Entity of any part of the Permanent Works, except as may be specified in the Contract,
- f) design of any part of the Works by the Procuring Entity's Personnel or by others for whom the Procuring Entity is responsible, and
- g) any operation of the forces of nature which is Unforeseeable or against which an experienced contractor could not reasonably have been expected to have taken adequate preventive precautions.

17.4 Consequences of Procuring Entity's Risks

- 17.4.1 If and to the extent that any of the risks listed in Sub-Clause 17.3 above results in loss or damage to the Works, Goods or Contractor's Documents, the Contractor shall promptly give notice to the Architect and shall rectify this loss or damage to the extent required by the Engineer.
- 17.42 If the Contractor suffers delay and/ or incurs Cost from rectifying this loss or damage, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- (a) An extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- (b) Payment of any such Cost, which shall be included in the Contract Price. In the case of sub-paragraphs (e) and (g) of Sub-Clause 17.3 [Procuring Entity's Risks], Accrued Costs shall be payable.
- After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

175 Intellectual and Industrial Property Rights

- In this Sub-Clause, "infringement" shall refer to an infringement (or alleged infringement) of any patent, registered design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works; and "claim" shall refer to a claim (or proceedings pursuing a claim) alleging an infringement.
- Whenever a Party does not give notice to the other Party of any claim within 30 days of receiving the claim, the first Party shall be deemed to have waived any right to indemnity under this Sub-Clause.

- The Procuring Entity shall indemnify and hold the Contractor harmless against and from any claim alleging an infringement which is or was:
 - a) An un avoidable result of the Contractor's compliance with the Contract, or
 - b) A result of any Works being used by the Procuring Entity:
 - i) for a purpose other than that indicated by, or reasonably to be inferred from, the Contract, or
 - ii) in conjunction with anything not supplied by the Contractor, unless such use was disclosed to the Contractor prior to the Base Date or is stated in the Contract.
- 175.4 The Contractor shall indemnify and hold the Procuring Entity harmless again stand from any other claim which arises out of or in relation to (i) the manufacture, use, sale or import of any Goods, or (ii) any design for which the Contractor is responsible.
- If a Party is entitled to be indemnified under this Sub-Clause, the indemnifying Party may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it. The other Party shall, at the request and cost of the indemnifying Party, assist in contesting the claim. This other Party (and its Personnel) shall not make any admission which might be prejudicial to the indemnifying Party, unless the indemnifying Party failed to take over the conduct of any negotiations, litigation or arbitration upon being requested to do so by such other Party.
- 1756 For operation and maintenance of any plan to equipment installed, the contractor shall grant a non-exclusive and non-transferable license to the Procuring Entity under the patent, utility models ,or other intellectual rights owned by the contractor or a third party from whom the contract or has received the rights to grant sublicenses and shall also grant to the Procuring Entity a non-exclusive and non-transferable rights (without the rights to sub-license) to use the know-how and other technical information disclosed to the contract or under the contract. Nothing contained here-in shall be construed as transferring ownership of any patent, utility model, trademark, design, copy right, know-how or other intellectual rights from the contractor or anyother third party to the Procuring Entity.

17.6 Limitation of Liability

- Neither Party shall be liable to the other Party for loss of use of any Works, loss of profit, loss of any contractor for any in director consequential loss or damage which may be suffered by the other Party in connection with the Contract, other than as specifically provided in Sub-Clause 8.7 [Delay Damages]; Sub-Clause 11.2 [Cost of Remedying Defects]; Sub-Clause 15.4 [Payment after Termination]; Sub-Clause 16.4 [Payment on Termination]; Sub-Clause 17.1 [Indemnities]; Sub-Clause 17.4(b) [Consequences of Procuring Entity's Risks] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights].
- The total liability of the Contractor to the Procuring Entity, under or in connection with the Contract other than under Sub-Clause 4.19 [Electricity, Water and Gas], Sub-Clause 4.20 [Procuring Entity's Equipment and Free- Issue Materials], Sub-Clause 17.1 [Indemnities] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights], shall not exceed the sum resulting from the application of a multiplier (less or greater than one) to the Accepted Contract Amount, as stated in **the Special Conditions of Contract**, or (if such multiplier or other sum is not so stated) the Accepted Contract Amount.
- 17.63 This Sub-Clause shall not limit liability in any case of fraud, deliberate default or reckless misconduct by the defaulting Party.

17.7 Use of Procuring Entity's Accommodation/Facilities

- 17.1 The Contractor shall take full responsibility for the care of the Procuring Entity provided accommodation and facilities, if any, as detailed in the Specification, from the respective dates of hand-over to the Contractor until cessation of occupation (where hand-over or cessation of occupation may take place after the date stated in the Taking-Over Certificate for the Works).
- 17.72 If any loss or damage happens to any of the above items while the Contractor is responsible for their care arising from any cause whatsoever other than those for which the Procuring Entity is liable, the Contractor shall, at his own cost, rectify the loss or damage to the satisfaction of the Engineer.

18 INSURANCE

18.1 General Requirements for Insurances

18.1.1 In this Clause, "insuring Party" means, for each type of insurance, the Party responsible for effecting and maintaining the insurance specified in the relevant Sub-Clause.

- 18.12 Wherever the Contractor is the insuring Party, each insurance shall be effected with insurers and in terms approved by the Procuring Entity. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.13 Wherever the Procuring Entity is the insuring Party, each insurance shall be effected with insurers and in terms acceptable to the Contractor. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- If a policy is required to indemnify joint insured, the cover shall apply separately to each insured as though a separate policy had been issued for each of the joint insured. If a policy indemnifies additional joint insured, namely in addition to the insured specified in this Clause, (i) the Contractor shall act under the policy on behalf of these additional joint insured except that the Procuring Entity shall act for Procuring Entity's Personnel, (ii) additional joint insured shall not be entitled to receive payments directly from the insurer or to have any other direct dealings with the insurer, and (iii) the insuring Party shall require all additional joint insured to comply with the conditions stipulated in the policy.
- 18.15 Each policy insuring against loss or damage shall provide for payments to be made in the currencies required to rectify the loss or damage. Payments received from insurers shall be used for the rectification of the loss or damage.
- **1816** The relevant insuring Party shall, within the respective periods stated in **the Special Conditions of Contract** (calculated from the Commencement Date), submit to the other Party:
 - a) Evidence that the insurances described in this Clause have been affected, and
 - b) copies of the policies for the insurances described in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment] and Sub-Clause 18.3 [Insurance against Injury to Persons and Damage to Property].
- When each premium is paid, the insuring Party shall submit evidence of payment to the other Party. Whenever evidence or policies are submitted, the insuring Party shall also give notice to the Engineer.
- 18.18 Each Party shall comply with the conditions stipulated in each of the insurance policies. The insuring Party shall keep the insurers informed of any relevant changes to the execution of the Works and ensure that insurance is maintained in accordance with this Clause.
- Neither Party shall make any material alteration to the terms of any insurance without the prior approval of the other Party. If an insurer makes (or at tempts to make) any alteration, the Party first notified by the insurer shall promptly give notice to the other Party.
- 18.1.0 If the insuring Party fails to effect and keep in force any of the insurances it is required to effect and maintain under the Contractor fails to provide satisfactory evidence and copies of policies in accordance with this Sub-Clause, the other Party may (at its option and without prejudice to any other right or remedy) effect insurance for the relevant coverage and pay the premiums due. The insuring Party shall pay the amount of these premiums to the other Party, and the Contract Price shall be adjusted accordingly.
- 18.1.1 Nothing in this Clause limits the obligations, liabilities or responsibilities of the Contractor or the Procuring Entity, under the other terms of the Contractor otherwise. Any amounts not insured or not recovered from the insurers shall be borne by the Contractor and/or the Procuring Entity.
- 18.1.12 Procuring Entity in accordance with these obligations, liabilities or responsibilities. However, if the insuring Party fails to effect and keep in force an insurance which is available and which it is required to effect and maintain under the Contract, and the other Party neither approves the omission nor effects insurance for the coverage relevant to this default, any moneys which should have been recoverable under this insurance shall be paid by the insuring Party.
- 18.1.13 Payments by one Party to the other Party shall be subject to Sub-Clause 2.5 [Procuring Entity's Claims] or Sub-Clause 20.1 [Contractor's Claims], as applicable.
- 18.1.4 The Contractor shall be entitled to place all insurance relating to the Contract (including, but not limited to the insurance referred to Clause 18) with insurers from any eligible source country.

182 Insurance for Works and Contractor's Equipment

- The insuring Party shall insure the Works, Plant, Material sand Contractor's Documents for not less than the full reinstatement cost including the costs of demolition, removal of debris and professional fees and profit. This insurance shall be effective from the date by which the evidence is to be submitted under sub-paragraph (a) of Sub-Clause 18.1 [General Requirements for Insurances], until the date of issue of the Taking-Over Certificate for the Works.
- The insuring Party shall maintain this insurance to provide cover until the date of issue of the Performance Certificate, for loss or damage for which the Contractor is liable arising from a cause occurring prior to the issue of the Taking-Over Certificate, and for loss or damage caused by the Contractor in the course of any other operations (including those under Clause 11 [Defects Liability]).
- The insuring Party shall insure the Contractor's Equipment for not less than the full replacement value, including delivery to Site. For each item of Contractor's Equipment, the insurance shall be effective while it is being transported to the Site and until it is no longer required as Contractor's Equipment.
- 1824 Unless otherwise stated in the Special Conditions, insurances under this Sub-Clause:
 - a) Shall be effected and maintained by the Contractor as insuring Party,
 - b) shall be in the joint names of the Parties, who shall be jointly entitled to receive payments from the insurers, payments being held or allocated to the Party actually bearing the costs of rectifying the loss or damage,
 - c) shall cover all loss and damage from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks],
 - d) shall also cover, to the extent specifically required in the tendering documents of the Contract, loss or damage to a part of the Works which is attributable to the use or occupation by the Procuring Entity of another part of the Works, and loss or damage from the risks listed in sub-paragraphs (c), (g) and (h)of Sub-Clause 17.3 [Procuring Entity's Risks], excluding (in each case) risks which are not insurable at commercially reasonable terms, with deductibles per occurrence of not more than the amount stated in the Special Conditions of Contract (if an amount is not so stated, this sub-paragraph (d) shall not apply), and
 - e) may however exclude loss of, damage to, and reinstatement of:
 - i) a part of the Works which is in a defective condition due to a defect in its design, materials or workmanship (but cover shall include any other parts which are lost or damaged as a direct result of this defective condition and not as described in sub-paragraph (ii) below),
 - ii) apart of the Works which is lost or damaged in order to reinstate any other part of the Works if this other part is in a defective condition due to a defect in its design, materials or workmanship,
 - iii) apart of the Works which has been taken over by the Procuring Entity, except to the extent that the Contractor is liable for the loss or damage, and
 - iv) Goods while they are not in Kenya, subject to Sub-Clause 14.5 [Plant and Materials intended for the Works].
- If, more than one year after the Base Date, the cover described in sub-paragraph (d) above ceases to be available at commercially reasonable terms, the Contractor shall (as insuring Party) give notice to the Procuring Entity, with supporting particulars. The Procuring Entity shall then (i) be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to payment of an amount equivalent to such commercially reasonable terms as the Contractor should have expected to have paid for such cover, and (ii) be deemed, unless he obtains the cover at commercially reasonable terms, to have approved the omission under Sub-Clause 18.1 [General Requirements for Insurances].

183 Insurance against Injury to Persons and Damage to Property

- 183.1 The insuring Party shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Sub-Clause 18.2 [Insurance for Worksand Contractor's Equipment]) or to any person (except persons insured under Sub-Clause 18.4 [Insurance for Contractor's Personnel]), which may arise out of the Contractor's performance of the Contract and occurring before the issue of the Performance Certificate.
- This insurance shall be for a limit per occurrence of not less than the amount stated in **the Special Conditions of Contract**, with no limit on the number of occurrences. If an amount is not stated in the **Special Conditions of Contract**, this Sub-Clause shall not apply.
- 1833 Unless otherwise stated in the Special Conditions, the insurances specified in this Sub-Clause:
 - a) Shall be effected and maintained by the Contractor as insuring Party,

- b) shall be in the joint names of the Parties,
- c) shall be extended to cover liability for all loss and damage to the Procuring Entity's property (except things insured under Sub-Clause 18.2) arising out of the Contractor's performance of the Contract, and
- d) may however exclude liability to the extent that it arises from:
 - i) the Procuring Entity's right to have the Permanent Works executed on, over, under, in or
 - ii) through any land, and to occupy this land for the Permanent Works,
 - iii) damage which is an unavoidable result of the Contractor's obligations to execute the
 - iv) Works and remedy any defects, and
 - v) a cause listed in Sub-Clause 17.3 [Procuring Entity's Risks], except to the extent that cover is available at commercially reasonable terms.

184 Insurance for Contractor's Personnel

- 1841 The Contractor shall effect and maintain insurance against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel.
- The insurance shall cover the Procuring Entity and the Architect against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel, except that this insurance may exclude losses and claims to the extent that they arise from any act or neglect of the Procuring Entity or of the Procuring Entity's Personnel.
- 1843 The insurance shall be maintained in full force and effect during the whole time that these personnel are assisting in the execution of the Works. For a Subcontractor's employees, the insurance may be effected by the Subcontractor, but the Contractor shall be responsible for compliance with this Clause.

19. FORCE MAJEURE

19.1 Definition of Force Majeure

- 19.1.1 In this Clause, "Force Majeure" means an exceptional event or circumstance:
 - a) Which is beyond a Party's control,
 - b) Which such Party could not reasonably have provided against before entering into the Contract,
 - c) which, having arisen, such Party could not reasonably have avoided or overcome, and
 - d) which is not substantially attributable to the other Party.
- 19.12 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:
 - a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
 - b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
 - c) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,
 - d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity, and
 - e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.

192 Notice of Force Majeure

- If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
- The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.
- Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.

193 Duty to Minimize Delay

Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure. A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.

194 Consequences of Force Majeure

- 19.41 If the Contractor is prevented from performing his substantial obligations under the Contract by Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], and suffers delay and/ or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) if the event or circumstance is of the kind described in sub-paragraphs (i) to (iv) of Sub-Clause 19.1 [Definition of Force Majeure] and, in sub-paragraphs (ii) to (iv), occurs in Kenya, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destroyed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in Sub-Clause18.2 [Insurance for Works and Contractor's Equipment].
- 19.42 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

195 Force Majeure Affecting Subcontractor

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

19.6 Optional Termination, Payment and Release

- If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment].
- 19.62 Upon such termination, the Architect shall determine the value of the work done and issue a Payment Certificate which shall include:
 - a) theamountspayableforanyworkcarriedoutforwhichapriceisstatedintheContract;
 - b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Procuring Entity when paid for by the Procuring Entity, and the Contractor shall place the same at the Procuring Entity's disposal;
 - c) other Cost or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
 - d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
 - e) the Cost of repatriation of the Contractor's staff and lab or employed wholly in connection with the Works at the date of termination.

19.7 Release from Performance

Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfil its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event or circumstance:

a) The Parties shall be discharged from further performance, without prejudice to the rights of either Party

- in respect of any previous breach of the Contract, and
- b) The sum payable by the Procuring Entity to the Contractor shall be the same as would have been payable under Sub-Clause 19.6 [Optional Termination, Payment and Release] if the Contract had been terminated under Sub-Clause 19.6.

20. SETTLEMENT OF CLAIMS AND DISPUTES

20.1 Contractor's Claims

- 201.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give Notice to the Engineer, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 20.12 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
- 20.13 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 2014 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Engineer. Without admitting the Procuring Entity's liability, the Architect may, after receiving any notice under this Sub-Clause, monitor the record-keeping and/ or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Architect to inspect all these records and shall (if instructed) submit copies to the Engineer.
- 20.15 Within 42days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Engineer, the Contractor shall send to the Architect fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
 - a) This fully detailed claim shall be considered as interim;
 - b) The Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/ or amount claimed, and such further particulars as the Architect may reasonably require; and
 - c) The Contractor shall send a final claim within 30 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Engineer.
- Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Architect and approved by the Contractor, the Architect shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 20.1.7 Within the above defined period of 42 days, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 20.18 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 20.19 If the Architect does not respond within the time frame defined in this Clause, either Party may consider that the claim is rejected by the Architect and any of the Parties may refer the dispute for amicable settlement in accordance with Clause 20.3.
- 201.10 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/ or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 20.3.

202 Procuring Entity's Claims

- If the Procuring Entity considers itself to be entitled to any payment under any Clause of these Conditions or otherwise in connection with the Contract, and/or to any extension of the Defects Notification Period, the Procuring Entity or the Architect shall give notice and particulars to the Contractor. However, notice is not required for payments due under Sub-Clause 4.19 [Electricity, Water and Gas], under Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], or for other services requested by the Contractor.
- The notice shall be given as soon as practicable and no longer than 30 days after the Procuring Entity became aware, or should have become aware, of the event or circumstances giving rise to the claim. A notice relating to any extension of the Defects Notification Period shall be given before the expiry of such period.
- The particulars shall specify the Clause or other basis of the claim and shall include substantiation of the amount and/or extension to which the Procuring Entity considers itself to be entitled in connection with the Contract. The Architect shall then proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the amount (if any) which the Procuring Entity is entitled to be paid by the Contractor, and/or (ii) the extension (if any) of the Defects Notification Period in accordance with Sub-Clause 11.3 [Extension of Defects Notification Period].
- This amount may be included as a deduction in the Contract Price and Payment Certificates. The Procuring Entity shall only be entitled to set off against or make any deduction from an amount certified in a Payment Certificate, or to otherwise claim against the Contractor, in accordance with this Sub-Clause.

203 Amicable Settlement

Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 20.1 above should move to commence arbitration after 60 days from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

20.4 Matters that may be referred to arbitration

Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:

- a) Whether or not the issue of an instruction by the Architect is empowered by these Conditions.
- b) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
- c) Any dispute arising in respect risks arising from matters referred to in Clause 17.3 and Clause 19.
- e) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

20.5 Arbitration

- 205.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 20.3 shall be finally settled by arbitration.
- 2052 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 2053 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 2054 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and a ward any sums which ought to have been the subject of or included in any certificate.

- 2055 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision require mentor notice had been given.
- 2056 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Engineer, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Architect from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 205.7 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 205.7 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Architect shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

20.6 Arbitration with National Contractors

- If the Contract is with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
 - i) Architectural Association of Kenya
 - ii) Institute of Quantity Surveyors of Kenya
 - iii) Association of Consulting Engineers of Kenya
 - iv) Chartered Institute of Arbitrators (Kenya Branch)
 - v) Institution of Engineers of Kenya
- 2062 The institution written to first by the aggrieved party shall take precedence over all other institutions.

20.7 Arbitration with Foreign Contractors

- 207.1 Arbitration with foreign contractors shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- 20.72 The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause 1.4 [Law and Language].

20.8 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

209 Failure to Comply with Arbitrator's Decision

- 209.1 The award of such Arbitrator shall be final and binding up on the parties.
- In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

20.10 Contract operations to continue

Notwithstanding any reference to arbitration herein,

- 1.1.1 the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
- 1.12 the Procuring Entity shall pay the Contractor any monies due the Contractor.

Section IX - Special Conditions of Contract

The following Special Conditions shall supplement the GCC. Whenever there is a conflict, the provisions here in shall prevail over those in the GCC.

Conditions	Sub- Clause	Data
Part A - Contract Data		
Procuring Entity's name and address	Heading	Insert
Name and Reference No. of the Contract	Heading and 1.1	Insert
Engineers Name and address	Heading and 3.1.1	Insert
Contractor's Representative's name	4.3.1	[insert the name of the Contractor's Representative agreed by the Procuring Entity prior to Contract signature]
Key Personnel names	16.9.1	[insert the name of each Key Personnel agreed by the Procuring Entity prior to Contract signature]
Time for Completion	1.1.	days If Sections are to be used, refer to Table: Summary of Sections below
Defects Notification Period	1.1	days
Sections	1.1	If Sections are to be used, refer to Table: Summary of Sections below
Electronic transmission systems	1.3	
Time for the Parties entering into a	1.6	Within 30days
Contract Agreement		•
Commencement Date	8.1.1	
Time for access to the Site	2.1.1	No later than the Commencement Date, and not later than days after Commencement Date
Architect Duties and Authority	3.1.6 (b) (ii)	Variations resulting in an increase of the Accepted Contract Amount in excess of % shall require approval of the Procuring Entity.
Performance Security	4.2.1	The performance security will be in the form of a
Normal working hours	6.5	Specify
Delay damages for the Works	8.7 & 14.15(b)	% of the Contract Price per day. If Sections are to be used, refer to Table: Summary of Sections below
Maximum amount of delay damages	8.7.1	% of the final Contract Price.
Provisional Sums	13.6. (b)(ii)	[If there are Provisional Sums, insert a percentage for adjustment of Provisional Sums]
Adjustments for Changes in Cost	13.9	Period "n" applicable to the adjustment multiplier "Pn":[Insert the period if different from one (1) month; if period "n" is one (1) month, insert "not applicable"]

Conditions Sub- Data			
	Clause		
Total advance payment	14.2.1	% Percentage of the Accepted Contract Amount payable in the currencies and proportions in which	
		the Accepted Contract Amount is payable	
		[Insert number and timing of installments if applicable]	
Repayment amortization rate of advance payment	14.2.5 (b)	%	
Percentage of Retention	14.3.2 (c)	%	
Limit of Retention Money	14.3.2 (c)	% of the Accepted Contract Amount	
Plant and Materials		If Sub-Clause 14.5 applies:	
	14.5.3(b)(i)	Plant and Materials for payment Free on Board [list].	
	14.5.3(c)(i)	Plant and Materials for payment when delivered to the Site [list].	
Minimum Amount of Interim	14.6.2	% of the Accepted Contract	
Payment Certificates		Amount.	
Publishing source of commercial	14.8	Specify% rate per month of delayed	
interest rates for financial charges		payment.	
in case of delayed payment			
Maximum total liability of the			
Contractor to the Procuring Entity		The product of[insert a multiplier	
		less or greater than one] times the Accepted	
		Contract Amount,	
		or	
		[insert amount of the maximum total	
	10.1.5	liability]	
Periods for submission of	18.1.6	[Insert period for submission of evidence of	
insurance:		insurance and policy. Period may be from 14 days to	
a. evidence of insurance.		30days.] days	
b. relevant policies		days	
Maximum amount of deductibles for insurance of the Procuring Entity's risks Minimum amount of third-party 18.3.2		[Insert maximum amount of deductibles]	
		[1115e11 талтит атоши ој аеаисноtes]	
		[Insert amount of third-party insurance]	
insurance	10.5.2	[Insert anomic of mira-party insurance]	
The place of arbitration	20.7.2	Insert city and Country	

SECTION X - CONTRACT FORMS

FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD

FORM NO. 2 – REQUEST FOR REVIEW

FORM No. 3-LETTEROF AWARD

FORM No. 4 - CONTRACT AGREEMENT

FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

FORM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond]

FORM No. 7 - ADVANCE PAYMENT SECURITY

FORM No. 8 - RETENTION MONEY SECURITY

FORM No 1: NOTIFICATION OF INTENTION TOAWARD OF CONTRACT

For the attention of Tenderer's Authorized Representative

This Notification of Award shall be sent to each Tenderer that submitted a Tender and was not successful. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

FORMAT

	i)	Name: [insert Authorized Representative's name]
	ii)	Address: [insert Authorized Representative's Address]
	iii)	Telephone: [insert Authorized Representative's telephone/fax numbers]
	iv)	Email Address: [insert Authorized Representative's email address]
		PORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent ll Tenderers simultaneously. This means on the same date and as close to the same time as possible.]
2.	Date	e of transmission: [email] on [date] (local time)
	This	S Notification is sent by (Name and designation)
3.	Noti	ification of Award
	i)	Procuring Entity: [insert the name of the Procuring Entity]
	ii)	Project: [insert name of project]
	iii)	Contract title: [insert the name of the contract]
	iv)	ITT No: [insert ITT reference number from Procurement Plan]
		Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:
4.		uest a debriefing in relation to the evaluation of your tender by submitting a Procurement-related applaint in relation to the decision to award the contracts.
	a)	The successful tenderers
	i)	Name of successful Tender
	ii)	Address of the successful Tender
	iii)	Contract price of the successful Tender Kenya Shillings
		(in words)
		b) The reasons for your tender being unsuccessful are as follows:
		c) Other Tenderers
		nes of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as a sthe Tender price as read out.

SNo	Name of Tender	Tender Price as read out	Tender's evaluated price (Note a)	One Reason Why Not Evaluated
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

5. How to request a debriefing.

- a) DEADLINE: The dead line to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/position]
 - iii) Agency: [insert name of Procuring Entity]
 - iv) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

6. How to make a complaint

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/ position]
 - iii) Agency: [insert name of Procuring Entity]
 - iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website www.ppra.go.ke.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
 - i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process and is the recipient of a Notification of Intention to Award.
 - ii) The complaint can only challenge the decision to award the contract.
 - iii) You must submit the complaint within the period stated above.
 - iv) You must include, in your complaint, all of the information required to support your complaint.

7. Standstill Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [insert date] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5(d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Signature:					
Name:					
Title/position:					
Telephone:					

FORM NO. 2- REQUEST FOR REVIEW

FORM FOR REVIEW (r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD
APPLICATION NO OF20
BETWEEN
APPLICANT
AND
RESPONDENT (Procuring Entity)
Request for review of the decision of the
REQUEST FOR REVIEW
I/We
1.
2.
By this memorandum, the Applicant requests the Board for an order/orders that:
1.
2.
SIGNED (Applicant) Dated on day of/20
FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board on
SIGNED
Board Secretary

FORM NO 3: LETTER OF AWARD

i	letterhead paper of the Procuring Entity]
ı	[date]
	To: [name and address of the Contractor]
	This is to notify you that your Tender dated [date] for execution of the [name of the Contract and identification number, as given in the Contract Data] for the Accepted Contract Amount [amount in numbers and words] [name of currency], as corrected and modified in accordance with the Instructions to Tenderers, is here by accepted by
	You are requested to furnish the Performance Security within in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.
	Authorized Signature:
	Name and Title of Signatory:
	Name of Procuring Entity:
	Attachment: Contract Agreement:

FORM NO 4: CONTRACT AGREEMENT

TH	IS AC	GREEMENT made the day ofof	, between	ftor "the Propuring
En	tity"),	of the one part, and tractor"), of the other part:	of	(hereinafter
		•		
WI exe Wo	HERE ecuted orks a	AS the Procuring Entity desires that the Work by the Contractor, and has accepted a Tendend the remedying of any defects there in,	ks known aser by the Contractor for the execution and	should be completion of these
The	e Proc	uring Entity and the Contractor agree as follo	ows:	
1.		nis Agreement words and expressions shall have contract documents referred to.	ave the same meanings as are respectively	assigned to them in
2.		following documents shall be deemed to for eement shall prevail over all other Contract d		nis Agreement. This
	a)	The Notification of Award		
	b)	the Form of Tender		
	c)	the addenda Nos(if any)		
	d)	the Special Conditions of Contract		
	e)	the General Conditions of Contract;		
	f)	the Specifications		
	g)	the Drawings; and		
	h)	the completed Schedules and any other doc	cuments forming part of the contract.	
3.	In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in thi Agreement, the Contractor here by covenants with the Procuring Entity to execute the Works and to remed defects therein in conformity in all respects with the provisions of the Contract.			
4.	of tl	Procuring Entity here by covenants to pay the Works and the remedying of defects there is the provisions of the Contract at the times a	n, the Contract Price or such other sum as a	nay become payable
		VITNESS where of the parties here to have cars of Kenya on the day, month and year speci		ordance with the
	Sign	ned and sealed by	(for the Pr	ocuring Entity)
	Sign	ned and sealed by	(for the	Contractor).

FORM NO. 5 - PERFORMANCE SECURITY

[O]	ption 1 - Unconditional Demand Bank Guarantee]		
[Gı	uarantor letterhead]		
Bei	neficiary: [insert name and Address of Procuring Entity]		
Dat	te:[Insert date of issue]		
Gu	arantor: [Insert name and address of place of issue, unless indicated in the letterhead]		
1.	We have been informed that (hereinafter called "the		
	We have been informed that		
2.	Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required		
3.	At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of(in words), such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sun specified therein.		
4.	This guarantee shall expire, no later than the		
5.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."		
	[Name of Authorized Official, signature(s) and seals/stamps]		
	Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.		

¹The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

²Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM No. 6- PERFORMANCE SECURITY

[Option 2– Performance Bond]

[Note: Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]

[G	uara	ntor letterhead or SW	IFT identifier code]	
Be	nefic	eiary: [insert name	and Address of Procuring	g
En	tity <i>]</i>]	Date:		
		_[Insert date of issue]	PERFORMANCE BOY	ND
No).: <u></u>	_		
		_	d address of place of issu	e, unless indicated in the letterhead]
			31 3	
1.	By "th	this Bond	and firmly bound untol	as Principal (hereinafter called "the Contractor") and as Surety (hereinafter called as Obliged (hereinafter called "the Procuring Entity") in the
	type the	ount of es and proportions of	for currencies in which the	the payment of which sum well and truly to be made in the Contract Price is payable, the Contractor and the Surety bind successors and assigns, jointly and severally, firmly by these
2.	of_ spe	cifications, and amend		ten Agreement with the Procuring Entity dated thedayin accordance with the documents, plans, the extent here in provided for, are by reference made part here
3.	per oth Ent	form the said Contra erwise, it shall remain ity to be, in default	ct (including any amend in full force and effect. W under the Contract, the	ation is such that, if the Contractor shall promptly and faithfully lments thereto), then this obligation shall be null and void; Thenever the Contractor shall be, and declared by the Procuring Procuring Entity having performed the Procuring Entity's remedy the default, or shall promptly:
	a)	Complete the Contra	act in accordance with its	terms and conditions; or
	b)	Contract in accordant the Surety of the low Entity and make avadefaults under the Cothe cost of completed damages for which t term "Balance of the	responsive Tenderers and correst responsive Tenderers ailable as work progress contract or Contracts of coron less the Balance of the Burety may be liable he Contract Price," as use	erers for submission to the Procuring Entity for completing the nditions, and upon determination by the Procuring Entity and, arrange for a Contract between such Tenderer, and Procuring es (even though there should be a default or a succession of impletion arranged under this paragraph) sufficient funds to pay the Contract Price; but not exceeding, including other costs and ereunder, the amount set forth in thefirst paragraph hereof. The ed in this paragraph, shall mean the total amount payable by contract, less the amount properly paid by Procuring Entity to
	c)			d by Procuring Entity to complete the Contract in accordance exceeding the amount of this Bond.
4.	The	e Surety shall not be li	able for a greater sum tha	in the specified penalty of this Bond.
5.	Tak oth	ing-Over Certificate.	No right of action shall ac	the expiration of one year from the date of the issuing of the excrue on this Bond to or for the use of any person or corporation the heirs, executors, administrators, successors, and assigns of
6.		se presents to be seale		to set his hand and affixed his seal, and the Surety has caused duly at tested by the signature of his legal representative, this

SIGNED ON	on behalf of	
By	in the capacity of	
In the presence of		
SIGNED ON	on behalf of	
By	in the capacity of	
In the presence of		

FORM NO. 7 - ADVANCE PAYMENT SECURITY

_	emand Bank Guarantee] uarantor letterhead]	
_	neficiary:[Insert name and Address of Procuring Entity]	
	te:[Insert date of issue]	
	VANCE PAYMENT GUARANTEE No.: [Insert guarantee reference number]	
Gı	arantor: [Insert name and address of place of issue, unless indicated in the letterhead]	
1.	We have been informed that (hereinafter called "the Contractor") has entered into Contract No dated with the Beneficiary, for the execution of (hereinafter called" the Contract").	ct
2.	Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum(in words) is to be made against an advance payment guarant	tee
3.	At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any surror sums not exceeding in total an amount of	on he he
	 b) Has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay. 	L
4.	A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor of its account numberat	m on
5.	The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, or on the	nt en er.
6.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year in response to the Beneficiary's written request for such extension, such request to be presented to the Guarante before the expiry of the guarantee.	
	[Name of Authorized Official, signature(s) and seals/stamps]	
	Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.	

¹The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance paymen tas specified in the Contract.

²Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee

FORM NO. 8 – RETENTION MONEY SECURITY

_	emana Ban uarantor leti	uk Guarantee] Herbeadl		
_				
		[Insert name and Address of Procuring Entity][Insert date of issue]		
Ad	vance payn	ment guarantee no. [Insert guarantee reference number]		
Gu	arantor: [I	Insert name and address of place of issue, unless indicated in the letterho	ead]	
1.	entered into	een informed that[insert name of Contractor, which ture shall be the name of the joint venture] (hereinafter called "the Coto Contract No[insert reference number of the contract] datedy, for the execution oft and brief description of Works] (hereinafter called "the Contract").	_with	case of ") has the name
2.	Furthermoretains moretains more Taking-Ov	ore, we understand that, according to the conditions of the Contract, soneys up to the limit set forth in the Contract ("the Retention Money"), and wer Certificate has been issued under the Contract and the first half of some been certified for payment, and payment of [insert the second half of to be made against a Retention Money guarantee.	the Bene d that wh f the Ret	nen the ention
3.	At the request of the Contractor, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of [insert amount in figures]_ ([insert amount in words])^{l} upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or showgrounds for your demand or the sum specified there in.			7_ parate
4.	A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the second half of the Retention Money as referred to above has been credited to the Contractor on its account number at [insert name and address of Applicant's bank].			ney as
5.	This guarar demand for date.	ntee shall expire no later than the	on or befo	ıd any re that
6.	months] [c	ntor agrees to a one-time extension of this guarantee for a period not <i>one year]</i> , in response to the Beneficiary's written request for such the be presented to the Guarantor before the expiry of the guarantee.		
	[Name of A	Authorized Official, signature(s) and seals/stamps]		

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

	Details of all Beneficial Owners	% of shares a person	% of voting rights a person	Whether a person directly or indirectly holds a right	Whether a person directly or indirectly
		holds in the company Directly or indirectly	holds in the company	to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	exercises significant influence or control over the Company (tenderer) (Yes/No)
1.	Full Name National identity card number or Passport number Personal Identification Number (where applicable) Nationality Date of birth [dd/mm/yyyy] Postal address Residential address Telephone number Email address Occupation or profession	Directly % of shares Indirectly % of shares	Directly% of voting rights Indirectly% of voting rights	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: YesNo 2. Is this right held directly or indirectly? Direct	1. Exercises significant influence or control over the Company body of the Company(tenderer) YesNo 2. Is this influence or control exercised directly or indirectly? Direct
2.	Full Name	Directly %	Directly	1. Having the right to appoint a majority of	1. Exercises significant influence
	National identity card number or Passport number Personal Identification Number (where applicable) Nationality(ies) Date of birth [dd/mm/yyyy] Postal address Residential address Telephone number	of shares Indirectly of shares	rights Indirectly % of voting rights	the board of the directors or an equivalent governing body of the Tenderer: YesNo 2. Is this right held directly or indirectly? Direct	
	Email address Occupation or profession				

etc.			

FORM NO. 9 BENEFICIAL OWNERSHIP DISCLOSURE FORM

(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.

Tender Reference No.:		[insert
identification no] Name of the Te	nder Title/Description:	[insert
<i>name of the assignment</i>] to:	[insert complete name of P	rocuring Entity]

In response to the requirement in your notification of award dated [insert date of notification of award] to furnish additional information on beneficial ownership: [select one option as applicable and delete the options that are not applicable]

I) We here by provide the following beneficial ownership information.

Details of Beneficial ownership

II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). Note that Personally Identifiable Information (PII) is defined as any

¹The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.

²Insert a date that is twenty-eight days after the expiry of retention period after the actual completion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

information that can be used to distinguish one person from another and can be used to de anonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.

III)In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:

- (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
- (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
- (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or
- (d) exercises significant influence or control, directly or indirectly, over the company.

IV) What is stated to herein above is true to the best of my knowledge, information and belief.
Name of the Tenderer*[insert complete name of the Tenderer]
Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete
name of person duly authorized to sign the Tender]
Designation of the person signing the Tender: [insert complete title of the person
signing the Tender]
Signature of the person named above: [insert signature of person whose name and
capacity is shown above]
Date this

Bidder Official Stamp







